

mAntra

Técnico

MANTRA EN EL MUNDO

MANTRA AROUND THE WORLD





David Villalba

EN_

Mantra works with a very diverse team of freelance designers, specialized in different branches of design.

They are a group of highly qualified professionals experience in the lighting sector, who contribute with original solutions in the development of new concepts; they also participate actively in the whole product development process, from the initial draft to the lasted finishing details

This wide variety of styles that our designers offer have a direct impact on our catalogues, which are made up of ideas that are adapted to any type of lighting need.

Besides, we take pride in having a great relationship with them, which goes beyond the professional link. We truly rely on their capability and work methods, which have provided, such innovative and stylish collections so far.



José Ignacio Ballester

FR_

Mantra collabore avec une équipe de dessinateurs externes très diverse, spécialisés dans différentes branches dans le monde du design.

Des professionnels avec une grande expérience dans le secteur de l'illumination, qui apportent des solutions innovatrices au développement de nouveaux concepts, et participent dans tous les processus de fabrication du produit, depuis le brouillon jusqu'à la conception du produit final.

Cette grande variété de styles influence directement notre catalogue, qui est composé de solutions qui s'adaptent à tous les styles ou besoins dans le monde de l'illumination.

Notre relation avec l'équipe de designers va plus loin que le contact professionnel, nous avons confiance sur leur savoir-faire, et leur méthodes de travail qui nous apporte fraîcheur et innovation, pour chacune de nos collections.

JW design



Carlos Santolaria



Wilfried Buelacher



Jackie Luo



Santiago Sevillano

ITL_

Mantra collabora con un team di designer esterni molto diversi, specializzati in varie branche nel mondo del design.

Professionisti con esperienza nel settore dell'illuminazione che forniscono soluzioni innovative nello sviluppo di nuovi concetti, partecipando a tutti i processi di sviluppo del prodotto, dallo schizzo iniziale alla concezione del prodotto finale.

Questa ampia varietà di stili che ci offre influisce direttamente sul nostro catalogo, che è composto da soluzioni che si adattano a qualsiasi tipo di stile o esigenza nel mondo dell'illuminazione.

Il nostro trattamento con i designer va oltre un semplice trattamento professionale, confidiamo pienamente nel loro buon lavoro e nei loro metodi di lavoro che ci danno freschezza e innovazione in ciascuna delle nostre collezioni.



Hugo Tejada

ESP_

Mantra colabora con un equipo de diseñadores externos muy diverso, especializados en diversas ramas dentro del mundo del diseño.

Profesionales con experiencia en el sector de la iluminación que aportan soluciones novedosas en el desarrollo de nuevos conceptos, participando en todos los procesos de desarrollo del producto, desde el boceto inicial hasta la concepción del producto final.

Esta gran variedad de estilos que nos ofrecen incide directamente en nuestro catálogo, el cual está compuesto por soluciones que se adaptan a cualquier tipo de estilo o necesidad dentro del mundo de la iluminación.

Nuestro trato con los diseñadores va más allá de un mero trato profesional, confiamos plenamente en su buen hacer y en sus métodos de trabajo que nos aporta frescura e innovación en cada una de nuestras colecciones.

INTERIOR/INDOOR

Aplique/Wall light



HANOK
16



LUPPI
22



KUBICK
26




GOA
30



EYES
32



VENUS
34



ERIS
38



POLAR
44



DURBAN
48



MORNE
52



ASIMETRIC
54



ZANZIBAR
56



FUERTEVENTURA
62



TORCH
64



SAL
68



CAYMAN
72



CABARETE
74



BOAVISTA
76



GOCOVA
78



TARIFA
80



PREA
82



CAÍCOS
84



BAHIA
86



HABANA
88



BORA BORA
92



MURAL
98



TAHITI
100



TOJA
102



MINI
104



PARACURU
106


Plafón/Ceiling



KUBICK
108



TORCH
110



MURAL
112



MINI
116



ZERO E27
120



CUMBUCO
122



SAONA SUPERFICIE
128

Pie de salón/Floor Sobremesa/Table lamp



EYES
150



SAL
148



TORCH
152



MURAL
147



EYES
132



SAL
134



TORCH
136



TORCH
144



ZANZIBAR
138



CERES
140

Colgante/*Pendant*

						
HANOK	PAGODA	ORION	ANTARES	TORCH	ARUBA	CUMBUCO
154	164	168	178	188	190	123

Foco carril trifásico/*Triphasic rail spot*

					
ÍPSILON	PAGODA	ARUBA	SAL	FIJI	CARRILES
210	214	218	220	222	229

Foco superficie-regleta/*Spot light*

			
GLACIAR	IOS	SAL	GOWER
192	194	196	200
			
ARUBA	KAILUA	COLUMBRETES	
202	208	206	

Campanas LED/*Ufo bays LED*

			
150W 4000K	200W 4000K	150W 5000K	200W 5000K
294	298	296	300

Empotrable/*Recessed*

							
ATLANTIS	BÁSICO GU10	BRANDON	CABRERA	CONFORT GU10	CONFORT IP	FORMENTERA	GARDA
276	258	266	246	263	277	240	238
							
CHUINCHO GU10	CHUINCHO	NEPTUNO	LAMBORJINI	METACRILATO	SAONA	MEDANO	GRACIOSA
234	230	236	268	272	252	250	274

Tiras Led/*Led strips*

			
TIRAS LED	PERFILES	DRIVERS	SISTEMAS CONTROL
278	282	285	288

EXTERIOR/OUTDOOR

Aplique/Wall light



CYCLE
302



POLINESIA
304



MAYA
306



RUKA
308



MERIBEL
310



TEJA
314



VOLCANO
316



IGUAZÚ
318



EVEREST
322



KANDANCHÚ
324



DAVOS
328



DAVOS XL
332

Aplique/Wall light



TRIAX
336



SOCHI
338



BORA
340



ARCS
342



JACKSON
343



UTAH
344



MERIBEL
346



SOLDEN
348



ALPINE
350



CHAMONIX
352



TAOS
354



LEVI
356

Plafón exterior/Ceiling outdoor



MAYA
358



VERBIER
360



CHAMONIX
362



BACHELOR
364



LEVI
366

Colgantes exterior/Pendant outdoor



POLINESIA
414



AVORIAZ
426



KINKÉ
418



MAYA
424

Baliza/Bollard outdoor



CHEVALIER
380



EVEREST
406




RUKA
408



TAOS
410

Señalizadores/Step wall lights



ASPEN
432



BAKER
428

Lámpara suelo & portátil exterior/Ground lamps & portable outdoor



POLINESIA
368



KLAPPEN
370



K3
372



ASTÚN
374



K2
376



SAPPORO
382

Sobremuro exterior/Overwall outdoor



FLAME
386



EVEREST
404



MAYA
400



RUKA
408



MERIBEL
402



MERIBEL
378

Lámpara de pie/Floor lamp outdoor



POLINESIA
390



ESPIGA
392



FLAME
398



K2
384



AVORIAZ
388

INTERIOR/INDOOR

Aplique-Wall light	HANOK	16	Pie de Salón-Floor lamp	MURAL	145
	LUPPI	22		SAL	148
	KUBICK	26		EYES	150
	GOA	30	Lámpara lineal-Linear lamp	TORCH	152
	EYES	32		HANOK	154
	VENUS	34		PAGODA	164
	ERIS	38	Lámparas de techo-Pendant Lamp	ORION	168
	POLAR	44		ANTARES	178
	DURBAN	48		TORCH	188
	MORNE	52	Colgante-Pendant lamp	ARUBA	190
Plafón-Ceiling lamp	ASIMETRIC	54		GLACIAR	192
	ZANZIBAR	56		IOS	194
	FUERTEVENTURA	62	Foco Superficie-Spotlight	SAL	196
	TORCH	64		GOWER	200
	SAL	68		ARUBA	202
	CAYMAN	72	Foco carril trifásico-Triphasic rail spot	COLUMBRETES	206
	CABARET	74		KAILUA	208
	BOAVISTA	76		ÍPSILON	210
	GOKOVA	78	Empotrable-Recessed	PAGODA	214
	TARIFA	80		ARUBA	218
Sobremesa-Table lamp	PREA	82		SAL	220
	CAÏCOS	84	Foco Superficie/Aplique-Spot/Wall Lamp	FIJI	222
	BAHIA	86		CARRÍL	228
	BAHIA/HABANA	90		GUINCHO	230
	BORA BORA	92	Regleta-Spot Light	GUINCHO GU10	234
	MURAL	98		NEPTUNO	236
	TAHITI	100		GARDA	238
	TOJA	102	Foco Superficie/Aplique-Spot/Wall Lamp	FORMENTERA	242
	MINI	104		CABRERA	248
	PARACURU	106		MEDANO	250
Sobremesa-Table lamp	KUBICK	108	Foco carril trifásico-Triphasic rail spot	SAONA	252
	TORCH	110		BÁSICO GU10	258
	MURAL	112		COMFORT GU10	262
	MINI	116	Empotrable-Recessed	BRANDON	266
	ZERO E27	120		LAMBOR JINI	268
	CUMBUCO	122		METACRILATO	272
	SAONA SUPERFICIE	128	Colgante-Pendant	GRACIOSA	274
	EYES	132		ATLANTIS	276
	SAL	134		COMFORT IP	277
	TORCH	136	Foco carril trifásico-Triphasic rail spot	TIRAS	278
Sobremesa-Table lamp	ZANZIBAR	138		ALIMENTADORES	285
	CERES	140		SISTEMAS	288
	MURAL	144	Foco carril trifásico-Triphasic rail spot	URANO	294

EXTERIOR/OUTDOOR

Aplique exterior-Outdoor wall lamp	CYCLE	302	Sobremesa exterior Outdoor table lamp	POLINESIA	368
	POLINESIA	304		KLAPPEN	370
	MAYA	306		K3	372
	RUKA	308	Pie De Salón exterior Outdoor floor lamp	ASTÚN	374
	MERIBEL	310		K2	376
	TEJA	314		SAPPORO	382
	VOLCANO	316	Sobremuro-overwall Balizas -OverWall	MERIBEL	378
	IGUAZÚ	318		CHEVALIER	380
	EVEREST	322		EVEREST	406
	KANDANCHU	324	Pie De Salón exterior Outdoor floor lamp	RUKA	408
Plafón exterior Outdoor ceiling lamp	DAVOS	328		TAOS	410
	DAVOS XL	332		POLINESIA	390
	TRIAx	336	Sobremuro-Overwall	ESPIGA	392
	SOCHI	338		K2	384
	BORA	340		FLAME	398
	ARCS	342	Colgante-Pendant	MAYA	400
	JACKSON	343		MERIBEL	402
	UTAH	344		EVEREST	404
	MERIBEL	346	Señalizador-step wall	RUKA	408
	SOLDEN	348		TAOS	410
Plafón exterior Outdoor ceiling lamp	ALPINE	350		FLAME	386
	CHAMONIX	352	Sobremuro-Overwall	MERIBEL	378
	TAOS	354		POLINESIA	414
	LEVI	356		KINKÉ	418
	MAYA	358	Colgante-Pendant	MAYA	424
	VERBIER	360		AVORIAZ	426
	CHAMONIX	362		BAKER	428
	BACHELOR	364	Señalizador-step wall	ASPEN	432
	LEVI	366			




7774 Blanco-White
LED 14W **3000K** 950lm

7775 Blanco-White
LED 14W **4000K** 1000lm

7776 Negro-Black
LED 14W **3000K** 950lm

7777 Negro-Black
LED 14W **4000K** 1000lm



7546
pág. 154

7548
pág. 160




Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80





7778 *Arena-Sabbia*
LED 14W 3000K 950lm



7569
pág. 158



Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80








7770 Blanco-White
LED 38W 3000K 2850lm

7771 Blanco-White
LED 38W 4000K 3000lm


7772 Negro-Black
LED 38W 3000K 2850lm

7773 Negro-Black
LED 38W 4000K 3000lm



7546
pág. 154

7548
pág. 160






Aluminio-Aluminium 220-240V ~ 50/60Hz CRI: > 80



7694 Negro-Black
1L x GX53 (No incl)

7693 Blanco-White
1L x GX53 (No incl)



Bombillas Recomendadas/ Suggested Bulbs
R09224 R09225 R09248 R09249



9W 9W 12W 12W



Metal-Metal 100-240V~50/60Hz GX53 máx. 15WLED (No incl)



7695 Arena-Sabbia
1L x GX53 (No incl)





Bombillas Recomendadas/ Suggested Bulbs
R09224 R09225 R09248 R09249
9W 9W 12W 12W




Metal-Metal 100-240V~50/60Hz GX53 máx. 15WLED (No incl)







7590 Blanco-White
LED 26W **3000K** 1630lm

7591 Blanco-White
LED 26W **3000K** 1630lm
Dimmable



7594 Blanco-White
LED 33,5W **3000K** 1870lm


7595 Blanco-White
LED 33,5W **3000K** 1870lm
Dimmable



7762
pág. 108




Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80








7596 Negro-Black
LED 33,5W **3000K** 1870lm

7597 Negro-Black
LED 33,5W **3000K** 1870lm
Dimmable



7592 Negro-Black
LED 26W **3000K** 1630lm

7593 Negro-Black
LED 26W **3000K** 1630lm
Dimmable



7762
pág. 108



Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80



GOA


3000K

Aplique-Wall light


by José Ignacio Ballester

7720 Blanco-White
LED 7.5W 660lm
Con interruptor-With switch

7721 Negro-black
LED 7.5W 660 m
Con interruptor-With switch





Aluminio-Aluminium 100-250V 50/60Hz CRI: > 80




7513 Negro arena-Sand black
LED 6W 390lm
Sin interruptor-No switch

7514 Negro arena-Sand black
LED 6W 390lm
Con interruptor-With switch





7510
pág. 132



Aluminio-Aluminium 100-240V~ 50/60Hz CRI: > 80



7293 Negro-Black
LED 6W 490lm





Aluminio/acrílico-Aluminium/acrylic 220-240V~ 50/60Hz CRI> 80



DRIVER
TUV

Registered N° 007663331-0016

7292 Blanco-White
LED 6W 490lm



Aluminio/acrílico-Aluminium/acrylic 220-240V~50/60Hz CRI> 80



ERIS


Aplique-Wall Lamp

by Hugo Tejada

ERIS
3000K

7296 Blanco-White
LED 8W 640lm

7297 Negro-Black
LED 8W 640lm



Aluminio-Aluminium 220-240V~ 50/60Hz CRI> 80




DRIVER
TÜV

Registered N° 007663331-0012



ERIS

Aplique-Wall Lamp



7299 Negro-Black
LED 16 W 1280lm

7298 Blanco-White
LED 16 W 1280lm



Aluminio-Aluminium 220-240V~ 50/60Hz CRI>80

ERIS
3000K




DRIVER
TUV

Registered N° 007663331-0012

ERIS

Aplique-Wall Lamp





ERIS
3000K



7300 Blanco-White
LED 24W 1920lm

7301 Negro-Black
LED 24W 1920lm




Aluminio-Aluminium 220-240V~ 50/60Hz CRI> 80



DRIVER
TÜV

Registered Nº 007663331-0012

7240 Blanco-White
LED 6W 540lm




Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80



DRIVER
TUV

Registered N° 007663331-0015

7241 Negro-Black
LED 6W 540lm



Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80



Registered N° 007663331-0015




DURBAN

3000K

7175 Negro-Black
LED 10W 780lm 100-250V

7176 Negro-Black
LED 20W 1550lm 100-250V

7177 Negro-Black
LED 30W 2300lm 220-240V



Aluminio-Aluminum 50/60Hz CRI> 80

DURBAN

3000K




DRIVER
TÜV


DURBAN

3000K


7197 Blanco-White
LED 10W 780lm 100-250V



7198 Blanco-White
LED 20W 1550lm 100-250V



7199 Blanco-White
LED 30W 2300lm 220-240V



Aluminio-Aluminum 50/60Hz CRI> 80

DURBAN

3000K



DRIVER
TUV

MORNE

4000K

Aplique-Wall Lamp

7482 Negro-Black
LED 12W 1080lm

6760 Cromo-Chrome
LED 12W 1080lm

6763 Blanco-White
LED 12W 1080lm

7483 Negro-Black
LED 16W 1440lm



6761 Cromo-Chrome
LED 16W 1440lm

7480 Blanco-White
LED 16W 1440lm

7484 Negro-Black
LED 20W 1800lm

6762 Cromo-Chrome
LED 20W 1800lm


7481 Blanco-White
LED 20W 1800lm




Aluminio/Pc-Aluminium /Pc 220-240V~ 50/60Hz CRI:> 80




6222 Negro-Black
1L x GX53



6220 Blanco-White
1L x GX53



6221 Blanco-White
1L x GX53



Bombillas Recomendadas/ Suggested Bulbs
R09224 R09225 R09248 R09249
9W 9W 12W 12W



Metal-Metal 100-240V~ 50/60Hz máx. 12W LED



6754 Blanco Mate-Matt White
LED 3W 210lm




A close-up photograph of a book's spine and front cover. The spine is a bright yellow color with a smooth, slightly curved surface. The front cover is a dark, textured material, possibly leather or a heavy cloth, with a fine, pebbled grain. The book is positioned vertically, and the lighting highlights the texture of the cover and the curve of the spine.



6716
pág. 138



Aluminio/Metal-Aluminium/Metal 100-240V~50/60Hz CRI: ≥ 80



ZANZIBAR

3000K

Aplique-Wall light


6752 Negro Mate-Matt Black
LED 3W 210lm



6750 Blanco Mate-Matt White
LED 3W 210lm



* Cargador De Inducción Teléfono-Cell Phone Induction Charger



6716
pág. 138



Aluminio/Metal-Aluminium/Metal 100-240V~50/60Hz CRI:>80

6750

ZANZIBAR



ZANZIBAR

3000K

Aplique-Wall light

6753 Negro Mate-Matt Black
LED 6W 470lm



6751 Blanco Mate-Matt White
LED 6W 470lm




6751

ZANZIBAR



* Cargador De Inducción Teléfono-Cell Phone Induction Charger



6716
pág.138




Aluminio/Metal-Aluminium/Metal 220-240V~ 50/60Hz CRI: > 80




6865 Blanco Mate-Matt White
LED 9W 600lm



6866 Negro Mate-Matt Black
LED 9W 600lm



Acero/Acrílico-Steel/Acrylic 100-250V~ 50/60Hz CRI: > 80




TORCH

3000K



Aplique-Wall light

6701 Negro Mate-Matt Black
LED 6W 410lm

6700 Blanco Mate-Matt White
LED 6W 410lm



360°



Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80

6703-6701

TORCH




TORCH

3000K

Aplique-Wall light

6703 Negro Mate-Matt Black
LED 3W+6W 410lm+210lm

6702 Blanco Mate-Matt White
LED 3W+6W 410lm+210lm



360°

6736
pág. 152

6738
pág. 136

6826
pág. 188

6828
pág. 110



Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80

6703

TORCH




7523 Blanco Mate-Matt White
1L×GU10
Sin interruptor-No switch

7518 Negro Mate-Matt Black
1L×GU10
Sin interruptor-No switch



7524 Blanco Mate-Matt White
1L×GU10
Con interruptor-With switch

7519 Negro Mate-Matt Black
1L×GU10
Con interruptor-With switch



Aluminio-Aluminium 100-240V~50/60Hz máx. 10W LED



6283
pág. 70

6281
pág. 196


6717
pág. 220

7522
pág. 148



Bombillas Recomendadas/ Suggested Bulbs
R09196 R09214 R09197



6284 Blanco Mate-Matt White
1L×GU10
Con interruptor-With switch



6283 Blanco Mate-Matt White
1L×GU10
Sin interruptor-No switch



6714 Negro Mate-Matt Black
1L×GU10
Con interruptor-With switch



6713 Negro Mate-Matt Black
1L×GU10
Sin interruptor-No switch



Aluminio-Aluminium 100-240V~ 50/60Hz máx. 10W LED

6284

SAL



ErP
COMPLIANT

RoHS
compliant



6283
pág. 70



6281
pág. 196



6717
pág. 220



7522
pág. 148



Bombillas Recomendadas/ Suggested Bulbs
R09196 R09214 R09197



6080 Blanco Mate-Matt White
LED 3W+6W 210+410lm




6081 Satin-Satin
LED 3W+6W 210+410lm



6083 Negro Mate-Matt Black
LED 3W+6W 210+410lm



6082 Cuero-Antique Brass
LED 3W+6W 210+410lm



Aluminio-Aluminium 220-240V~50/60Hz CRI: > 80




CABARET

3000K

Aplique-Wall light

5715 Blanco-White
LED 3+3 W 470lm




Aluminio-Aluminium 220-240V~ 50/60Hz CRI> 80

Aplique-Wall light

CABARET

3000K

5714 Negro Mate-Matt Black
LED 3+3 W 470lm




BOAVISTA


3000K

Aplique-Wall light


6046 Blanco-White
LED 3W 185lm




6050 Blanco-White
LED 5W 285lm




6051 Negro-Black
LED 5W 285lm




6047 Negro-Black
LED 3W 185lm



6048 Blanco-White
LED 3W 185lm



6049 Negro-Black
LED 3W 185lm



Aluminio Acrílico-Aluminium Acrylic 100-240V~50/60Hz CRI: > 80



BOAVISTA

3000K

Aplique-Wall light


GOKOVA

3000K

Aplique /Empotrable-Wall light/Recessed

6820 Blanco Arena-Sand White
LED 3W 210lm

6821 Negro Arena-Sand Black
LED 3W 210lm



Metal/Aluminio-Metal/Aluminium 100-240V~ 50/60Hz CRI: > 80




6070 Blanco-White
LED 3W 210lm



6071 Satin-Satin
LED 3W 210lm




6072 Cuero-Antique Brass
LED 3W 210lm



Aluminio-Aluminium 100-240V~50/60Hz CRI: > 80

6070




6075 Blanco-White
LED 3W 210lm



6076 Satin-Satin
LED 3W 210lm



6077 Cuero-Antique Brass
LED 3W 210lm



Aluminio-Aluminium 100-240V~50/60Hz CRI: > 80




6091 Blanco-White



6092 Satin-Satin



6093 Cuero-Antique Brass



1L × E27 máx. 20W LED
3W LED 3000 K Lector / Reader
210lm
USB Cargador / Charger
Pantalla Blanca / White shade



Aluminio-Aluminium 220-240V~ 50/60Hz CRl: > 80



5233 *Bronce-Bronze*
1×E27 máx. 20W **LED**
1× 3W **LED** 200lm 4000K

5240 *Pantalla-Shade*

5234 *Niquel Satinado-Satin Nickel*
1×E27 máx. 20W **LED**
1× 3W **LED** 200lm 4000K

5237 *Pantalla-Shade*

5235 *Bronce-Bronze*
1×E27 máx. 20W **LED**
100-240V~ 50/60Hz


5238 *Pantalla-Shade*

5236 *Niquel Satin-Satin Nickel*
1×E27 máx. 20W **LED**
100-240V~ 50/60Hz







5239 *Pantalla-Shade*

5236 *Niquel Satin-Satin Nickel*
1×E27 máx. 20W **LED**
100-240V~ 50/60Hz

5239 *Pantalla-Shade*
5170 *Plaque kit*



Doble interruptor/Double switch



*Seleccionar referencia producto + referencia pantalla / *Select product reference + shade reference*



Acero-Steel 220-240V~ 50/60Hz CRI: > 80

Ref. Kit placa / Ref. plaque kitw	5171
Aplicación/Product	5235-5233
Color	Bronce / Bronze
Material	Metálico/Metal
Dimensiones/Dimensions (mm)	L100*H100

Ref. Kit placa / Ref. plaque kit	5170
Aplicación/Product	5236-5234
Color	Niquel satinado / Santin nickel
Material	Metálico/Metal
Dimensiones/Dimensions (mm)	L100*H100

5316 Blanco Cromo-White Chrome
1×E27 máx. 20W LED
1× 3W LED 200lm 4000K

5237 Pantalla-Shade



5317 Negro Cromo-Black Chromel
1×E27 máx. 20W LED
1× 3W LED 200lm 4000K


5238 Pantalla-Shade



5317



Doble interruptor/Double switch



*Seleccionar referencia producto + referencia pantalla / Select product reference + shade reference





Metal-Metal 220-240V~ 50/60Hz CRI: > 80






PANTALLAS PARA APLIQUE / SHADES FOR WALL LAMP

Ref. Pantallas / Ref. Shade	5237	5238
Aplicación/Product	Aplique/Wall lamp	Aplique/Wall lamp
Color	Blanco/White	Negro/Black
Material	Tela de fibra/Fiber cloth	Tela de fibra/Fiber cloth
Dimensiones/Dimensions (mm)	Ø200*H150	Ø200*H150



PANTALLAS PARA APLIQUE / SHADES FOR WALL LAMP

Ref. Pantallas / Ref. Shade	5239	5240
Aplicación/Product	Aplique/Wall lamp	Aplique/Wall lamp
Color	Blanco/White	Negro/Black
Material	Tela de fibra/Fiber cloth	Tela de fibra/Fiber cloth
Dimensiones/Dimensions (mm)	L200*H150*W200	L200*H150*W200



C0101 Blanco-White
LED 6W 3000k 540lm



C0111 Plata-Silver
LED 6W 3000k 540lm




C0119 Negro-Black
LED 6W 3000k 540lm



C0127 Blanco-White
LED 6W 2700k 420lm



C0131 Negro-Black
LED 6W 2700k 420lm



C0102 Blanco-White
LED 12W 3000k 1080lm



C0112 Plata-Silver
LED 12W 3000k 1080lm





C0120 Negro-Black
LED 12W 3000k 1080lm



C0128 Blanco-White
LED 12W 2700k 840lm



C0132 Negro-Black
LED 12W 2700k 840lm



C0117 Blanco-White
LED 16W 3000k 1350lm



C0118 Plata-Silver
LED 16W 3000k 1350lm




C0124 Negro-Black
LED 16W 3000k 1350lm



C0129 Blanco-White
LED 16W 2700k 1120lm



C0133 Negro-Black
LED 16W 2700k 1120lm



Aluminio-Aluminium 220-240V 50/60Hz CRI: > 80

C0125 Blanco-White
LED 30W 3000k 2400lm




C0126 Negro-Black
LED 30W 3000k 2400lm



C0130 Blanco-White
LED 30W 2700k 2100lm



C0134 Negro-Black
LED 30W 2700k 2100lm



Aluminio-Aluminium 220-240V 50/60Hz CRI: > 80



BORA BORA


3000K

Aplique-Wall light




C0103 Blanco-White
LED 6W 540lm

C0113 Plata-Silver
LED 6W 540lm



C0114 Plata-Silver
LED 12W 1080lm


C0104 Blanco-White
LED 12W 1080lm




Aluminio-Aluminium 100-240V~50/60Hz CRI: > 80

C0114




BORA BORA



6230 Blanco Mate-Matt White
LED 24W1440lm



7460 Negro-Black
LED 24W1440lm



Aluminio-Aluminium 100-240V~50/60Hz CRI:> 80




TAHITI

3000K

Aplique-Wall light



C0089 Blanco Mate-MattWhite
LED 6W 215lm




Aluminio-Aluminium 220-240V~50/60Hz CRI: > 80

Aplique-Wall light


TAHITI

3000K


C0142 Blanco Mate-MattWhite
LED 5W 325lm



C0141 Blanco Mate-MattWhite
LED 5W 325lm



C0143 Blanco Mate-MattWhite
LED 5W 325lm





Aluminio-Aluminium 220-240V~50/60Hz CRI: > 80




6254 Blanco-White
16W 1410lm 3000 K

5121 Blanco-White
16W 1410lm 4000 K



6253 Blanco-White
8W 720lm 3000 K

5120 Blanco-White
8W 720lm 4000 K



5120




Aluminio-Aluminium 220-240V~50/60Hz CRI:≥ 80






5480 Blanco-White
2 L×G9



5481 Blanco-White
2 L×G9



6168
pág. 116



Metal/Acrílico-Metal/Acrylic 100-240V ~50/60Hz máx. 5WLED




PARACURU

3000 K


Aplique-Wall light




6385 Cuero-Antique Brass
LED 18W 1257lm




6384 Cromo-Chrome
LED 18W 1257lm




6383 Cuero-Antique Brass
LED 12W 908lm




6381 Cromo-Chrome
LED 12W 908lm



6382 Cuero-Antique Brass
LED 8W 619lm



6380 Cromo-Chrome
LED 8W 619lm



Aluminio-Aluminium 175-265V~50/60Hz

6381- 6380

PARACURU







7760 Blanco Mate-Matt White
LED 48W 2700lm

7761 Blanco Mate-Matt White
LED 48W 2700lm
Dimmable



7762 Negro Mate-Matt Black
LED 48W 2700lm

7763 Negro Mate-Matt Black
LED 48W 2700lm
Dimmable



7592
pág. 28





Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80





6827 Blanco Mate-Matt White
LED 36W 2850lm

6828 Negro Mate-Matt Black
LED 36W 2850lm





Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80



7463 Negro-Black
LED 48W 3840lm
Dimmable



7462 Negro-Black
LED 48W 3840lm



6563
pág. 147





6562
pág. 146




Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80

6560 Blanco Mate-Matt White
LED 48W 3000K 3840lm

6561 Blanco Mate-Matt White
LED 48W 3000K 3840lm
Dimmable



Aluminio-Aluminium 220-240V~50/60Hz CRI: > 80




ErP
COMPLIANT

DRIVER
TÜV


RoHS
compliant



6166 Blanco-White
8 L × E27 máx. 20W LED



6168 Blanco-White
5 L × E27 máx. 20W LED



5480
pág. 104




MINI

Hugo Tejada


Plafón-Ceiling lamp

6162

MINI



6162 Blanco-White
5L x E27 máx. 20W LED



5481
pág. 104



Metal/Acrílico-Metal/Acrylic 100-240V ~ 50/60Hz


ErP
COMPLIANT

RoHS
compliant







5410 Blanco-White
5L × E27 máx. 20W LED



5411 Blanco-White
3L × E27 máx. 20W LED



Metal/Acrílico-Metal/Acrylic 100-240V ~ 50/60Hz




ErP
COMPLIANT

RoHS
compliant

6055-5410


5513 Blanco-White
LED 80W **4200K** 6000lm

6153 Blanco-White
LED 80W **3000K** 5650lm



5502 Blanco-White
LED 35W **4200K** 2625lm

6152 Blanco-White
LED 35W **3000K** 2350lm





Metal Acrílico-Metal Acrylic 100-250V~ 50/60Hz CRI: > 80



5513



5503 Blanco-White
LED 85W 4200K 6375lm



5501 Blanco-White
LED 50W 4200K 3750lm




Metal Acrílico-Metal Acrylic 100-250V~ 50/60Hz CRI: > 80



5500 Blanco-White
LED 50W 4200K 3750lm



6150 Blanco-White
LED 50W 3000K 3500lm



Metal Acrílico-Metal Acrylic 100-250V~ 50/60Hz CRI: > 80


5508 Blanco-White
LED 90W 4200K 6750lm

6151 Blanco-White
LED 90W 3000K 6400lm






5503 + KIT 5517




5501 + KIT 5517




6151 + KIT 5515

5508 + KIT 5515



6150 + KIT 5515

5500 + KIT 5515




KIT 5515




6153 + KIT 5516

5513 + KIT 5516



6152 + KIT 5516

5502 + KIT 5516



KIT 5516



6626 Blanco Mate-Matt White
LED 30W 3000K 2550lm

6627 Blanco Mate-Matt White
LED 30W 4000K 2700lm



6624 Blanco Mate-Matt White
LED 24W 3000K 2040lm

6625 Blanco Mate-Matt White
LED 24W 4000K 2160lm



6622 Blanco Mate-Matt White
LED 14W 3000K 1190lm

6623 Blanco Mate-Matt White
LED 14W 4000K 1260lm



6620 Blanco Mate-Matt White
LED 8W 3000K 680lm

6621 Blanco Mate-Matt White
LED 8W 4000K 720lm



Downlight en superficie para paredes y soluciones sin falso techo.




Aluminio-Aluminium 200-240V~ 50/60Hz CRI: > 80




6634 Blanco Mate-Matt White
LED 30W 2550lm 3000K

6635 Blanco Mate-Matt White
LED 30W 2700lm 4000K




6632 Blanco Mate-Matt White
LED 24W 2040lm 3000K

6633 Blanco Mate-Matt White
LED 24W 2160lm 4000K




6630 Blanco Mate-Matt White
LED 14W 1190lm 3000K

6631 Blanco Mate-Matt White
LED 14W 1260lm 4000K



6628 Blanco Mate-Matt White
LED 8W 680lm 3000K

6629 Blanco Mate-Matt White
LED 8W 720lm 4000K



Downlight en superficie para paredes y soluciones sin falso techo.



Aluminio-Aluminium 200-240V~ 50/60Hz CRI: > 80




EYES
3000K

Sobremesa-Table lamp

7510 Negro arena-Sand black
LED 6W 3000K 390lm

7511 Negro arena-Sand black
LED 6W 3000K 390lm



Aluminio-Aluminium 100-240V~ 50/60Hz CRI: > 80

EYES



ErP COMPLIANT DRIVER TÜV RoHS COMPLIANT

7521 Blanco arena-Sand white
1 × GU10 (No incl)

7516 Negro mate-Matt black
1 × GU10 (No incl)

7520 Blanco arena-Sand white
1 × GU10 (No incl)

7515 Negro mate-Matt black
1 × GU10 (No incl)



Acrílico-Acrylic 100-240V~ 50/60Hz GU10 máx. 10W Led (No incl)



360°

6738 Negro Mate-Matt Black
LED 11W 3000K 900lm

6737 Blanco Mate-Matt White
LED 11W 3000K 900lm



Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80

6738

TORCH



ZANZIBAR

3000K

Sobremesa-Table lamp


6716 Negro -Black
LED 6W 450 lm



Touch
switch
3 Step-Dim



* Cargador De Inducción Teléfono-Cell Phone Induction Charger



LED 6W 450 lm



6754
pág. 56




Aluminio/Metal-Aluminium/Metal 220-240V~ 50/60Hz CRI:> 80

ZANZIBAR

3000K

6715 Blanco-White
LED 6W 450 lm



Touch
switch
3 Step-Dim



* Cargador De Inducción Teléfono-Cell Phone Induction Charger



CERES

Sobremesa Cargador De Inducción Telefónica-Table Lamp Cell Phone Induction Charger

by Hugo Tejada


7290 Blanco-White
LED 6W 450lm



USB
Output

Touch
switch
3 Step-Dim

USB + Cargador de Inducción
USB + Induction Charger



Touch
switch
3 Step-Dim



USB
Output



5
WARRANTY
GARANTIA
LED



IP20

Aluminio-Aluminium 220-240V~50/60Hz CRI> 80

CERES
3000K





CERES
3000K

DRIVER
TUV

Registered N° 007663331-0011

CERES

7291 Negro-Black
LED 6W 450lm



CERES
3000K



USB + Cargador de Inducción
USB + Induction Charger




DRIVER
TÜV

Registered N° 007663331-0011



Aluminio-Aluminium 220-240V 50/60Hz CRI:≥ 80



7465 Negro-Black
LED 48W 3000K 3800 lm
Dimmable



6560/6561
pág. 114



6562 Blanco-White
LED 18W 3000K 1380 lm




6560/6561
pág. 114



Aluminium/Iron/Acrílico-Aluminium/Iron/Acrylic 220-240V~ 50/60Hz CRI: > 80


6563 Blanco-White
LED 48W 3000K 3800 lm
Dimmable



Aluminium/Iron/Acrílico-Aluminium/Iron/Acrylic 220-240V~ 50/60Hz CRI: > 80

7522 Blanco arena-Sand white
1 × GU10 (No incl)



7517 Negro mate-Matt black
1 × GU10 (No incl)



Acrílico-Acrylic 100-240V~ 50/60Hz GU10 máx. 10W Led (No incl)



7512 Negro arena-Sand black
LED 6W 3000K 390lm





Aluminio-Aluminium 100-240V~ 50/60Hz CRI: > 80



360°

6735 Blanco Mate-Matt White
LED 25W 3000K 1950lm

6736 Negro Mate-Matt Black
LED 25W 3000K 1950lm



Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80



HANOK

by David Villalba

Lámpara lineal-Linear lamp





7546 Negro-Black
LED 38W 3000K 2850lm

7547 Negro-Black
LED 38W 4000K 3000lm

7542 Blanco-White
LED 38W 3000K 2850lm

7543 Blanco-White
LED 38W 4000K 3000lm



7776
pág. 16



Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80




Lámpara lineal-Linear lamp

7540 Blanco-White
LED 38W 3000K 2650lm

7541 Blanco-White
LED 38W 4000K 2800lm

7544 Negro-Black
LED 38W 3000K 2650lm

7545 Negro-Black
LED 38W 4000K 2800lm




7776
pág. 16

Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80 UGR<16



7569 *Arena-Sabbia*
LED 38W 3000K 2850lm



7778
pág. 18


Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80



7548 Blanco-White
LED 38W 3000K 2650lm



7549 Blanco-White
LED 38W 4000K 2800lm

UGR<16





7550 Tapa lateral con cable fijación
Side cover white with fixing wire

7551 Tapa lateral con cable alimentación y florón
Side cover white with ac wire & rosette



7552 Conexión intermedia con cable fijación
Middle connection white with fixing wire


7553 Conexión intermedia con cable alimentación y florón
Middle connection white with ac wire & rosette



UGR<16




Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80 UGR<16




7554 Negro-Black
LED 38W 3000K 2650lm

7555 Negro-Black
LED 38W 4000K 2800lm


UGR<16




7556 Tapa lateral con cable fijación
Side cover white with fixing wire




7557 Tapa lateral con cable alimentación y florón
Side cover white with ac wire & rosette



7558 Conexión intermedia con cable fijación
Middle connection white with fixing wire



7559 Conexión intermedia con cable alimentación y florón
Middle connection white with ac wire & rosette



Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80 UGR<16



PAGODA

by David Villalba

Lámpara-Pendant lamp

UGR<16

7784 Blanco-White
LED 12,5W 3000K 950lm


7785 Blanco-White
LED 12,5W 4000K 1050lm

7786 Negro-Black
LED 12,5W 3000K 950lm

7787 Negro-Black
LED 12,5W 4000K 1050lm



7788
pág. 214



TIR
LENS




UGR<16



PAGODA

Lámpara-Pendant lamp

7790 Blanco-White
1× GU10 (no incl)



7791 Negro-Black
1× GU10 (no incl)



7788
pág. 214



Aluminio-Aluminium 100-240V ~50/60Hz GU10 máx. 12W LED (no incl)




ORION
3000K

Lámparas de techo-Pendant Lamp

Designed by Hugo Tejada

7475 Negro/cuero-Black/antique brass
LED 24W 1770 lm



Aluminio/Acrílico-Aluminium/Acrylic 220-240V~ 50/60Hz CRI≥ 80



ORION
3000K

Lámparas de techo-Pendant Lamp

7476 Negro/cuero-Black/antique brass
LED 32W 2360 lm



Aluminio/Acrílico-Aluminium/Acrylic 220-240V~50/60Hz CRI≥ 80




ORION
3000K

Lámparas de techo-Pendant Lamp

7305 Negro +Cuero-Black +Antique brass
LED 8W 590lm



Aluminio-Aluminium 220-240V~50/60Hz CRI> 80



Registered N° 007663331-0014



ORION
3000K


Lámparas de techo-Pendant Lamp



7306 Negro+Cuero-Black+Antique brass

LED 16W 1180lm

6 und x ref 7308 included



7308 Blocacables-WireLocker

1 und



Aluminio-Aluminium 220-240V~50/60Hz CRI> 80

ORION
3000K



DRIVER
TUV

Registered N° 007663331-0014

ORION
3000K

Lámparas de techo-Pendant Lamp


ORION
3000K



7307 Negro +Cuero-Black +Antique brass
LED 32W 2360lm
12 und x ref 7308 included



7308 Blocacables-WireLocker
1 und




Aluminio-Aluminium 220-240V~ 50/60Hz CRI> 80 Registered N° 007663331-0014



ANTARES
3000K

Lámparas de techo-Pendant Lamp
Designed by Hugo Tejada

7312 Negro-Black
LED 24W 1770lm



Aluminio/Acrílico-Aluminium/Acrylic 220-240V~ 50/60Hz CRI> 80




ANTARES
3000K



Lámparas de techo-Pendant Lamp

7313 Negro-Black
LED 32W 2360lm



Aluminio/Acrílico-Aluminium/Acrylic 220-240V~ 50/60Hz CRI≥ 80

ANTARES
3000K

7310 Negro-Black
LED 8W 590lm

Lámparas de techo-Pendant Lamp



Aluminio/Acrílico-Aluminium/Acrylic 220-240V~ 50/60Hz CRI> 80

ANTARES
3000K




DRIVER
TÜV

Registered N° 007663331-0010

ANTARES
3000K

Lámparas de techo-Pendant Lamp

7311 Negro-Black
LED 24W1770lm



Aluminio/Acrílico-Aluminium/Acrylic 220-240V~50/60Hz CRI>80



ANTARES
3000K



DRIVER
TUV

Registro N.º 00765331-0010

ANTARES
3000K



Registered N° 007663331-0010

ANTARES
3000K





DRIVER
TÜV



6825 Blanco Mate-Matt White
LED 21W 1475lm



6826 Negro Mate-Matt Black
LED 21W 1475lm






Aluminio-Aluminium 220-240V~ 50/60Hz CRI: > 80



5622 Blanco mate-Matt White
1L x E27




5623 Blanco mate-Matt White
1L x E27



Metal-Metal 100-240V ~ 50/60Hz máx. 20WLED

5624 Plata-Silver
1L x E27

5625 Plata-Silver
1L x E27



6044
pág. 218 6015
pág. 202 5626
pág. 204



7730 Blanco-White
LED 9W 3000K 700lm

7731 Blanco-White
LED 9W 4000K 700lm






7732 Blanco-White
LED 9W 3000K 700lm

7733 Blanco-White
LED 9W 4000K 700lm



7734 Blanco-White
LED 9W 3000K 700lm

7735 Blanco-White
LED 9W 4000K 700lm



Acrílico-Arcylic 220-240V~ 50/60Hz CRI: > 80




ErP
COMPLIANT


DRIVER
TÜV

RoHS
compliant


7294 Blanco-White
1L x GU10 (no incl.)



7295 Negro-Black
1L x GU10 (no incl.)




Registered N° 007663331-0013



Aluminio-Aluminium 100-240V~ 50/60Hz GU10 máx.12W Led


6281 Blanco Mate-Matt White
3L×GU10



6711 Negro Mate-Matt Black
3L×GU10



6282 Blanco Mate-Matt White
2L×GU10



6712 Negro Mate-Matt Black
2L×GU10



6284
pág. 70



6281
pág. 196



7522
pág. 148



7521
pág. 134

Bombillas Recomendadas/ Suggested Bulbs
R09196 R09214 R09197




NOT INCLUDED




Aluminio-Aluminium 100-240V~ 50/60Hz máx. 10 W LED

6280 Blanco Mate-Matt White
4L×GU10



6710 Negro Mate-Matt Black
4L×GU10





NOT INCLUDED



Aluminio-Aluminium 100-240V~ 50/60Hz máx. 10 W LED

6283 Blanco Mate-Matt White
1×GU10

6713 Negro Mate-Matt Black
1×GU10



Bombillas Recomendadas/ Suggested Bulbs
R09196 R09214 R09197



Aluminio-Aluminium 100-240V~ 50/60Hz máx. 10 WLED





6830 Blanco Arena-Sand White
LED 7W 3000K 520 lm

6833 Negro Arena-Sand Black
LED 7W 3000K 520 lm

6832 Blanco Arena-Sand White
LED 7W 4000K 560 lm

6831 Negro Arena-Sand Black
LED 7W 4000K 560 lm





Aluminio-Aluminium 220-240V~50/60Hz CRi: > 80




6015 Blanco-White
1L x E27


6016 Plata-Silver
1L x E27




Spheric Bulb: Ø45*78




MiniStandard Bulb: Ø55*103



Standard Bulb: Ø60*108



R63 Bulb: Ø63*105



R80 Bulb: Ø80*116



6044
pág. 218



5622
pág. 190



NOT INCLUDED



2 años de garantía



Metal-Metal



IP20


Metal-Metal 100-240V~50/60Hz máx. 20W LED

6015


ARUBA




5626 Blanco-White
1L x E27




5628 Plata-Silver
1L x E27



Standard Bulb: Ø60*108




R90 Bulb: Ø90*117




G95 Bulb: Ø95*131


5627 Blanco-White
1L x E27




5629 Plata-Silver
1L x E27




Sferic Bulb: Ø45*78




MiniStandard Bulb: Ø55*103



Standard Bulb: Ø60*108



R63 Bulb: Ø63*105



R80 Bulb: Ø80*116



Metal-Metal 100-240V~ 50/60Hz máx. 20W LED



5622
pág. 190



5624
pág. 191

5626

ARUBA



ErP
COMPLIANT

RoHS
compliant

COLUMBRETES

Foco Superficie-Spotlight





ErP
COMPLIANT

DRIVER
TÜV


RoHS
compliant

C0087 Blanco Mate-Matt White
LED 12W 3000K 1040 lm


C0088 Blanco Mate-Matt White
LED 12W 4000K 1090 lm



C0085 Blanco Mate-Matt White
LED 12W 3000K 1040 lm



C0086 Blanco Mate-Matt White
LED 12W 4000K 1090 lm



Aluminio-Aluminium 220-240V~50/60Hz CRI: > 80


Foco Superficie-Spotlight

COLUMBRETES




Aluminio-Aluminium 220-240V~50/60Hz CRI: > 80

5632 Blanco mate-Matt White
2 X GU10



5633 Blanco mate-Matt White
1 X GU10



5632



ÍPSILON




by David Villalba

Foco carril trifásico-Triphasic rail spot

CRI≥90



7315 Blanco-White
LED 35W 3000k 3500lm

7316 Blanco-White
LED 35W 4000k 3850lm



Lentes-Lens
ref 7319_13°
ref 7320_24°
ref 7321_38° Included.

Panel de abeja-Honeycomb
ref 7322



TIR LENS

LED life / LED vida
50.000 h

ON / OFF
30.000

5 años
WARRANTY
GARANTIA
LED

LED
INCLUDED

IP20

Aluminio-Aluminium 220-240V~50/60Hz CRI≥ 90



ÍPSILON

DRIVER
TUV

Registered N° 007663331-0017

ÍPSILON

by David Villalba

7317 Negro-Black
LED 35W 3000k 3500lm


7318 Negro-Black
LED 35W 4000k 3850lm



Lentes-Lens
ref 7319_13°
ref 7320_24°
ref 7321_38° Included.



Panel de abeja-Honeycomb
ref 7322



TIR
LENS



Aluminio-Aluminium 220-240V~50/60Hz CRI> 90

CRI≥90



DRIVER
TUV

Registered N° 007663331-0117

PAGODA


by David Villalba

7788 Blanco-White

1× GU10

7789 Negro-Black

1× GU10



7787
pág. 164



NOT INCLUDED



2 años de garantía



Metal-Metal



IP20

Metal-Metal 100-240V ~ 50/60Hz máx. 12W LED



PAGODA

CRI≥90 UGR<16

7780 Blanco-White
LED 12,5W 3000K 950lm




7781 Blanco-White
LED 12,5W 4000K 1050lm



7782 Negro-Black
LED 12,5W 3000K 950lm



7783 Negro-Black
LED 12,5W 4000K 1050lm



TIR
LENS

UGR<16





Aluminio-Aluminium 220-240V~50/60Hz CRI: ≥ 90




6044 Blanco-White
1L x E27




6045 Negro-Black
1L x E27




Spheric Bulb: Ø45*78




MiniStandard Bulb: Ø55*103



Standard Bulb: Ø60*108



R63 Bulb: Ø63*105



R80 Bulb: Ø80*116



NOT INCLUDED



2 años de garantía



Metal-Metal



IP20

Metal-Metal 100-240V~ 50/60Hz máx 20W Led

6044-5622



6717 Blanco-White
1xGU10




6718 Negro-Black
1xGU10



6284
pág. 70



6281
pág. 196



Aluminio-Aluminium 100-240V~ 50/60Hz máx. 10 WLED


6717

SAL





7200 Blanco-White LED 15W 3000K 1500lm	7201 Blanco-White LED 20W 3000K 2000lm	7202 Blanco-White LED 30W 3000K 3000lm	7203 Blanco-White LED 40W 3000K 4000lm
7204 Blanco-White LED 15W 4000K 1650lm	7205 Blanco-White LED 20W 4000K 2200lm	7206 Blanco-White LED 30W 4000K 3300lm	7207 Blanco-White LED 40W 4000K 4400lm



ÓPTICAS 15/20W ref 7216 15° ref 7217 24° ref 7218 38° Included.	ÓPTICAS 15/20W ref 7216 15° ref 7217 24° ref 7218 38° Included.	ÓPTICAS 30W ref 7219 15° ref 7220 24° ref 7221 38° Included.	ÓPTICAS 40W ref 7222 15° ref 7223 24° ref 7224 38° Included.
---	---	--	--



Aluminio-Aluminium 220-240V~50/60Hz CRI> 90





7208 Negro-Black LED 15W 3000K 1500lm	7209 Negro-Black LED 20W 3000K 2000lm	7210 Negro-Black LED 30W 3000K 3000lm	7211 Negro-Black LED 40W 3000K 4000lm
7212 Negro-Black LED 15W 4000K 1650lm	7213 Negro-Black LED 20W 4000K 2200lm	7214 Negro-Black LED 30W 4000K 3300lm	7215 Negro-Black LED 40W 4000K 4400lm



ÓPTICAS 15/20W ref 7216 _15° ref 7217 _24° ref 7218 _38° Included.	ÓPTICAS 15/20W ref 7216 _15° ref 7217 _24° ref 7218 _38° Included.	ÓPTICAS 30W ref 7219 _15° ref 7220 _24° ref 7221 _38° Included.	ÓPTICAS 40W ref 7222 _15° ref 7223 _24° ref 7224 _38° Included.
--	--	---	---





Aluminio-Aluminium 220-240V~50/60Hz CRI> 90





NEW COLLECTION





LED 15W 4000K 38°





LED 30W 4000K 38°



LED 20W 4000K 38°




LED 40W 4000K 38°



Alimentador intermedio recto- Middle feed straight

XTS 142 Negro-Black
XTS 143 Blanco-White



Conector intermedio recto-Middle Straight Connector

XTS 212 Negro-Black
XTS 213 Blanco-White




Conector esquina ajustable-Adjustable corner connector

XTS 242 Negro-Black
XTS 243 Blanco-White




Conexión alimentador en L- polaridad interna
L-Feed Polarity Internal

XTS 342 Negro-Black
XTS 343 Blanco-White



Conexión alimentador en L- polaridad externa
L-Feed Polarity external

XTS 352 Negro-Black
XTS 353 Blanco-White




Kit suspension carril 1,5 m -Suspension Kit 1,5 m


SPW11SK 215 length 1500 mm Negro-Black
SPW11SK 315 length 1500 mm Blanco-White



Placa cubrir para XTS112/XTS122/XTS142
XTSF 102 Negro-Black



Placa cubrir para XTS342/XTS352
XTSF 302 Negro-Black



Cover Plate for XTS113/XTS123/XTS143
XTSF 103 Blanco-White




Cover Plate for XTS343/XTS353
XTSF 303 Blanco-White



Leva fijación techo fundición
Standard Clamp Die Cast

SKB 122 Negro-Black
SKB 123 Blanco-White





TRACKS

Carril Superficie-Surface mounted track

XTS 41002 Negro-Black
XTS 41003 Blanco-White
Track length 1000 mm



XTS 42002 Negro-Black
XTS 42003 Blanco-White
Track length 2000 mm



Carril de empotrar-Recessed track



XTSF41002 Negro-Black
XTSF41003 Blanco-White
Track length 1000 mm

XTSF42002 Negro-Black
XTSF 42003 Blanco-White
Track length 2000 mm





Final alimentador polaridad derecha-End Feed Polarity Right

XTS 112 Negro-Black
XTS 113 Blanco-White





Final alimentador polaridad izquierda-End Feed Polarity left

XTS 122 Negro-Black
XTS 123 Blanco-White



Tapa final-End Cap

XTS 412 Negro-Black
XTS 413 Blanco-White





IP54









IP54

6855 Blanco Arena-Sand White
LED 3W 3000K 210lm

6856 Negro Arena-Sand Black
LED 3W 3000K 210lm

6857 Blanco Arena-Sand White
LED 5W 3000K 410lm

6858 Negro Arena-Sand Black
LED 5W 3000K 410lm






6859 Blanco Arena-Sand White
LED 3W 4000k 210lm

6860 Negro Arena-Sand Black
LED 3W 4000k 210lm

6861 Blanco Arena-Sand White
LED 5W 4000k 410lm

6862 Negro Arena-Sand Black
LED 5W 4000k 410lm



Aluminio-Aluminium 100-240V~50/60Hz CRI:≥80



Aluminio-Aluminium 220-240V~50/60Hz CRI:≥80