

martinelli luce




martinelli luce



METRICA design Studio Habits






CABRIOLETTE design Studio Natural





TOGGLE design Neil Poulton





CORDON design Serge & Robert Cornelissen





CALABRONET tris design Emiliana Martinelli









COLIBRÌ design Emiliana Martinelli







GRU design Davide Frattini Frilli



LUNAOP slim design Emiliana Martinelli




MINIFROG design Emiliana Martinelli




METRICA table design Studio Habits

volt	watt	flux	CCT	colour	code
230V	11W	340lm	3000K	○ bianco/white	833/BI
				● nero/black	833/NE
struttura in alluminio aluminium structure					
☐ IP20 ☐ driver on plug ☐ 1,5Kg					




METRICA floor design Studio Habits

volt	watt	flux	CCT	colour	code
230V	28W	850lm	3000K	○ bianco/white	2314/BI
				● nero/black	2314/NE
struttura in alluminio aluminium structure					
☐ IP20 ☐ driver on plug ☐ 3,5Kg					




METRICA wall design Studio Habits

volt	watt	flux	CCT	colour	code
230V	5,6W	170lm	3000K	○ bianco/white	1459/BI
struttura in alluminio aluminium structure					
☐ IP20 ☐ driver integrated ☐ 1Kg					



METRICA built-in design Studio Habits

volt	watt	flux	CCT	colour	code
230V	3W	330lm	3000K	○ bianco/white	1458/BI
struttura metallo verniciato polyethylene structure, metal base					
☐ IP20 ☐ driver integrated ☐ 0,5Kg					




CABRIOLETTE table design Studio Natural

volt	watt	flux	CCT	colour	code
230V	7W	1200lm	3000K	○ bianco/white	832/BI
				● nero/black	832/NE
				● giallo/yellow	832/GI

struttura in alluminio | aluminium structure

IP20 driver on plug 1,6Kg




CABRIOLETTE table cordless design Studio Natural

volt	watt	flux	CCT	colour	code
230V	2W	250lm	3000K	○ bianco/white	832/CL/BI
				● nero/black	832/CL/NE
				● giallo/yellow	832/CL/GI

struttura in alluminio | aluminium structure USB-C cable included, duration 8 hours

IP20 driver on plug 1,5Kg




CABRIOLETTE wall design Studio Natural

volt	watt	flux	CCT	colour	code
230V	14W	2300lm	3000K	○ bianco/white	1442/BI
				● nero/black	1442/NE

struttura in alluminio | aluminium structure

IP20 1Kg




CABRIOLETTE floor design Studio Natural

volt	watt	flux	CCT	colour	code
230V	14W	2300lm	3000K	○ bianco/white	2319/BI
				● nero/black	2319/NE
				● giallo/yellow	2319/GI

struttura in alluminio | aluminium structure

IP20




TOGGLE design Neil Poulton

volt	watt	flux	CCT	colour	code
230V	4,5W	700lm	2700K	○ bianco/white	1455/BI
				● grigio scuro/dark grey	1455/GR
				● antracite/anthracite	1455/AN

struttura in alluminio | aluminium structure

IP20 0,7Kg



CORDON design Serge & Robert Cornelissen

volt	watt	flux	CCT	colour	code
230V	12W	1400lm	2700K	● nero-rosso/black-red	40183/NE/RO
				● nero-bianco/black-white	40183/NE/BI


CAVO / CABLE

Kit cavo / Cable kit 3m	●	40184
Kit cavo / Cable kit 5m	●	40185
Kit cavo con spina / Cable kit with plug 5m	●	40186

ROSONE / CEILING ROSE	●	40187
-----------------------	---	-------

struttura in alluminio | aluminium structure

⊕ IP20 driver on lamp body 1Kg



CALABRONET tris design Emiliana Martinelli

volt	watt	flux	beam	CCT	colour	code
------	------	------	------	-----	--------	------

MODULI A LUCE DIFFUSA / DIFFUSED LIGHT MODULES 70-160cm Ø 4.5

24V	8W	1100lm	3000K	● nero/black	40030/NE
24V	20W	2900lm	3000K	● nero/black	40031/NE

MODULI SPOT / SPOT MODULES 70-160cm Ø 4.5

24V	2x9W	2x1334lm medium	3000K	● nero/black	40033/NE
24V	4x9W	4x1334lm medium	3000K	● nero/black	40037/NE

GIUNTI / JOINTS




Giunto 120° / 120° Joint 14x16cm	●	40032/NE
Supporto terminale / Terminal head 10cm	●	40037.1/NE

ROSONI / CEILING ROSES

Rosone 75W	●	40114.1/NE
Rosone 75W	●	40158.1/NE

struttura in alluminio | aluminium structure

⊕ IP20 driver on ceiling rose



AVRO design Studio Natural


volt	watt	flux	CCT	colour	code
230V	50W	4000lm	3000K	○ bianco/white	21019/BI
				● azzurro/light blue	21019/AZ
				● arancio/orange	21019/AR

Schuko 10A-2300W

struttura in alluminio | aluminium structure

⊕ IP20 driver on ceiling rose 3,5Kg

Multipresa/Multisocket 3 Schuko 2 USB	● grigio/gray	
---------------------------------------	---------------	--




COLIBRÌ suspension design Emiliana Martinelli

volt	watt	flux	beam	CCT	colour	code
230V	6,5W	630lm	medium	3000K	● nero/black	21015/NE
					○ bianco/white	21015/BI
					● giallo/yellow	21015/GI

struttura in alluminio | aluminium structure

⊕ IP20 driver on ceiling rose 0,5Kg




COLIBRÌ floor design Emiliana Martinelli

volt	watt	flux	beam	CCT	colour	code
230V	6,5W	630lm	medium	3000K	● nero/black	2312/NE
					○ bianco/white	2312/BI
					● giallo/yellow	2312/GI

struttura in alluminio | aluminium structure

⊕ IP20 driver on plug 4,6Kg




DIA design Simon Schmitz

volt	watt	flux	CCT	colour	code
230V	25W	2040lm	3000K	⊗ vetro trasp./transp. glass	2317

struttura in vetro trasparente | transparent glass structure

⊕ IP20 direct indirect light driver on plug 9Kg




GRU design Davide Frattini Frilli

volt	watt	flux	CCT	colour	code
230V	15W	1710lm	3000K	● nero/black	2316/NE
				● arancio/orange	2316/AR
				● verde/green	2316/VE

struttura in ferro verniciato | painted iron structure

⊕ IP20 direct indirect light driver on plug 2 Kg






LUNAOP slim design Emiliana Martinelli

volt	watt	flux	CCT	colour	code
Lunaop Ø50					
24V	20.5W	3515lm	2700K	○ bianco/white	40001/SL/2700/BI
				● nero/black	40001/SL/2700/NE
				● rame/copper	40001/SL/2700/CU
				● oro perlato/pearly gold	40001/SL/2700/AU
			3000K	○ bianco/white	40001/SL/3000/BI
				● nero/black	40001/SL/3000/NE
				● rame/copper	40001/SL/3000/CU
				● oro perlato/pearly gold	40001/SL/3000/AU
			4000K	○ bianco/white	40001/SL/4000/BI
				● nero/black	40001/SL/4000/NE
				● rame/copper	40001/SL/4000/CU
				● oro perlato/pearly gold	40001/SL/4000/AU

Lunaop Ø80					
24V	33W	5620lm	2700K	○ bianco/white	40002/SL/2700/BI
				● nero/black	40002/SL/2700/NE
				● rame/copper	40002/SL/2700/CU
				● oro perlato/pearly gold	40002/SL/2700/AU
			3000K	○ bianco/white	40002/SL/3000/BI
				● nero/black	40001/SL/3000/NE
				● rame/copper	40001/SL/3000/CU
				● oro perlato/pearly gold	40001/SL/3000/AU
			4000K	○ bianco/white	40001/SL/4000/BI
				● nero/black	40001/SL/4000/NE
				● rame/copper	40001/SL/4000/CU
				● oro perlato/pearly gold	40001/SL/4000/AU

Lunaop Ø120					
24V	49W	8400lm	2700K	○ bianco/white	40001/SL/2700/BI
				● nero/black	40001/SL/2700/NE
				● rame/copper	40001/SL/2700/CU
				● oro perlato/pearly gold	40001/SL/2700/AU
			3000K	○ bianco/white	40001/SL/3000/BI
				● nero/black	40001/SL/3000/NE
				● rame/copper	40001/SL/3000/CU
				● oro perlato/pearly gold	40001/SL/3000/AU
			4000K	○ bianco/white	40001/SL/4000/BI
				● nero/black	40001/SL/4000/NE
				● rame/copper	40001/SL/4000/CU
				● oro perlato/pearly gold	40001/SL/4000/AU

⊕ IP20 driver on ceiling rose



La struttura è da collegare al soffitto tramite rosone sia per la versione singola che per la versione composta da più corpi. Rosone da ordinare a parte. Alimentatore elettronico all'interno. I rosoni sono gli stessi della Lunaop.


The structure needs to be connected to the ceiling through the canopy, both for the single version and for the version composed by more than one Lunaop. Canopy to be ordered separately.
Electronic driver integrated inside the ceiling rose. The ceiling roses are the same as those of Lunaop.

MINIFROG design Emiliana Martinelli

volt	watt	flux	CCT	colour	code
230V	7W	GU10		 giallo/yellow	2309/J/GI
				 antracite/anthracite	2309/J/AN
				 blu ottanio/octane blue	2309/J/BL

struttura in polietilene, base in metallo | polyethylene structure, metal base

 IP65  0,5Kg




FROG design Emiliana Martinelli

volt	watt	flux	CCT	colour	code
230V	20W	E27 PAR38		 giallo/yellow	2309/GI
				 antracite/anthracite	2309/AN
				 blu ottanio/octane blue	2309/BL
				 arancio/orange	2309/AR

struttura in polietilene, base in metallo | polyethylene structure, metal base

 IP65  2Kg





martinelli luce spa 0583 418315 www.martinelliluce.it info@martinelliluce.it