





Imagine the morning sun. Stay with this image for a moment.

Just to sense how it marks the start of a new day.

How it makes us feel good.

How it makes us see our opportunities in a fresh perspective.

This shows the importance of light to our lives and wellbeing.

That's why we recognise and appreciate lighting products  
as a vital influencer on people's wellbeing.

That's why we're passionate about inspiring people  
to make the most of lighting.

Simply put, we strive to contribute to change people's  
lives into something better through our lighting products.

We do so by delivering a wide range of products with  
a superior combination of lasting quality, great design,  
with unique functionality which are easy  
to use - at competitive prices.

We're committed to greatness.

We're ambitious and always moving forward  
to seize new opportunities. We improve everything we do.

We hold a competitive mindset and strive  
to deliver results that we can all be proud to be a part of.

We're embracing tomorrow.

We stay agile and open minded, creating growth  
through people with different ideas, strengths and interests.

We're constantly focusing on delivering  
new inspiration to consumers and retailers.

We're putting people first. We put human behaviour and  
needs first when we develop products.

We create an environment with diversity and trust,  
where we can think big, have fun and do good.  
We're authentic and present to each other and  
those we do business with.

We want to grow our business in a way that makes us all proud.

Proud of the positive impact on people's lives.

Proud of how we get there. Together.

Let's go and improve the quality of lives through lighting.

Just like when the sun rises every morning.



CEO Nordlux



## Light of my life

The 2019 Nordlux collection embraces great lighting trends for both decorative, functional, outdoor and bulbs.



Light is an essential part of people's life. Therefore, our aim is to lift people's quality of life with light through flexible lighting adjustable to all situations, highly considered materials and beautiful designs which are easy to fall in love with. This is really the core of this year's collection.

The Nordlux decorative 19/20 collection is all about details. This year, we present our largest decorative assortment ever. Here, every single detail is embraced, which contributes to new and improved lighting experiences.

For us, lighting should be both fun and affordable to everyone. Therefore, this year's decorative collection is characterized by trendy designs at attractive and solid prices.

Lighting should not only be decorative - the functional aspect is just as important. Therefore, we are dedicated to developing our functional range by constantly improving the functionality of light.

This is done through our professional research and development team, consisting of engineers with major experience within the lighting industry. This year, our sustained development has resulted in the largest assortments of functional lighting, including decorative ceiling lights that can be adapted to individual needs, as well as a complete bulb assortment.

In the new collection, you will also find an outdoor collection that emphasizes the careful selection of waterproof and resistant materials for our outdoor product. This year, we can proudly present new materials which are suitable for seaside environments including high-quality galvanized steel, where Nordlux have a leading position.

Furthermore, the collection also reflects how the considered design and materials have led to outdoor products being suitable for both indoor and outdoor use, which we also have received prestigious design awards for.

We proudly present our 19/20 collection

# Table of contents

**30**  
Lilly wall lamp



**33**  
Milford tablelamp



## 8 Decorative collection

**144**  
Functional collection

**274**  
Bulb collection

**300**  
Outdoor collection

www.nordlux.com  
nordlux@nordlux.com  
facebook.com/nordluxglobal  
instagram.com/nordlux  
pinterest.com/nordlux  
linkedin.com/company/nordlux-a-s




**12**  
Alexander table lamp



**154**  
Oakland batten



**158**  
Latona batten



**312**  
Hunt wall lamp

Polperro wall lamp  
**322**



**416**  
Responsibility


**418**  
Degree and protection

**419**  
Light source info

**420**  
Maintenance

**422**  
Sales department

**428**  
Index



## NEW 19/20

Lilly is a highly decorative series that combines simplicity and elegance in the finest possible manner. There is an obvious ease to the interplay of the minimalist frame and the elegant, luminous glass domes where the opal white glass lets a warm and pleasant light penetrate it.

## Nordlux decorative

We know that good lighting is one of the most essential elements for creating warmth and atmosphere in the home, but also for the general wellbeing of people. Therefore, this year's decorative collection reflects that lighting should be a fun and exciting part of the decor - of course at competitive and attractive prices.

This year, we proudly present our largest decorative assortment ever, where function, materials, soft shapes and new features are in focus and therefore a lamp is not just a lamp in this collection. You will see extensions of some of the most popular series getting new family members and evolution of well-known designs in new colors and materials. Therefore, the new collection consists of both contemporary designs and interesting trends, which makes it possible to choose lighting based on your personal taste and style preferences.

We proudly present our 19/20 collection

# Adrian series

NEW 19/20

With its raw and industrial design, the Adrian series creates a contrast to the bright and feminine Nordic interior style. The interaction between the rough surface and the integrated screws reinforces the industrial expression.

In contrast to the rough design, the screen creates cosy lighting with downward light and simultaneously spreads the light out into the room through the screws on the side, contributing to a whole new lighting experience.



Get more information about the Adrian series on p. 42

# Alexander series

NEW 19/20

Alexander is a modern lamp in a timeless design. The shiny metal details combined with the silky matte surface make the lamp highly decorative and along with the round metal screen, which provides a great downward light, design and functionality are balanced in the most wonderful of ways.



Get more information about the Alexander series on p. 44



# Alton series

Get more information about the Alton series on p. 46



## NEW 19/20

In smoked glass, Alton creates a beautiful coherence between the black top, and the sweeping round shape, which makes the series extremely elegant. The smoke-coloured glass and the delicate shapes add a soft and warm glow to the light, resulting in pleasant lighting.

Glass is a major trend in decor, and the combination of glass and the matte black metal gives Alton an elegant appearance.




# Andy series

NEW 19/20

The Andy series has been inspired by old vintage lamps and has an antique air about it. The rust-coloured and rough surface adds edge and personality and is a great contrast to a bright, Nordic decor.

Get more information about the Andy series on p. 50



# Christina series

NEW 19/20

Christina contributes to the popular interior trend of using glass as part of decor. The smoked glass dome gives the lamp a special feel when using decorative light sources which spread a warm and soft light in the room. At the same time, the robust base creates a contrast to the soft glass, which fits well into minimalist decor.



Get more information about the Christina series on p. 72



# Ella series



**NEW 19/20**

Ella is a timeless and classic series. The minimalist design and beautiful matte metal contribute to a quiet and elegant expression. The matte screen provides a warm, downward light, which combines attractive design and functionality in the most gorgeous of ways.

Get more information about the Ella series on p. 52



# Ellen series

NEW 19/20

The essence of Scandinavian design is reflected in the timeless Ellen series. The simple and round design in this series has been achieved in the most beautiful of ways, where the design of the lamp provides a complete expression. The large, domed screen contrasts nicely with the lightweight frame and, at the same time, contributes visual volume and a wide field of light, giving pleasant lighting.



Get more information about the Ellen series on p. 54




# Emma series

**NEW 19/20**

Emma is a modern series in which the design creates an innovative lighting effect. Through the beautiful surface of the opal glass at the top of the lamp, the light flows softly and warmly out into the room.



Get more information about the Emma series on p. 62



# Josefine series

NEW 19/20

The innovative and playful design makes Josefine a decorative and modern series. The stringent tube contributes to an industrial expression with associations to rough and modern decoration. In contrast to the industrial expression are the beautiful brass details and soft shapes, which result in an incredibly decorative series that balances minimalism and elegance in the finest possible manner. Furthermore, the Josefine series allows for personality in the use of decorative lights, illuminating the room in the finest manner imaginable.



Get more information about the Josefine series on p. 56



# Julian series



**NEW 19/20**

Julian is a minimalist series in a modern design. With the combination of the matte surface and the elegant top in brushed brass, the series takes on an air of exclusivity. The warm light spreads both upwards and downwards through the small holes in the top of the screen, creating a beautiful effect in the light as it spreads out into the room, giving Julian its unique character.

Get more information about the Julian series on p. 58



# Lilly series

Get more information about the Lilly series on p. 60




**NEW 19/20**

Lilly is a highly decorative series that combines simplicity and elegance in the finest possible manner.

There is an obvious ease to the interplay of the minimalist frame and the elegant, luminous glass domes where the opal white glass lets a warm and pleasant light penetrate it.





# Milford series

**NEW 19/20**

Milford is a decorative series, where the opal white glass gives a very particular expression to the series. The combination of the organic forms and the grooved, transparent surface creates elegance and illuminates the room with a soft and warm light.



Get more information about the Milford series on p. 63



# Pop series

NEW 19/20

The timeless Pop series exudes simplicity and modern design. The simple design is expressed through the tight frame and round screen, where a nice contrast is created to the rough surface and brushed brass detail which also gives Pop an industrial expression.



Get more information about the Pop series on p. 86

# William series



**NEW 19/20**

William is traditional in both form and shape. The classic round shapes are broken by pure geometric lines in the screen, which give the lamp a particular expression, where minimalism and modern design combine in the finest manner imaginable.

Get more information about the William series on p. 66






## Adrian 16

Pendant

No. 48783003 Black - Black/White cable  
No. 48783011 Grey - Black cable

Master Box qty 6  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
Adjustable screws on the shades  
Textile cable: 200 cm non replaceable  
E27, Max. 25W, Excl. light source,  
Fixture energy class A++ - E

**NEW**



**Canopy**

Black/Grey metal  
Ø: 12 cm  
H: 7 cm

**Measurements**

Shade Ø: 16 cm  
Shade H: 22 cm  
Tilt angle: 180°


## Adrian 25

Pendant

No. 48793003 Black - Black/White cable  
No. 48793011 Grey - Black cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
Adjustable screws on the shades  
Textile cable: 200 cm non replaceable  
E27, Max. 25W, Excl. light source,  
Fixture energy class A++ - E

**NEW**



**Canopy**

Black/Grey metal  
Ø: 12 cm  
H: 7 cm

**Measurements**

Shade Ø: 25 cm  
Shade H: 28 cm  
Tilt angle: 180°



Rough surface  
Adjustable screws  
Light through screws



Rough surface  
Adjustable screws  
Light through screws


## Adrian

Wall

No. 48801003 Black - Black/White cable  
No. 48801011 Grey - Black cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
Textile cable: 150 cm replaceable  
Switch on cable  
E27, Max. 25W, Excl. light source,  
Fixture energy class A++ - E

**NEW**



Rough surface  
Adjustable screws  
Light through screws



## Adrian

Table

No. 48815003 Black - Black/White cable  
No. 48815011 Grey - Black cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Textile cable: 150 cm non replaceable  
Switch on cable  
E27, Max. 25W, Excl. light source,  
Fixture energy class A++ - E

**NEW**




## Adrian

Floor

No. 48824003 Black - Black/White cable  
No. 48824011 Grey - Black cable

Master Box qty 2  
Material: Metal/Plastic  
IP20, Class 2  
Textile cable: 180 cm non replaceable  
Switch on cable  
E27, Max. 25W, Excl. light source,  
Fixture energy class A++ - E

**NEW**





## Alexander

### Table

No. 48635001 White - White cable  
No. 48635003 Black - Black cable

Master Box qty 2  
Material: Metal/Plastic  
IP20, Class 2  
Cable: 150 cm non replaceable  
Switch on the base  
E27, Max. 15W, Excl. light source,  
Fixture energy class A++ - E




## Alexander

### Floor

No. 48654001 White - White cable  
No. 48654003 Black - Black cable

Master Box qty 2  
Material: Metal/Plastic  
IP20, Class 2  
Cable: 150 cm non replaceable  
Switch on fixture  
E27, Max. 15W, Excl. light source,  
Fixture energy class A++ - E



**Measurements**  
H: 54 cm, Shade Ø: 16 cm  
Base Ø: 18 cm  
Tilt angle: 30°




## Alexander

### Pendant

No. 48673001 White - White cable  
No. 48673003 Black - Black cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Cable: 200 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - E



**Canopy**  
White/Black plastic  
Ø: 12,3 cm  
H: 8,7 cm

**Measurements**  
Shade Ø: 30 cm  
Shade H: 26 cm



## Alexander


### Wall

No. 48621001 White - White cable  
No. 48621003 Black - Black cable

Master Box qty 2  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
Cable: 150 cm replaceable  
Switch on wall base  
E27, Max. 15W, Excl. light source,  
Fixture energy class A++ - E



**Measurements**  
H: 140 cm, Shade Ø: 16 cm  
Base Ø: 25 cm  
Tilt angle: 30°



**Measurements**  
H: 28 cm, D: 35 cm  
Shade Ø: 16 cm  
Base mount Ø: 13 cm  
Tilt angle: 30°

**Bracket**  
Hole distance  
3 cm  
10 cm




## Alton 23

### Pendant

No. 47303001 Black/brass/Opal white - White cable

Master Box qty 3  
Material: Glass/Metal  
IP20, Class 1  
Incl. black shade top  
Textile cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D




## Alton 40

### Pendant

No. 47323001 Black/brass/Opal white - White cable

Master Box qty 3  
Material: Glass/Metal  
IP20, Class 1  
Incl. black shade top  
Textile cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D




## Alton 25

### Pendant

No. 47313001 Black/brass/Opal white - White cable

Master Box qty 3  
Material: Glass/Metal  
IP20, Class 1  
Incl. black shade top  
Textile cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D




## Alton

### Table

No. 47645001 Brass/Opal white - Black cable

Master Box qty 3  
Material: Glass/Metal  
IP20, Class 2  
Textile cable: 150 cm non replaceable  
Switch on cable  
E14, Max. 15W, Excl. light source,  
Fixture energy class A++ - D





## Alton 23

Pendant

No. 47303047 Black/Smoked - Black cable

Master Box qty 3

Material: Glass/Metal


IP20, Class 1

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - E

NEW



Measurements

H: 43 cm, Shade Ø: 23 cm



## Alton 35

Pendant

No. 48973047 Black/Smoked - Black cable

Master Box qty 3

Material: Glass/Metal


IP20, Class 1

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - E

NEW



Measurements

H: 30 cm, Shade Ø: 35 cm



## Alton 25

Pendant

No. 47313047 Black/Smoked - Black cable

Master Box qty 3

Material: Glass/Metal


IP20, Class 1

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - E

NEW



Measurements

H: 33 cm, Shade Ø: 25 cm



## Alton

Table

No. 47645047 Black/Smoked - Black cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2


Textile cable: 150 cm non replaceable

Switch on cable

E14, Max. 15W, Excl. light source,

Fixture energy class A++ - D

NEW



Measurements

H: 29 cm, Shade Ø: 20 cm




## Andy

Pendant

No. 48473009 Rusty brown - Black cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Cable: 200 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - E

**NEW**



**Canopy**  
Black plastic  
Ø: 12,3 cm  
H: 8,7 cm

**Measurements**  
Shade Ø: 30 cm  
Shade H: 18 cm



Andy has a rust-coloured and rough surface




## Andy

Table

No. 48485009 Rusty brown - Black cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Cable: 150 cm non replaceable  
Switch on cable  
E14, Max. 15W, Excl. light source,  
Fixture energy class A++ - E

**NEW**



**Measurements**  
H: 40 cm, Shade Ø: 20 cm  
Base Ø: 15 cm  
Tilt angle: 30°



Andy has a rust-coloured and rough surface




## Andy

Wall


No. 48491009 Rusty brown - Black cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
Cable: 150 cm replaceable  
Switch on cable  
E27, Max. 15W, Excl. light source,  
Fixture energy class A++ - E

**NEW**



**Measurements**  
H: 23 cm, D: 27 cm  
Shade Ø: 20 cm  
Base mount Ø: 12 cm  
Tilt angle: 30°



**Bracket**  
Hole distance  
3,1 cm  
11,5 cm




## Ella 24

Pendant

No. 48703001 White - White cable  
No. 48703003 Black - Black cable  
No. 48703011 Grey - Black cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Textile cable: 200 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - E

**NEW**




## Ella 30

Pendant

No. 48713001 White - White cable  
No. 48713003 Black - Black cable  
No. 48713011 Grey - Black cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Textile cable: 200 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - E

**NEW**




## Ella 40

Pendant

No. 48723001 White - White cable  
No. 48723003 Black - Black cable  
No. 48723011 Grey - Black cable

Master Box qty 2  
Material: Metal/Plastic  
IP20, Class 2  
Textile cable: 200 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - E

**NEW**





## Ellen

### Table

No. 48555001 White - White cable  
No. 48555003 Black - Black cable  
No. 48555023 Green - White cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Textile cable: 150 cm non replaceable  
Switch on cable  
E14, Max. 40W, Excl. light source,  
Fixture energy class A++ - E




## Ellen

### Floor

No. 48584001 White - White cable  
No. 48584003 Black - Black cable

Master Box qty 2  
Material: Metal/Plastic  
IP20, Class 2  
Cable: 150 cm non replaceable  
Foot switch on cable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - E

**NEW**



**Measurements**  
H: 40,5 cm, Shade Ø: 20 cm  
Base Ø: 16 cm

## Ellen 30

### Pendant

No. 48563001 White - White cable  
No. 48563003 Black - Black cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Textile cable: 200 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - E



**NEW**



**Canopy**  
White/Black plastic  
Ø: 12,3 cm  
H: 8,7 cm

**Measurements**  
Shade Ø: 30 cm  
Shade H: 15 cm

## Ellen 40

### Pendant

No. 48573001 White - White cable  
No. 48573003 Black - Black cable

Master Box qty 2  
Material: Metal/Plastic  
IP20, Class 2  
Textile cable: 200 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - E



**NEW**



**Canopy**  
White/Black plastic  
Ø: 12,3 cm  
H: 8,7 cm

**Measurements**  
Shade Ø: 40 cm  
Shade H: 20 cm



## Josefine

Table

No. 48955003 Mat black/Brass - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2


Cable: 150 cm non replaceable

Switch on cable

E27, Max. 2X28W, Excl. light source,

Fixture energy class A++ - E

**NEW**



## Josefine

Pendant

No. 48933003 Mat black/Brass - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

Incl. rubber bush

Textile cable: 200 cm non replaceable

E27, Max. 6X28W, Excl. light source,

Fixture energy class A++ - E

**NEW**



### Canopy

Black metal  
Ø: 12 cm  
H: 7 cm

### Measurements

H: 79 cm, W: 55 cm, L: 55 cm  
Shade Ø: 4,2 cm  
Pipe Ø: 1,9 cm

## Josefine

Wall

No. 48941003 Mat black/Brass - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

Incl. rubber bush


Cable: 150 cm replaceable

Switch on cable

E27, Max. 2X28W, Excl. light source,

Fixture energy class A++ - E

**NEW**





The warm light spreads both upwards and downwards through the small holes in the top of the screen

## Julian

### Table

No. 48405001 White - White cable

Master Box qty 3

Material: Metal


IP20, Class 2, Max. 25W,

Cable: 150 cm non replaceable

E14, Excl. light source,

Fixture energy class A++ - E

**NEW**



**Measurements**  
H: 40 cm, Shade Ø: 13 cm  
Base Ø: 19 cm



The warm light spreads both upwards and downwards through the small holes in the top of the screen

## Julian 23

### Pendant

No. 48423001 White - White cable

Master Box qty 3

Material: Metal


IP20, Class 2

Textile cable: 200 cm non replaceable

E27, Max. 25W, Excl. light source,

Fixture energy class A++ - E

**NEW**




**Canopy**  
White plastic  
Ø: 12,3 cm  
H: 8,7 cm

**Measurements**  
Shade Ø: 23 cm  
Shade H: 22 cm



The warm light spreads both upwards and downwards through the small holes in the top of the screen



The warm light spreads both upwards and downwards through the small holes in the top of the screen

## Julian 13

### Pendant

No. 48413001 White - White cable

Master Box qty 6

Material: Metal

IP20, Class 2

Textile cable: 200 cm non replaceable

E14, Max. 25W, Excl. light source,

Fixture energy class A++ - E

**NEW**



**Canopy**  
White plastic  
Ø: 12,3 cm  
H: 8,7 cm

**Measurements**  
Shade Ø: 13 cm  
Shade H: 14 cm

## Julian 32

### Pendant

No. 48433001 White - White cable

Master Box qty 2

Material: Metal


IP20, Class 2

Textile cable: 200 cm non replaceable

E27, Max. 40W, Excl. light source,

Fixture energy class A++ - E

**NEW**



**Canopy**  
White plastic  
Ø: 12,3 cm  
H: 8,7 cm


**Measurements**  
Shade Ø: 32 cm  
Shade H: 28 cm



## Lilly

### Pendant


No. 48603003 Black/Opal white - Black cable  
 No. 48603035 Brass/Opal white - Black cable  
 Master Box qty 2  
 Material: Metal/Glass  
 IP20, Class 2  
 Incl. rubber bush  
 Textile cable: 200 cm non replaceable  
 E14, Max. 3X40W, Excl. light source,

**NEW**

## Lilly

### Table


No. 48885003 Black/Opal white - Black cable  
 Master Box qty 6  
 Material: Glass/Metal  
 IP20, Class 2  
 Cable: 150 cm non replaceable  
 Switch on cable  
 E14, Max. 40W, Excl. light source,  
 Fixture energy class A++ - E

**NEW**

## Lilly

### Floor


No. 48613003 Black/Opal white - Black cable  
 Master Box qty 2  
 Material: Metal/Glass  
 IP20, Class 2  
 Cable: 150 cm non replaceable  
 Foot switch on cable  
 E14, Max. 3X15W, Excl. light source,  
 Fixture energy class A++ - E

**NEW**

## Lilly

### Wall

No. 48891003 Black/Opal white - Black cable  
 Master Box qty 6  
 Material: Glass/Metal  
 IP20, Class 2  
 Incl. rubber bush  
 Cable: 150 cm replaceable  
 Switch on cable  
 E14, Max. 40W, Excl. light source,  
 Fixture energy class A++ - E

**NEW**



## Emma 18

### Pendant

No. 48843001 White/Opal white - White cable  
No. 48843003 Black/Opal white - Black cable

Master Box qty 3  
Material: Glass/Metal  
IP20, Class 2  
Incl. rubber bush  
Cable: 200 cm non replaceable  
GU10, Max. 10W, Excl. light source,  
Fixture energy class A++ - A




## Emma 25

### Pendant

No. 48853001 White/Opal white - White cable  
No. 48853003 Black/Opal white - Black cable

Master Box qty 3  
Material: Glass/Metal  
IP20, Class 2  
Incl. rubber bush  
Cable: 200 cm non replaceable  
GU10, Max. 10W, Excl. light source,  
Fixture energy class A++ - A

**NEW**



**Canopy**  
White/Black metal  
Ø: 12,3 cm  
H: 8,7 cm

**Measurements**  
Shade Ø: 18 cm  
Shade H: 23 cm



## Milford 20

### Pendant

No. 46573001 Opal white - White cable

Master Box qty 3  
Material: Glass  
IP20, Class 2  
Textile cable: 300 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



**Canopy**  
White plastic  
Ø: 11,7 cm  
H: 9 cm

**Measurements**  
H: 33,5 cm, Shade Ø: 20 cm




## Milford 30

### Pendant

No. 46583001 Opal white - White cable

Master Box qty 3  
Material: Glass  
IP20, Class 2  
Textile cable: 300 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



**Canopy**  
White plastic  
Ø: 11,7 cm  
H: 9 cm

**Measurements**  
H: 22,7 cm, Shade Ø: 30 cm



## Milford

### Table

No. 48915001 Nature (brown)/Opal white - White cable

Master Box qty 3

Material: Glass/Wood

IP20, Class 2

Textile cable: 150 cm non replaceable

Switch on cable

E27, Max. 40W, Excl. light source,

Fixture energy class A++ - E



NEW

**Measurements**  
H: 21,7 cm, Shade Ø: 20 cm  
Base Ø: 11 cm



## Milford

### Table

No. 48965001 Black/Opal white - Black cable

Master Box qty 3

Material: Glass/Metal


IP20, Class 2

Textile cable: 150 cm non replaceable

Switch on cable

E27, Excl. light source,

Fixture energy class A++ - D



NEW

**Measurements**  
H: 20 cm, Shade Ø: 20 cm



## Milford

### Floor

No. 48924001 White/Opal white - White cable

Master Box qty 2

Material: Metal/Glass

IP20, Class 2

Textile cable: 180 cm non replaceable

Switch on cable

E27, Max. 40W, Excl. light source,

Fixture energy class A++ - E



NEW

**Measurements**  
H: 139,4 cm, Shade Ø: 30 cm  
Base Ø: 28 cm



## William 20

### Pendant

No. 48443001 White - White cable  
No. 48443003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 200 cm non replaceable  
E27, Max. 25W, Excl. light source,  
Fixture energy class A++ - E




## William 27

### Pendant

No. 48453001 White - White cable  
No. 48453003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 200 cm non replaceable  
E27, Max. 25W, Excl. light source,  
Fixture energy class A++ - E

NEW



**Canopy**  
White/Black plastic  
Ø: 12,3 cm  
H: 8,7 cm

**Measurements**  
Shade Ø: 20 cm  
Shade H: 20 cm




## William 32

### Pendant

No. 48463001 White - White cable  
No. 48463003 Black - Black cable

Master Box qty 2  
Material: Metal  
IP20, Class 2  
Cable: 200 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - E

NEW



**Canopy**  
White/Black plastic  
Ø: 12,3 cm  
H: 8,7 cm

**Measurements**  
Shade Ø: 32 cm  
Shade H: 32 cm



## Aslak

Wall

No. 45721001 White - White cable  
No. 45721003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 200 cm replaceable  
Switch on cable  
GU10, Max. 35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 10,5 cm, D: 18,5 cm  
Shade Ø: 8 cm  
Base mount Ø: 8 cm




## Aslak

Spot

No. 45740101 White  
No. 45740103 Black

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: Excl. cable  
GU10, Max. 35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
L: 56,5 cm  
D: 20 cm  
Shade Ø: 8 cm  
Base mount Ø: 9 cm




## Aslak

Spot

No. 45730101 White  
No. 45730103 Black

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: Excl. cable  
GU10, Max. 35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
L: 32,5 cm  
D: 20 cm  
Shade Ø: 8 cm  
Base mount Ø: 9 cm




## Aslak

Pendant

No. 46553001 White - White cable  
No. 46553003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 300 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



**Canopy**  
White/Black plastic  
Ø: 11,7 cm  
H: 6 cm  
  
**Measurements**  
Shade Ø: 20 cm  
Shade H: 24,5 cm




## Aslak


### Table

No. 46685001 White - White cable  
No. 46685003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 180 cm non replaceable  
Switch on cable  
E27, Max. 15W, Excl. light source,  
Fixture energy class A++ - B



**Measurements**  
H: 48 cm, Shade Ø: 15 cm  
Base Ø: 15 cm



## Aslak

### Floor

No. 46724001 White - White cable  
No. 46724003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 200 cm non replaceable  
Switch on cable  
E27, Max. 15W, Excl. light source,  
Fixture energy class A++ - B




**Measurements**  
H: 140 cm, Shade Ø: 23 cm  
Base Ø: 15 cm



## Christina

### Table

No. 48905003 Black/Smoked - Black cable  
 No. 48905011 Light gray/Smoked - Black cable  
  
 Master Box qty 3  
 Material: Concrete/Glass  
 IP20, Class 2  
 Cable: 150 cm non replaceable  
 Switch on cable  
 E27, Max. 25W, Excl. light source,

**NEW**


**Measurements**  
 H: 30 cm, Shade Ø: 20 cm  
 Base Ø: 13 cm



## Dean

### Table

No. 46605003 Black - Black cable  
 No. 46605025 Brass - Black cable  
  
 Master Box qty 3  
 Material: Metal  
 IP20, Class 2  
 Cable: 180 cm non replaceable  
 Switch on cable  
 E27, Max. 60W, Excl. light source,  
 Fixture energy class A++ - D




**Measurements**  
 H: 15 cm, Base Ø: 13 cm



## Dean

### Pendant

No. 46523003 Black - Black cable  
  
 Master Box qty 3  
 Material: Metal  
 IP20, Class 1  
 Cable: 300 cm non replaceable  
 E27, Max. 40W, Excl. light source,  
 Fixture energy class A++ - D



**Canopy**  
 Black metal  
 Ø: 12 cm  
 H: 2,5 cm


**Measurements**  
 H: 20 cm, Ø: 12 cm



## Dean Halo

### Table

No. 46615003 Black - Black cable  
 No. 46615025 Brass - Black cable  
  
 Master Box qty 3  
 Material: Metal  
 IP20, Class 2  
 Cable: 180 cm non replaceable  
 Switch on cable  
 E27, Max. 60W, Excl. light source,  
 Fixture energy class A++ - D



**Measurements**  
 H: 35 cm, W: 23 cm, Base Ø:  
 13 cm




## Grant

### Table

No. 46635003 Black/Opal white - Black cable  
No. 46635025 Brass/Opal white - White cable

Master Box qty 3  
Material: Metal/Glass  
IP20, Class 2  
Cable: 180 cm non replaceable  
Switch on cable  
E14, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 41 cm, Shade Ø: 14,5 cm  
Base Ø: 20 cm




## Hollywood

### Pendant

No. 46483000 Clear - Black cable  
No. 46483027 Amber - Black cable  
No. 46483047 Smoked - Black cable

Master Box qty 3  
Material: Glass/Metal  
IP20, Class 2  
Textile cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
Shade Ø: 10,8 cm  
Shade H: 17,7 cm




## Grant

### Wall

No. 47091003 Black/Opal white - Black cable  
No. 47091025 Brass/Opal white - White cable

Master Box qty 3  
Material: Metal/Glass  
IP20, Class 2  
Cable: 200 cm  
Incl. rubber bush  
Switch on cable  
E14, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 16,4 cm, D: 20,7 cm  
Shade Ø: 14,5 cm  
Base mount Ø: 10 cm




## Hollywood

### Table

No. 46645000 Clear - Black cable  
No. 46645027 Amber - Black cable  
No. 46645047 Smoked - Black cable

Master Box qty 3  
Material: Glass/Plastic - Glass  
IP20, Class 2  
Textile cable: 180 cm non replaceable  
Switch on cable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 12,8 cm, Ø: 10,8 cm



## Eik

### Wall

No. 45761001 White - White cable  
No. 45761010 Grey - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 200 cm replaceable  
Switch on cable  
GU10, Max. 35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 11 cm, D: 15 cm  
Shade Ø: 8,6 cm  
Base mount Ø: 8 cm




## Eik

### Spot

No. 45780101 White  
No. 45780110 Grey

Master Box qty 3  
Material: Metal  
IP20, Class 1  
Cable: Excl. cable  
GU10, Max. 35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
L: 45 cm  
D: 15 cm  
Shade Ø: 8,6 cm  
Base mount: 45 x 3,7 cm




## Eik

### Spot

No. 45770101 White  
No. 45770110 Grey

Master Box qty 3  
Material: Metal  
IP20, Class 1  
Cable: Excl. cable  
GU10, Max. 35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
L: 28,5 cm  
D: 15 cm  
Shade Ø: 8,6 cm  
Base mount: 26,0 x 3,7 cm




## Eik

### Pendant

No. 46563001 White - White cable  
No. 46563010 Grey - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D



**Canopy**  
White/Black plastic  
Ø: 11,7 cm  
H: 6 cm

**Measurements**  
H: 22,5 cm, Shade Ø: 30 cm  
Shade H: 20 cm




## Eik


### Table

No. 46695001 White - White cable  
No. 46695010 Grey - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 180 cm non replaceable  
Switch on cable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - B



**Measurements**  
H: 46 cm, Shade Ø: 15 cm  
Base Ø: 15 cm  
Tilt angle: 80°



## Eik

### Floor

No. 46734001 White - White cable  
No. 46734010 Grey - Black cable

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Cable: 200 cm non replaceable  
Foot switch on cable  
E27, Max. 15W, Excl. light source,  
Fixture energy class A++ - B



**Measurements**  
H: 144 cm, Shade Ø: 15 cm  
Base Ø: 19 cm




## Largo

### Wall

No. 47051001 White - White cable  
No. 47051003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 180 cm replaceable  
Switch on fixture  
E27, Max. 25W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 18 cm, D: 26 cm  
Shade Ø: 12 cm  
Base mount Ø: 10 cm



## Largo

### Spot

No. 47070001 White  
No. 47070003 Black

Master Box qty 3  
Material: Metal  
IP20, Class 1  
Cable: Excl. cable  
E27, Max. 25W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
W: 55 cm, D: 26 cm  
Shade Ø: 12 cm



## Largo

### Spot

No. 47060001 White  
No. 47060003 Black

Master Box qty 3  
Material: Metal  
IP20, Class 1  
Cable: Excl. cable  
E27, Max. 25W, Excl. light source,  
Fixture energy class A++ - D




**Measurements**  
W: 35,8 cm, D: 26 cm  
Shade Ø: 12 cm

## Largo


### Table

No. 46655003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 150 cm non replaceable  
Switch on cable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 51,5 cm, Shade Ø: 17 cm



## Largo

Floor

No. 46704003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

Cable: 180 cm non replaceable

Switch on cable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
H: 146 cm



## Siv

Table

No. 45875001 White - White cable

No. 45875003 Black - Black cable

Master Box qty 3

Material: Marble


IP20, Class 2

Cable: 180 cm non replaceable

Switch on cable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
H: 10,3 cm, Ø: 6 cm



## Siv

Pendant

No. 45883001 White - White cable

No. 45883003 Black - Black cable

Master Box qty 3


Material: Marble

IP20, Class 1

Textile cable: 270 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



**Canopy**  
White/Black metal  
Ø: 8,5 cm  
H: 2,5 cm

**Measurements**  
H: 10 cm, Ø: 6 cm




## Cyclone

Wall

No. 72991001 White  
No. 72991003 Black

Master Box qty 6  
Material: Metal  
IP20, Class 1  
Cable: Excl. cable  
Switch on fixture  
E14, Max. 15W, Excl. light source,  
Fixture energy class A++ - A



**Measurements**  
H: 37 cm, W: 12,5 cm, D:  
37 cm  
Shade Ø: 11 cm  
Pipe Ø: 1,1 cm  
Base mount Ø: 12,5 cm



## Cyclone

Clamp spot

No. 73072001 White - White cable  
No. 73072003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 200 cm non replaceable  
Switch on cable  
E14, Max. 15W, Excl. light source,  
Fixture energy class A++ - A



**Measurements**  
H: 27 cm, Shade Ø: 11 cm  
Flex arm: 16 cm, Shade H:  
17 cm




## Cyclone

Table

No. 73065001 White - White cable  
No. 73065003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 155 cm non replaceable  
Switch on cable  
E14, Max. 15W, Excl. light source,  
Fixture energy class A++ - A



**Measurements**  
H: 33 cm, Shade Ø: 11 cm  
Flex arm: 8,7 cm, Shade H:  
14 cm  
Pipe Ø: 1,4 cm  
Base Ø: 15 cm




## Photo

Clamp spot

No. 59372029 Aluminium - Black cable

Master Box qty 6  
Material: Metal  
IP20, Class 2  
Cable: 200 cm non replaceable  
Switch on cable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 16 cm, D: 29 cm  
Shade Ø: 9,5 cm  
Shade H: 16 cm




## Pop

### Pendant

No. 45833001 White - White cable  
 No. 45833003 Black - Black cable  
 No. 45833006 Light blue - White cable  
 No. 45833023 Green - White cable  
 No. 45833050 Anthracite - White cable

Master Box qty 3  
 Material: Metal  
 IP20, Class 2  
 Cable: 200 cm non replaceable  
 E27, Max. 60W, Excl. light source,  
 Fixture energy class A++ - D




## Pop Maxi

### Pendant

No. 45983001 White - White cable  
 No. 45983003 Black - Black cable

Master Box qty 2  
 Material: Metal  
 IP20, Class 2  
 Cable: 200 cm non replaceable  
 E27, Max. 60W, Excl. light source,  
 Fixture energy class A++ - D



The new POP has a rough surface and brushed brass detail

## Pop

### Wall

No. 45841001 White - White cable  
 No. 45841003 Black - Black cable  
 No. 45841006 Light blue - White cable  
 No. 45841023 Green - White cable  
 No. 45841050 Anthracite - White cable

Master Box qty 3  
 Material: Metal  
 IP20, Class 2  
 Cable: 180 cm replaceable  
 Switch on cable  
 E27, Max. 60W, Excl. light source,  
 Fixture energy class A++ - D




## Pop

### Pendant

No. 48733001 Rough white/Brass - White cable  
 No. 48733011 Rough grey/Brass - Black cable

Master Box qty 3  
 Material: Metal/Plastic  
 IP20, Class 2  
 Cable: 200 cm non replaceable  
 E27, Max. 60W, Excl. light source,

NEW






## Pop

### Table

No. 48745001 Rough white/Brass - White cable  
No. 48745011 Rough grey/Brass - Black cable


Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Cable: 150 cm non replaceable  
Switch on cable  
E27, Max. 15W, Excl. light source,



**Measurements**  
H: 47 cm, Shade Ø: 15 cm  
Base Ø: 23 cm  
Tilt angle: 30°



The new POP has a  
rough surface and  
brushed brass detail



## Pop

### Floor

No. 48754001 Rough white/Brass - White cable  
No. 48754011 Rough grey/Brass - Black cable

Master Box qty 2  
Material: Metal/Plastic  
IP20, Class 2  
Cable: 150 cm non replaceable  
Switch on cable  
E27, Max. 15W, Excl. light source,



**Measurements**  
H: 145 cm, Shade Ø: 15 cm  
Base Ø: 15 cm  
Tilt angle: 30°



The new POP has a  
rough surface and  
brushed brass detail




## Texas

### Wall

No. 47141001 White - White cable  
No. 47141003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 180 cm  
Switch on fixture  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 18 cm, W: 13 cm, D: 20 cm  
Shade Ø: 12,5 cm  
Base mount Ø: 12,5 cm




## Texas

### Table

No. 47615001 White - White cable  
No. 47615003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 150 cm non replaceable  
Switch on cable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 40 cm, Shade Ø: 12,5 cm  
Flex arm: 15 cm, Base Ø: 14 cm



## Break

### Floor

No. 19874003 Black - Black cable  
Master Box qty 2  
Material: Metal/Plastic  
IP20, Class 2  
Cable: 200 cm non replaceable  
Foot switch on cable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - D




**Measurements**  
H: 158 cm, Shade Ø: 44 cm  
Shade H: 29 cm  
Pipe Ø: 2 cm  
Base Ø: 25,5 cm



## Break

### Wall

No. 19861003 Black - Black cable  
Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Cable: 170 cm replaceable  
Switch on fixture  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 34 cm, W: 29 cm, D: 53 cm  
Shade Ø: 29 cm  
Pipe Ø: 1,2 cm  
Base mount Ø: 12 cm



## Ray

Floor

No. 63224003 Black - Black cable  
No. 63224033 Chrome/Opal white - Black cable

Master Box qty 2  
Material: Metal - Metal/Glass  
IP20, Class 2  
Replaceable rings for no. 63224003  
Cable: 180 cm non replaceable  
Foot switch on cable  
E14, Max. 2X40W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 155 cm, Shade Ø: 12 cm  
Flex arm: 21 cm, Shade H: 9 cm  
Pipe Ø: 1,6 cm  
Base Ø: 25 cm



Replaceable rings  
for no. 63224003




Replaceable rings  
for no. 72224003

## Ray Dimmable

Floor

No. 72224003 Black - Black cable  
No. 72224033 Chrome/White - Clear cable

Master Box qty 2  
Material: Metal - Metal/Glass  
IP20, Class 2  
Replaceable rings for no. 72224003  
Cable: 180 cm non replaceable  
Switch on fixture  
E14, Max. 2X40W, Excl. light source, Incl. Rotate dimmer,  
Fixture energy class A++ - D



**Measurements**  
H: 164 cm, Shade Ø: 12 cm  
Flex arm: 19 cm, Shade H: 9 cm  
Pipe Ø: 1,6 cm  
Base Ø: 28 cm



Replaceable rings  
for no. 63214003

## Ray

Floor

No. 63214003 Black - Black cable  
No. 63214033 Chrome/Opal white - Clear cable

Master Box qty 2  
Material: Metal - Metal/Glass  
IP20, Class 2  
Replaceable rings for no. 63214003  
Cable: 180 cm non replaceable  
Foot switch on cable  
E14, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 155 cm, Shade Ø: 12 cm  
Flex arm: 21 cm, Shade H: 9 cm  
Pipe Ø: 1,6 cm  
Base Ø: 25 cm



## Ray 2-Kit

### Pendant

No. 63233001 White/Opal white - White cable

Master Box qty 3

Material: Glass/Metal


IP20, Class 2

Replaceable rings for no. 63233001

Cable: 180 cm non replaceable

E14, Max. 40W, Excl. light source,

Fixture energy class A++ - D



## Ray

### Wall

No. 63191003 Black - Black cable

No. 63191033 Chrome/Opal white - Clear cable

Master Box qty 3

Material: Metal - Metal/Glass


IP20, Class 2

Cable: 180 cm replaceable

Switch on fixture

E14, Max. 40W, Excl. light source,

Fixture energy class A++ - D



## Ray 2-Kit

### Pendant

No. 63233003 Black - Black cable

No. 63233033 Chrome/Opal white - Clear cable

Master Box qty 3

Material: Metal - Glass/Metal


IP20, Class 2

Replaceable rings for no. 63233003

Cable: 180 cm non replaceable

E14, Max. 2X40W, Excl. light source,

Fixture energy class A++ - D



## Ray

### Table

No. 63201003 Black - Black cable

No. 63201033 Chrome/Opal white - Clear cable

Master Box qty 3

Material: Metal - Metal/Glass

IP20, Class 2

Replaceable rings for no. 63201003

Cable: 180 cm non replaceable

Switch on cable

E14, Max. 40W, Excl. light source,

Fixture energy class A++ - D






## Vanila

### Wall

No. 72711001 White - Clear cable  
No. 72711003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 210 cm replaceable  
Switch on fixture  
E14, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



#### Measurements

H: 17 cm, W: 14,5 cm, D:  
28,5 cm  
Shade Ø: 14,5 cm  
Base mount Ø: 9,5 cm



## Vanila

### Table

No. 72695001 White - White cable  
No. 72695003 Black - Black cable

Master Box qty 2  
Material: Metal  
IP20, Class 2  
Cable: 200 cm non replaceable  
Switch on fixture  
E14, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



#### Measurements

H: 44 cm, Shade Ø: 14,5 cm  
Shade H: 23 cm  
Pipe Ø: 1 cm  
Base Ø: 18 cm

## Vanila

### Floor

No. 72704001 White - Clear cable  
No. 72704003 Black - Black cable

Master Box qty 2  
Material: Metal  
IP20, Class 2  
Cable: 210 cm non replaceable  
Switch on fixture  
E14, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



#### Measurements

H: 129 cm, Shade Ø: 14,5 cm  
Shade H: 23 cm  
Pipe Ø: 1,5 cm  
Base Ø: 24 cm




## Avra

### Pendant

No. 84800003 Black/Chrome - Black cable  
No. 84800025 Brass - Black cable  
No. 84800030 Copper - Black cable  
No. 84800033 Chrome - Black cable


Master Box qty 3  
Material: Metal  
IP20, Class 2  
Textile cable: 200 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D



## Bretagne

### Pendant


No. 39489901 White - White cable  
Master Box qty 3  
Material: Metal  
IP20, Class 1  
Cable: 200 cm non replaceable  
G9, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



## Aud

### Pendant

No. 45643003 Black - Black cable  
Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D



## Anniversary

### Pendant

No. 76633001 White - White cable  
No. 76633003 Black - Black cable  
Master Box qty 3  
Material: Metal  
IP20, Class 2  
Cable: 210 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D






## Alrun

### Pendant

No. 45263000 Clear - Black cable  
No. 45263027 Amber - Black cable  
No. 45263047 Smoked - Black cable

Master Box qty 2  
Material: Glass  
IP20, Class 2  
Textile cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D




## Dillon

### Pendant

No. 46473047 Smoked - Black cable

Master Box qty 3  
Material: Glass  
IP20, Class 2  
Cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D




## Disa

### Pendant

No. 45823000 Clear - Black cable  
No. 45823027 Amber - Black cable

Master Box qty 3  
Material: Glass  
IP20, Class 2  
Cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D




## Embla

### Pendant

No. 45703001 White - White cable  
No. 45703047 Smoked - Black cable

Master Box qty 3  
Material: Glass  
IP20, Class 2  
Textile cable: 300 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - D





## Cafe 15

Pendant

No. 39553001 Opal white - Clear cable

Master Box qty 3


Material: Glass/Metal

IP20, Class 2

Cable: 180 cm non replaceable

E27, Max. 40W, Excl. light source,

Fixture energy class A++ - D



**Canopy**  
White plastic  
 $\varnothing$ : 7,9 cm  
H: 8,3 cm

**Measurements**  
H: 28 cm, Shade  $\varnothing$ : 15 cm  
Shade H: 15 cm



## Cafe 25

Pendant

No. 39573001 Opal white - Clear cable

Master Box qty 3


Material: Glass/Metal

IP20, Class 2

Cable: 180 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



**Canopy**  
White plastic  
 $\varnothing$ : 7,9 cm  
H: 8,3 cm

**Measurements**  
H: 38 cm, Shade  $\varnothing$ : 25 cm  
Shade H: 25 cm



## Cafe 20

Pendant

No. 39563001 Opal white - Clear cable

Master Box qty 3


Material: Glass/Metal

IP20, Class 2

Cable: 180 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



**Canopy**  
White plastic  
 $\varnothing$ : 7,9 cm  
H: 8,3 cm

**Measurements**  
H: 33 cm, Shade  $\varnothing$ : 20 cm  
Shade H: 20 cm



## Cafe 30

Pendant

No. 39583001 Opal white - Clear cable

Master Box qty 3


Material: Glass/Metal

IP20, Class 2

Cable: 180 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



**Canopy**  
White plastic  
 $\varnothing$ : 7,9 cm  
H: 8,3 cm

**Measurements**  
H: 44 cm, Shade  $\varnothing$ : 30 cm  
Shade H: 30 cm




## Kingston

### Pendant

No. 46543001 White - White cable  
No. 46543003 Black - Black cable

Master Box qty 3  
Material: Metal  
IP20, Class 1  
Cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D




## Groa 30

### Pendant

No. 45683014 Nature (brown) - Black cable

Master Box qty 3  
Material: Wood  
IP20, Class 2  
Textile cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D




## Ames

### Pendant

No. 46533001 White - White cable  
No. 46533003 Black - Black cable

Master Box qty 2  
Material: Metal  
IP20, Class 1  
Cable: 300 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - D




## Groa 40

### Pendant

No. 45693014 Nature (brown) - Black cable

Master Box qty 3  
Material: Wood  
IP20, Class 2  
Textile cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D





## Chino 25

Pendant

No. 84823014 Nature (brown) - Black cable

Master Box qty 3


Material: Wood

IP20, Class 2

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



## Chino 30

Pendant

No. 84833014 Nature (brown) - Black cable

Master Box qty 3

Material: Wood

IP20, Class 2

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



## Chino 40

Pendant

No. 84843014 Nature (brown) - Black cable

Master Box qty 3


Material: Wood

IP20, Class 2

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D





## Houston

Pendant

No. 46443003 Black - Black cable

Master Box qty 3


Material: Metal

IP20, Class 2

Cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source,

Fixture energy class A++ - D



## Tribeca 24

Pendant

No. 46423003 Black - Black cable

Master Box qty 3


Material: Wood

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



## Houston

Pendant

No. 46453003 Black - Black cable

Master Box qty 3


Material: Metal

IP20, Class 2

Cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source,

Fixture energy class A++ - D



## Tribeca 38

Pendant

No. 46433003 Black - Black cable

Master Box qty 3


Material: Wood

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D





## Step 17

Pendant

No. 46353003 Black - Black cable

Master Box qty 3


Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source,

Fixture energy class A++ - D



## Step 27

Pendant

No. 46363003 Black - Black cable

Master Box qty 3


Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



## Step 36

Pendant

No. 46373003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D





## Chrystie 17

Pendant

No. 46493047 Smoked - Black cable

Master Box qty 3


Material: Glass/Wood

IP20, Class 1

Cable: 300 cm non replaceable

GU10, Max. 11W, Excl. light source,

Fixture energy class A++ - A



## Chrystie 20

Pendant

No. 46503047 Smoked - Black cable

Master Box qty 3


Material: Glass/Wood

IP20, Class 1

Cable: 300 cm non replaceable

GU10, Max. 11W, Excl. light source,

Fixture energy class A++ - A



## Chrystie 24

Pendant

No. 46513047 Smoked - Black cable

Master Box qty 3

Material: Glass/Wood

IP20, Class 1

Cable: 300 cm non replaceable

GU10, Max. 11W, Excl. light source,

Fixture energy class A++ - A






## Circus 21

Pendant

No. 46403001 White - White cable  
No. 46403003 Black - Black cable  
No. 46403006 Blue - White cable  
No. 46403057 Rose - White cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Textile cable: 300 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - D




## Skip 35

Pendant

No. 46333001 White/Opal white - White cable  
No. 46333003 Black/Opal white - Black cable

Master Box qty 3  
Material: Metal/Acrylic  
IP20, Class 2  
Textile cable: 300 cm non replaceable  
Fixed LED, Incl. 14W LED, 5 year LED guarantee,  
Light source: Lumen 1.230, Kelvin 3.000,  
Life hours 30.000, RA 80, Beam angle 120°, Dimmable  
Fixture energy class A++ - A




## Circus 27

Pendant

No. 46413001 White - White cable  
No. 46413003 Black - Black cable  
No. 46413006 Blue - White cable  
No. 46413057 Rose - White cable

Master Box qty 3  
Material: Metal  
IP20, Class 2  
Textile cable: 300 cm non replaceable  
E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - D




## Skip 57

Pendant

No. 46343001 White/Opal white - White cable  
No. 46343003 Black/Opal white - Black cable

Master Box qty 1  
Material: Metal/Acrylic  
IP20, Class 2  
Textile cable: 300 cm non replaceable  
Fixed LED, Incl. 14W LED, 5 year LED guarantee,  
Light source: Lumen 1.230, Kelvin 3.000,  
Life hours 30.000, RA 80, Beam angle 120°, Dimmable  
Fixture energy class A++ - A





## Esk

Pendant

No. 84883003 Black - Black cable

Master Box qty 3


Material: Metal

IP20, Class 2

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



## Tees

Pendant

No. 84863003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



## Aire

Pendant

No. 84873003 Black - Black cable

Master Box qty 3


Material: Metal

IP20, Class 2

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D





## Read 14

### Pendant

No. 73153010 Opal white - White cable

Master Box qty 3


Material: Glass/Metal

IP20, Class 2

Textile cable: 180 cm non replaceable

E14, Max. 40W, Excl. light source,

Fixture energy class A++ - D



**Canopy**  
Chrome metal  
Ø: 9 cm  
H: 5,35 cm

**Measurements**  
H: 18 cm, Shade Ø: 14 cm



## Ripasso 15

### Pendant

No. 18443001 White - Clear cable

Master Box qty 3


Material: Glass

IP20, Class 2

Cable: 200 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



**Canopy**  
Chrome metal  
Ø: 8,5 cm  
H: 2,5 cm

**Measurements**  
H: 41 cm, Shade Ø: 15 cm  
Shade H: 37 cm



## Read 20

### Pendant

No. 73163010 Opal white - White cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

Textile cable: 180 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



**Canopy**  
Chrome metal  
Ø: 9 cm  
H: 5,35 cm

**Measurements**  
Shade Ø: 20 cm  
Shade H: 22 cm



## Trumpet

### Pendant

No. 84903001 Chrome/Opal white - White cable

Master Box qty 3


Material: Glass/Metal

IP20, Class 2

Textile cable: 200 cm non replaceable

E27, Max. 40W, Excl. light source,

Fixture energy class A++ - C



**Canopy**  
White plastic  
Ø: 11,8 cm  
H: 7,35 cm

**Measurements**  
H: 35 cm, Shade Ø: 25,5 cm



## Rispapir 35

Shade

No. 14093501 White

Master Box qty 12

Material: Paper

Excl. suspension (no. 010001)

IP20, Max. 60W



**Measurements**  
H: 35 cm, Shade Ø: 35 cm  
Shade H: 35 cm



## Rispapir 40

Shade

No. 14094001 White

Master Box qty 12

Material: Paper

Excl. suspension (no. 010001)

IP20, Max. 60W



**Measurements**  
H: 40 cm, Shade Ø: 40 cm  
Shade H: 40 cm



## Rispapir 48

Shade

No. 14094801 White

Master Box qty 12

Material: Paper

Excl. suspension (no. 010001)

IP20, Max. 60W



**Measurements**  
H: 48 cm, Shade Ø: 48 cm  
Shade H: 48 cm



## Lyne

Pendant

No. 84813003 Black - Black cable

Master Box qty 3


Material: Metal

IP20, Class 2

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



**Canopy**  
Black plastic  
Ø: 11,8 cm  
H: 5,8 cm

**Measurements**  
H: 20 cm, Shade Ø: 29 cm



## Mercer

Table

No. 46665001 White - White cable

No. 46665003 Black - Black cable

Master Box qty 3

Material: Metal


IP20, Class 2

Textile cable: 160 cm non replaceable

Switch on cable

E14, Max. 10W, Excl. light source,

Fixture energy class A++ - B



**Measurements**  
H: 45 cm, Shade Ø: 15 cm  
Base Ø: 15 cm



## Trude

Pendant

No. 45713003 Black - Black cable

Master Box qty 3


Material: Metal

IP20, Class 2

Cable: 300 cm non replaceable

E27, Max. 42W, Excl. light source,

Fixture energy class A++ - D



**Canopy**  
Black plastic  
Ø: 11,8 cm  
H: 5,8 cm

**Measurements**  
H: 22,5 cm, Shade Ø: 21,5 cm



## Lelio

Floor

No. 75554003 Black - Black cable

Master Box qty 2

Material: Metal/Textile

IP20, Class 2

Cable: 180 cm non replaceable

Foot switch on cable

E14, Max. 2X40W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
H: 155 cm, Shade Ø: 16 cm  
Flex arm: 30 cm,  
Shade H: 16 cm  
Pipe Ø: 1,5 cm  
Base Ø: 23 cm




## Parson

Wall

No. 47101003 Black/Opal white - Black cable

Master Box qty 3  
Material: Glass/Metal  
IP20, Class 2  
Textile cable: 180 cm replaceable  
Switch on cable  
E14, Max. 25W, Excl. light source,  
Fixture energy class A++ - D



### Measurements

H: 15 cm, D: 23 cm  
Shade Ø: 11,5 cm  
Base mount Ø: 8,5 cm  
Tilt angle: 330°




## Parson

Spot

No. 47110003 Black/Opal white

Master Box qty 3  
Material: Glass/Metal  
IP20, Class 2  
E14, Max. 2X25W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
L: 36,5 cm  
D: 25,5 cm  
Shade Ø: 11,5 cm  
Base mount Ø: 9 cm  
Tilt angle: 330°




## Parson

Spot

No. 47120003 Black/Opal white

Master Box qty 3  
Material: Glass/Metal  
IP20, Class 2  
E14, Max. 3X25W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
L: 52,5 cm  
D: 25,5 cm  
Shade Ø: 11,5 cm  
Base mount Ø: 9 cm  
Tilt angle: 330°



## Mento

### Floor

No. 75594003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 3

Cable: 180 cm non replaceable

Switch on fixture

Fixed LED, Incl. 3W LED, 5 year LED guarantee,

Light source: Lumen 130, Kelvin 3.000, Candela 500,

Life hours 30.000, RA 80, Beam angle 60°, Not dimmable

Fixture energy class A++ - A



#### Measurements

H: 140 cm, Shade Ø: 3,5 cm  
Flex arm: 38 cm, Shade H: 8 cm  
Base Ø: 25 cm



## Mento

### Table

No. 75525001 White - Black cable

No. 75525003 Black - Black cable

Master Box qty 6

Material: Metal

IP20, Class 3

Cable: 180 cm non replaceable

Switch on fixture

Fixed LED, Incl. 3W LED, 5 year LED guarantee,

Light source: Lumen 130, Kelvin 3.000, Candela 500,

Life hours 30.000, RA 80, Beam angle 60°, Not dimmable

Fixture energy class A++ - A



#### Measurements

H: 37 cm, Shade Ø: 3,5 cm  
Flex arm: 40 cm, Shade H: 8 cm  
Base Ø: 11 cm



## Mento

### Wall

No. 75531001 White - White cable

No. 75531003 Black - Black cable

Master Box qty 6

Material: Metal

IP20, Class 2

Cable: 180 cm replaceable

Switch on fixture

Fixed LED, Incl. 3W LED, 5 year LED guarantee,

Light source: Lumen 130, Kelvin 3.000, Candela 500,

Life hours 30.000, RA 80, Beam angle 60°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
H: 30 cm, W: 5 cm, D: 19 cm  
Shade Ø: 3,5 cm  
Flex arm: 23 cm,  
Base mount: 2 x 12 cm



## Mento

### Clamp SPOT

No. 75582001 White - Black cable

No. 75582003 Black - Black cable

Master Box qty 6

Material: Metal

IP20, Class 3

Cable: 180 cm non replaceable

Switch on fixture

Fixed LED, Incl. 3W LED, 5 year LED guarantee,

Light source: Lumen 130, Kelvin 3.000, Candela 500,

Life hours 30.000, RA 80, Beam angle 60°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
H: 40 cm, W: 6,5 cm,  
Shade Ø: 3,5 cm  
Flex arm: 30 cm, Shade H: 8 cm



## Dove

### Table

No. 84593103 Black - Black cable

Master Box qty 3

Material: Plastic/Metal

IP20, Class 2

Cable: 160 cm non replaceable

Switch on fixture

Fixed LED, Incl. 5.4W LED, 5 year LED guarantee,

Light source: Lumen 340, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 100°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
H: 36,5 cm, Shade Ø: 10,5 cm  
Base Ø: 14,3 cm



## Mason

### Wall

No. 47131001 White/Frosted glass - White cable

No. 47131003 Black/Frosted glass - Black cable

Master Box qty 3

Material: Plastic

IP20, Class 2

USB power outlet: DC 5V

Cable: 180 cm non replaceable


Switch on fixture

Fixed LED, Max. 5W LED, Incl. 5W LED, Incl. 3-step dimmer, 5 year LED guarantee,

Light source: Lumen 360, Kelvin 3.000, Candela 125,

Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



**Measurements**  
H: 56 cm, D: 35 cm  
Shade Ø: 10 cm  
Flex arm: 25 cm  
Base mount: 7 x 14,5 cm



## Drop

### Wall

No. 320130 Black - White cable

No. 320131 White - White cable

Master Box qty 3

Material: Aluminium

IP20, Class 2

Cable: 180 cm non replaceable


Switch on fixture

Fixed LED, Incl. 3W LED, 5 year LED guarantee,

Light source: Lumen 130, Kelvin 3.000, Candela 500,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 51,7 cm  
Shade Ø: 3,5 cm  
Flex arm: 32 cm,  
Base mount Ø: 5,5 cm



## Halifax

### Table

No. 47635001 White/Opal white - Black cable

Master Box qty 3

Material: Plastic

IP44, Class 3


Cable: 120 cm

Fixed LED, Incl. 4W LED, 5 year LED guarantee,

Light source: Lumen 200, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 230°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
H: 24,5 cm, Ø: 19,2 cm



## Alfred

Wall

No. 49831003 Black - Black cable

Master Box qty 6

Material: Metal/Plastic

IP20, Class 2


Incl. rubber bush

Cable: 150 cm replaceable

Switch on cable

G9, Max. 40W, Excl. light source,

Fixture energy class A++ - E



## Alfred

Spot

No. 49840103 Black

Master Box qty 3


Material: Metal/Plastic

IP20, Class 2

Incl. rubber bush

G9, Max. 2X40W, Excl. light source,

Fixture energy class A++ - E



## Alfred

Spot

No. 49850103 Black

Master Box qty 3


Material: Metal/Plastic

IP20, Class 2

Incl. rubber bush

G9, Max. 3X40W, Excl. light source,

Fixture energy class A++ - E





## Frida

Wall

No. 49801001 White - White cable

Master Box qty 6

Material: Metal/Plastic

IP20, Class 2


Incl. rubber bush

Cable: 150 cm replaceable

Switch on cable

GU10, Max. 35W, Excl. light source,

Fixture energy class A++ - E



**Measurements**  
H: 11,5 cm, D: 11,5 cm  
Shade Ø: 5,1 cm  
Base mount: 8,5x8,5 cm  
Tilt angle: 90°

**Bracket**  
Hole distance



## Frida

Spot

No. 49810101 White

Master Box qty 3


Material: Metal/Plastic

IP20, Class 2

Incl. rubber bush

GU10, Max. 2X35W, Excl. light source,

Fixture energy class A++ - E



**Measurements**  
W: 8 cm, L: 29 cm  
D: 11,5 cm  
Shade Ø: 5,1 cm  
Base mount: 29x6 cm  
Tilt angle: 90°

**Bracket**  
Hole distance

## Frida

Spot

No. 49820101 White

Master Box qty 3


Material: Metal/Plastic

IP20, Class 2

Incl. rubber bush

GU10, Max. 4X35W, Excl. light source,

Fixture energy class A++ - E



**Measurements**  
W: 23 cm, L: 23 cm  
D: 11,5 cm  
Shade Ø: 5,1 cm  
Base mount Ø: 20 cm  
Tilt angle: 90°




## Lotus

Wall

No. 50101003 Black/Gold - Black cable

Master Box qty 6  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
Cable: 150 cm replaceable  
Switch on cable  
E14, Max. 40W, Excl. light source,  
Fixture energy class A++ - E



**Measurements**  
H: 17,5 cm, D: 9 cm  
Base mount Ø: 9 cm  
Tilt angle: 150°

**Bracket**  
Hole distance




## Lotus

Spot

No. 50120103 Black/Gold

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
E14, Max. 3X40W, Excl. light source,  
Fixture energy class A++ - E



**Measurements**  
L: 58 cm  
D: 20 cm  
Shade Ø: 6,6 cm  
Base mount Ø: 9 cm  
Tilt angle: 150°

**Bracket**  
Hole distance




## Lotus

Spot

No. 50110103 Black/Gold

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
E14, Max. 2X40W, Excl. light source,  
Fixture energy class A++ - E



**Measurements**  
L: 37 cm  
D: 20 cm  
Shade Ø: 6,6 cm  
Base mount Ø: 9 cm  
Tilt angle: 150°

**Bracket**  
Hole distance




## Lotus

Spot

No. 50130103 Black/Gold

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
E14, Max. 4X40W, Excl. light source,  
Fixture energy class A++ - E



**Measurements**  
L: 78 cm  
D: 20 cm  
Shade Ø: 6,6 cm  
Base mount Ø: 9 cm  
Tilt angle: 150°

**Bracket**  
Hole distance




## Agnes

Wall

No. 49881001 White/White - White cable

Master Box qty 6  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
Cable: 150 cm replaceable  
Switch on cable  
G9, Max. 35W, Excl. light source,  
Fixture energy class A++ - E



**Measurements**  
H: 12 cm, W: 9 cm, D: 14 cm  
Shade Ø: 5,8 cm  
Base mount Ø: 9,0 cm  
Tilt angle: 150°

**Bracket**  
Hole distance




## Agnes

Spot

No. 49910101 White/White

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
G9, Max. 3X35W, Excl. light source,  
Fixture energy class A++ - E



**Measurements**  
D: 12 cm  
Shade Ø: 5,8 cm  
Base mount Ø: 18 cm  
Tilt angle: 150°

**Bracket**  
Hole distance




## Agnes

Spot

No. 49890101 White/White

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
G9, Max. 2X35W, Excl. light source,  
Fixture energy class A++ - E



**Measurements**  
L: 30 cm  
D: 14,5 cm  
Shade Ø: 5,8 cm  
Base mount Ø: 9,0 cm  
Tilt angle: 150°

**Bracket**  
Hole distance




## Agnes

Spot

No. 49920101 White/White

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Incl. rubber bush  
G9, Max. 4X35W, Excl. light source,  
Fixture energy class A++ - E



**Measurements**  
L: 80 cm  
D: 14,5 cm  
Shade Ø: 5,8 cm  
Base mount Ø: 9,0 cm  
Tilt angle: 150°

**Bracket**  
Hole distance



## Explore

### Wall

No. 72091001 White - Clear cable

No. 72091003 Black - Clear cable

Master Box qty 6

Material: Metal

IP20, Class 2

Cable: 200 cm replaceable

Switch on fixture


GU10, Max. 7W, Incl. 3W LED SMD,

Light source: Lumen 200, Kelvin 2.700, Candela 90,

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A



#### Measurements

H: 8 cm, W: 5,5 cm, D: 14 cm  
Shade Ø: 5,5 cm  
Pipe Ø: 1,3 cm  
Base mount Ø: 8 cm



## Explore

### Wall

No. 74811001 White - Clear cable

No. 74811003 Black - Clear cable

Master Box qty 6

Material: Metal

IP20, Class 2

Cable: 200 cm replaceable

Switch on fixture


GU10, Max. 7W, Incl. 3W LED SMD,

Light source: Lumen 200, Kelvin 2.700, Candela 90,

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A



#### Measurements

H: 12 cm, W: 8 cm, D: 24 cm  
Shade Ø: 5,5 cm  
Flex arm: 21,5 cm, Pipe Ø: 1 cm  
Base mount Ø: 8 cm

## Explore

### Spot

No. 74830001 White

No. 74830003 Black

Master Box qty 3

Material: Metal

IP20, Class 1


GU10, Max. 3X7W, Incl. 3X3W LED,

Light source: Lumen 3X200, Kelvin 2.700, Candela 90,

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A



#### Measurements

H: 16,5 cm, L: 48 cm  
D: 16,5 cm  
Shade Ø: 5,5 cm  
Pipe Ø: 1,6 cm  
Base mount Ø: 9 cm




## Avenue LED

Wall

No. 76551132 Brushed steel

Master Box qty 6  
Material: Metal  
IP20, Class 1  
GU10, Max. 3W, Incl. 3W LED,  
Light source: Lumen 230, Kelvin 3.000,  
Life hours 15.000, RA 80, Beam angle 120°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - D



**Measurements**  
H: 10 cm, W: 8 cm, D: 13 cm  
Shade Ø: 3,8 cm  
Base mount Ø: 8 cm



## Avenue LED

Spot

No. 76560132 Brushed steel

Master Box qty 3  
Material: Metal  
IP20, Class 1  
GU10, Max. 3X3W, Incl. 3X3W LED,  
Light source: Lumen 3X230, Kelvin 3.000,  
Life hours 15.000, RA 80, Beam angle 120°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - D



**Measurements**  
D: 13 cm  
Shade Ø: 3,8 cm  
Base mount Ø: 25 cm




## Avenue

Wall

No. 73561132 Brushed steel

Master Box qty 3  
Material: Metal  
IP20, Class 1  
GU10, Max. 2X28W, Incl. 2X3W LED,  
Light source: Lumen 2X230, Kelvin 3.000,  
Life hours 15.000, RA 80, Beam angle 120°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A



**Measurements**  
L: 38,5 cm  
D: 12 cm  
Base mount Ø: 9 cm




## Avenue LED

Spot

No. 76570132 Brushed steel

Master Box qty 3  
Material: Metal  
IP20, Class 1  
GU10, Max. 3X35W, Incl. 3X3W LED,  
Light source: Lumen 3X230, Kelvin 3.000,  
Life hours 15.000, RA 80, Beam angle 120°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - D



**Measurements**  
L: 56,5 cm  
D: 13 cm  
Shade Ø: 3,8 cm  
Base mount Ø: 8,5 cm



## Avenue 6-rail

Rail

No. 47490032 Brushed steel

Master Box qty 2

Material: Metal

IP20, Class 1


GU10, Max. 3W, Inkl. 6X3W LED,

Light source: Lumen 6X230, Kelvin 3.000,

Life hours 15.000, RA 80, Beam angle 120°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A



## Chicago

Spot

No. 47450032 Brushed steel

Master Box qty 3

Material: Metal

IP20, Class 1

GU10, Max. 10W, Incl. 2X4,6W GU10,

Light source: Lumen 2X345, Kelvin 2.700,

Life hours 50.000, RA 80, Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A



## Chicago

Spot

No. 47440032 Brushed steel

Master Box qty 3

Material: Metal

IP20, Class 1


GU10, Max. 10W, Incl. 4,6W GU10,

Light source: Lumen 345, Kelvin 2.700,

Life hours 50.000, RA 80, Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A



## Chicago

Spot

No. 47460032 Brushed steel

Master Box qty 3

Material: Metal

IP20, Class 1

GU10, Max. 10W, Incl. 2X4,6W GU10,

Light source: Lumen 2X345, Kelvin 2.700,

Life hours 50.000, RA 80, Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A





## Pendant Suspension

### Accessories

No. 0100001 White - White cable

Master Box qty 12

Material: Plastic

IP20, Class 2

Cable: 200 cm

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



## Spiral Suspension

### Accessories

No. 0140001 White - White cable

Master Box qty 1

Material: Plastic

IP20, Class 2

Cable: Min. 30 cm - Max. 120 cm

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



## Fixit

### Accessories

No. 0130032 Brushed steel

Master Box qty 12

Material: Metal/Plastic

H: 4,9 cm, Ø: 1,8 cm



## Fox Trafo 20-105W

### Accessories

No. 12351101 White

Master Box qty 3

Material: Plastic

IP20, Class 2

H: 2,8 cm, W: 3,8 cm, L: 11,2 cm

Max. 20-105W



## Cable 4m

### Accessories

No. 73059901 White - White cable

No. 73059902 Red - Red cable

No. 73059903 Black - Black cable

Master Box qty 6

Material: Textile

Class 2

Textile cable: 400 cm



## Spot box 19x19 cm

### Accessories

No. 76859999 Grey

Master Box qty 12

Material: Plastic

H: 15 cm, W: 19 cm, L: 19 cm



## Dimmer 35-500W


### Accessories

No. 531556 White

Master Box qty 12

Material: Plastic

H: 8,5 cm, W: 8,5 cm



## NEW 19/20

TIAKI is a round downlight with integrated LED, allowing for parallel connection. TIAKI has MoodMaker functionality, which makes it possible to dim the light in two steps without the use of a dimmer, simply using a standard electrical outlet, while the downlight automatically remembers the last light setting as well. TIAKI allows you to switch between 600lm at 4000K and 345 lm at 2700K. The downlight even meets protection class IP65, which makes it usable in humid environments.

## Functional

The 19/20 functional collection reflects how the constant development of technology creates new opportunities for offering products, that makes everyday life easier and better with lighting. At Nordlux we aim to lift people's quality of life with light and therefore this year's functional collection is based on flexibility and functionality.

This year's collection emphasizes our dedication to creating functional products with the right balance between high quality and low prices. Our functional products have a long lifetime and contains some of the leading LED technology, however, we also focus on creating lamps that are able to do more than just light up the room. This is possible because of the combination of our own production, own research and development team consisting of professional engineers and collaboration with different world-class suppliers. Therefore, this year's collection embraces that functional lighting should be a beautiful as well as functional part of the interior design.

We proudly present our 19/20 collection

**NEW 19/20**

# Carina series

Carina is a retrofit downlight for indoor use with a die-cast frame. Carina is quick and easy to assemble via a screwless connector and twist-lock system. Furthermore, the downlight includes a dimmable GU10 354lm bulb, which makes it possible to dim the lights depending on the situation and needs.



Get more information about the Carina series on p. 186


# Dorado series

Get more information about the Dorado series on p. 188



## NEW 19/20

A classic round downlight with an integrated LED 345lm dimmable LED module. Dorado is quick and easy to mount via a screwless plug-in connection and a twist-lock system, and at the same time multiple downlights can be easily connected to each other.



# Tiaki series



**NEW 19/20**

TIAKI is a round downlight with integrated LED, allowing for parallel connection. TIAKI has MoodMaker functionality, which makes it possible to dim the light in two steps without the use of a dimmer, simply using a standard electrical outlet, while the downlight automatically remembers the last light setting as well. TIAKI allows you to switch between 600lm at 4000K and 345 lm at 2700K. The downlight even meets protection class IP65, which makes it usable in humid environments.

Get more information about the Tiaki series on p. 173



# Oja series

**NEW 19/20**

OJA is an universally applicable ultra-flat ceiling light with integrated LED and panel technology, which have a very long lifetime of 25.000 hours.

Oja comes in two different versions. A non-dimmable version and a version with Moodmaker™ functionality, that allows you to dim the product in 3 steps without a dimmer, only with a regular wall switch. Oja comes in a comfortable warm-white light of 2.700K and a cold white light of 4.000K.



Get more information about the Oja series on p. 214



# Oakland series



Universally applicable LED batten in IP65 with integrated LEDs in a slim design with high lumen output and quick wiring terminal block as an energy efficient replacement of traditional IP65 fixtures. This product with an extra long lifetime of 25.000 hours has the option for loop-in/loop-out wiring.

Get more information about the Oakland series on p. 250



# Westport series

**NEW 19/20**

Westport is a plastic light fixture with an integrated LED light source, which contributes to a long life time on 25,000 hours. The light fixture provides a good functional light of 4000 K and has a high degree of protection, which makes Westport suitable in, for example, the garage or basement.



Get more information about the Westport series on p. 242



# Latona series

NEW 19/20

Latona is a thin fixture with integrated LED, that is ideal to use under cabinets. The Moodmaker™ function allows you to change the color temperature between warm and cold light simply by clicking on the switch on the panel. This way you can change the light according to the moments in life: warm light for a warm atmosphere or white cold light for eg. cooking or cleaning. Latona can be parallel connected, which allows you to put several of Latona on a row.



Get more information about the Latona series on p. 246



# Renton series



**NEW 19/20**

Universally applicable under cabinet LED batten  
in IP20 with integrated LEDs as a replacement  
of T5 fluorescent fixtures.

Get more information about the Renton series on p. 246



# IP series



IP means International Protection and is used in connection with the material's protection class. IP is stated with 2 numbers (e.g. IP20) to say how safe the material is in connection with water penetration and the penetration of dust and solid objects. Materials are divided into protection classes that state – partly the protection of the material itself against penetration of foreign objects and water – and partly the protection of people who touch dangerous parts. The first number always states the degree of protection against foreign objects penetrating the material, but at the same time it states a certain smallest degree of protection of people who touch dangerous parts. The second number states the degree of protection from water penetrating the material.


IP20 to say how safe the material is in connection with water penetration and the penetration of dust and solid objects. Materials are divided into protection classes that state – partly the protection of the material itself against penetration of foreign objects and water – and partly the protection of people who touch dangerous parts. The first number always states the degree of protection against foreign objects penetrating the material, but at the same time it states a certain smallest degree of protection of people who touch dangerous parts. The second number states the degree of protection from water penetrating the material.



**IP S4** by Bönnelycke mdd  
Bathroom

No. 78511001 White/Frosted glass  
No. 78511032 Brushed steel/Frosted glass

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 2  
GU10, Max. 8W LED, Excl. light source,  
Fixture energy class A++ - A




**Measurements**  
D: 11 cm  
Ø: 10 cm  
Base mount: Ø 9,8 cm  
Tilt angle: 20°



**IP S5** by Bönnelycke mdd  
Bathroom

No. 78521001 White/Frosted glass

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 2  
GU10, Max. 8W LED, Excl. light source,  
Fixture energy class A++ - A



**Measurements**  
H: 11 cm  
D: 15 cm  
Ø: 10 cm  
Base mount: 7,8 x 5,7 cm  
Tilt angle: 20°




## IP S6 by Bønnelycke mdd

Bathroom

No. 78531001 White/Satinated  
No. 78531032 Brushed steel/Satinated

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 2  
GU10, Max. 8W SMD LED, Excl. light source,  
Fixture energy class A++ - A



**Measurements**  
H: 18 cm  
D: 19 cm  
Shade Ø: 12,1 cm  
Shade H: 10,5 cm  
Base mount: Ø 8,5 cm




## IP S10 by Bønnelycke mdd

Bathroom

No. 78471001 White/Mirror - White cable

Master Box qty 3  
Material: Metal/Glass  
IP44, Class 2  
Cable: 180 cm replaceable  
Switch on fixture  
Fixed LED, Incl. 8W LED, 5 year LED guarantee,  
Light source: Lumen 630, Kelvin 3.000,  
Life hours 20.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 17 cm  
Shade Ø: 30 cm  
Base mount: Ø 14 cm




Incl. replaceable rings

## IP S9 by Bjørn + Balle

Bathroom

No. 78946001 White/Opal white

Master Box qty 3  
Material: Plastic/Metal  
IP44, Class 1  
Incl. replaceable rings  
Fixed LED, Incl. 12W LED, 5 year LED guarantee,  
Light source: Lumen 960, Kelvin 3.000,  
Life hours 20.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 7,7 cm  
Ø: 25 cm



## IP S12 by Bønnelycke mdd


Bathroom

No. 83051001 White/Clear  
No. 83051033 Chrome/Clear

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 2  
Fixed LED, Incl. 5W LED, 5 year LED guarantee,  
Light source: Lumen 400, Kelvin 3.000,  
Life hours 20.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 9 cm  
W: 8,5 cm  
D: 10,5 cm  
Base mount: 8,5 x 9 cm



## IP S13 by Bønnelycke mdd

Bathroom

No. 83061001 White

No. 83061032 Brushed steel

Master Box qty 3

Material: Metal/Plastic



IP44, Class 2

Fixed LED, Incl. 5.6W LED, 5 year LED guarantee,

Light source: Lumen 406, Kelvin 3.000,

Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



## IP S16 by Bønnelycke mdd

Bathroom

No. 84531001 White

No. 84531033 Chrome

Master Box qty 3

Material: Metal/Plastic

IP44, Class 2



Up: 7W and 450 lumen, Down: 9W and 650 lumen

Fixed LED, Incl. 7W+9W LED, 5 year LED guarantee,

Light source: Lumen 1.100, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



## IP S13 by Bønnelycke mdd

Bathroom

No. 83071001 White

No. 83071032 Brushed steel

Master Box qty 3

Material: Metal/Plastic


IP44, Class 2

Fixed LED, Incl. 6.3W LED, 5 year LED guarantee,

Light source: Lumen 443, Kelvin 3.000,

Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A





## Tangens

Bathroom

No. 17131032 Brushed steel/Opal white


Master Box qty 3

Material: Glass/Metal

IP44, Class 2

E14, Max. 40W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
H: 18,5 cm  
W: 6 cm  
D: 9,5 cm  
Shade Ø: 6 cm  
Base mount: 6 x 6 cm



## Tangens

Bathroom

No. 17141029 Chrome/Opal white

No. 17141032 Brushed steel/Opal white


Master Box qty 3

Material: Glass/Metal

IP44, Class 2

E14, Max. 2X25W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
H: 6 cm  
W: 31 cm  
D: 9,5 cm  
Shade Ø: 6 cm  
Base mount: 6 x 6 cm



# MOODMAKER™

CHANGE YOUR LIGHT  
WITH YOUR NORMAL SWITCH



## SCENE SWITCH MOODMAKER™

### Tiaki 2700K / 4000K 1-Kit

Built in

No. 49570101 White

No. 49570155 Nickel

Master Box qty 3

Material: Plastic/Metal

IP65, Class 2

Fixed LED, Incl. 5,7-8,6W,


Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 345/600, Kelvin 2.700/4.000

Life hours 20.000, RA 80, Beam angle 100°, Not dimmable

Fixture energy class A+

NEW    LUMEN  
345    FIXED  
LED    IP65



#### Measurements

H: 4,5 cm  
Ø: 8,5 cm,  
Mounting min. height: 5,5 cm



### 3-STEP DIMMER MOODMAKER™

First click  
Both rings

Second click  
Inner ring

Third click  
Outer ring



### 3-STEP DIMMER MOODMAKER™

First click  
Both rings

Second click  
Inner ring

Third click  
Outer ring

## Clyde 8 2700K 1-Kit

Built in

No. 47500101 White

Master Box qty 3

Material: Plastic


IP20, Class 2

Fixed LED, Incl. 5,5W LED, Incl. 3-Step MOODMAKER,  
Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 350, Kelvin 2.700,


Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



#### Measurements

H: 3,5 cm  
Ø: 8,2 cm,  
Mounting min. height: 5 cm  
Cut-out Ø: 6,5 cm



## Clyde 15 2700K 1-Kit

Built in

No. 47510101 White

Master Box qty 3

Material: Plastic


IP20, Class 2

Fixed LED, Incl. 12W LED, Incl. 3-Step MOODMAKER,  
Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 800, Kelvin 2.700,


Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



#### Measurements


H: 3,3 cm  
Ø: 14,5 cm,  
Mounting min. height: 5 cm  
Cut-out Ø: 13 cm





First click  
Both rings      Second click  
Inner ring      Third click  
Outer ring

### 3-STEP DIMMER MOODMAKER™



First click  
Both rings      Second click  
Inner ring      Third click  
Outer ring

## Clyde 8 4000K 1-Kit

Built in

No. 47650101 White

Master Box qty 3

Material: Plastic



IP20, Class 2

Fixed LED, Incl. 5,5W LED, Incl. 3-Step MOODMAKER,  
Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 400, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



#### Measurements

H: 3,5 cm  
Ø: 8,2 cm,  
Mounting min. height: 5 cm  
Cut-out Ø: 6,5 cm

## Clyde 15 4000K 1-Kit

Built in

No. 47660101 White

Master Box qty 3

Material: Plastic



IP20, Class 2

Fixed LED, Incl. 12W LED, Incl. 3-Step MOODMAKER,  
Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 900, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



#### Measurements

H: 3,3 cm  
Ø: 14,5 cm,  
Mounting min. height: 5 cm  
Cut-out Ø: 13 cm



### 3-STEP DIMMER MOODMAKER™



### 3-STEP DIMMER MOODMAKER™


## Elkton 8 1-Kit

Built in


No. 47520101 White

Master Box qty 3  
Material: Plastic  
IP20, Class 2

Fixed LED, Incl. 5,5W LED, Incl. 3-Step MOODMAKER,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 350, Kelvin 2.700,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 4,2 cm  
Ø: 8,2 cm,  
Mounting min. height: 5 cm  
Cut-out Ø: 6,5 cm




## Elkton 14 1-Kit

Built in


No. 47530101 White

Master Box qty 3  
Material: Plastic  
IP20, Class 2

Fixed LED, Incl. 12W LED, Incl. 3-Step MOODMAKER,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 800, Kelvin 2.700,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 3,8 cm  
Ø: 14,5 cm,  
Mounting min. height: 5 cm  
Cut-out Ø: 13 cm






First click  
Both rings      Second click  
Inner ring      Third click  
Inner ring 50%      Fourth click  
Outer ring



First click  
Both rings      Second click  
Inner ring      Third click  
Inner ring 50%      Fourth click  
Outer ring



#### 4-STEP DIMMER MOODMAKER™




### Fallon 1-Kit

Built on

No. 47540101 White  
No. 47540103 Black  
No. 47540132 White/brushed steel

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Fixed LED, Incl. 8.5W LED, Incl. 4-Step MOODMAKER,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 500, Kelvin 2.700,  
Life hours 20.000, RA 80, Beam angle 110°, Not dimmable  
Fixture energy class A++ - A




**Measurements**  
D: 6 cm  
Ø: 10 cm

### Fallon Long 1-Kit

Built on


No. 47550101 White  
No. 47550103 Black  
No. 47550132 White/brushed steel

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
Fixed LED, Incl. 8.5W LED, Incl. 4-Step MOODMAKER,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 500, Kelvin 2.700,  
Life hours 20.000, RA 80, Beam angle 110°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 12 cm  
Ø: 10 cm

#### 4-STEP DIMMER MOODMAKER™






## Canis 2700K 3-Kit Tilt

Built in

No. 49300101 White  
No. 49300155 Nickel

Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 3x3,7W LED,  
Light source: Lumen 3x230, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 36°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A




## Canis 2700K 1-Kit Dim Tilt

Built in

No. 49320101 White  
No. 49320155 Nickel


Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 4,9W LED,  
Light source: Lumen 345, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
Light source energy class A+  
Fixture energy class A++ - A



## Canis 2700K 5-Kit Tilt

Built in


No. 49310101 White  
No. 49310155 Nickel  
  
Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 5x3,7W LED,  
Light source: Lumen 5x230, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 36°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A



## Canis 2700K 3-Kit Dim Tilt

Built in

No. 49330101 White  
No. 49330155 Nickel  
  
Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 3x4,9W LED,  
Light source: Lumen 3x345, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
Light source energy class A+  
Fixture energy class A++ - A






## Canis 4000K 1-Kit Dim Tilt

Built in

No. 49360101 White  
No. 49360155 Nickel

Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 4,9W LED,  
Light source: Lumen 360, Kelvin 4.000,  
Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
Light source energy class A+  
Fixture energy class A++ - A



### Measurements

H: 11 cm  
Ø: 8,5 cm  
Mounting min. height: 11,5 cm  
Cut-out Ø: 6,5 cm  
Tilt angle: 12°




## Canis 4000K 3-Kit Dim Tilt

Built in


No. 49370101 White  
No. 49370155 Nickel

Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 3x4,9W LED,  
Light source: Lumen 3x360, Kelvin 4.000,  
Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
Light source energy class A+  
Fixture energy class A++ - A



### Measurements

H: 11 cm  
Ø: 8,5 cm  
Mounting min. height: 11,5 cm  
Cut-out Ø: 6,5 cm  
Tilt angle: 12°




## Canis 6500K 1-Kit Dim Tilt

Built in

No. 49380101 White  
No. 49380155 Nickel

Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 4,9W LED,  
Light source: Lumen 360, Kelvin 6.500,  
Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
Light source energy class A+  
Fixture energy class A++ - A



### Measurements

H: 11 cm  
Ø: 8,5 cm  
Mounting min. height: 11,5 cm  
Cut-out Ø: 6,5 cm  
Tilt angle: 12°




## Canis 6500K 3-Kit Dim Tilt

Built in

No. 49390101 White  
No. 49390155 Nickel

Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 3x4,9W LED,  
Light source: Lumen 3x360, Kelvin 6.500,  
Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
Light source energy class A+  
Fixture energy class A++ - A



### Measurements

H: 11 cm  
Ø: 8,5 cm  
Mounting min. height: 11,5 cm  
Cut-out Ø: 6,5 cm  
Tilt angle: 12°



## Carina 2700K 3-Kit Dim Tilt

Built in


No. 49490101 White  
No. 49490133 Chrome  
No. 49490155 Nickel

Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 3X5W LED,  
Light source: Lumen 3X345, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
Light source energy class A+  
Fixture energy class A++ - A



### Measurements

H: 10,3 cm  
Ø: 8,5 cm,  
Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm  
Tilt angle: 12°



## Carina 2700K 3-Kit Dim Tilt

Built in


No. 49510101 White  
No. 49510155 Nickel

Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 3X5W LED,  
Light source: Lumen 3X345, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
Light source energy class A+  
Fixture energy class A++ - A



### Measurements

H: 10,3 cm  
Ø: 8,5 cm,  
Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm  
Tilt angle: 12°



## Carina 2700K 3-Kit Dim

Built in


No. 49500101 White  
No. 49500155 Nickel

Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 3X5W LED,  
Light source: Lumen 3X345, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
Light source energy class A+  
Fixture energy class A++ - A



### Measurements

H: 10,3 cm  
Ø: 8,5 cm,  
Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm



## Carina 2700K 1-Kit Dim Tilt

Built in


No. 49520101 White  
No. 49520155 Nickel

Master Box qty 3  
Material: Metal  
IP20, Class 2  
GU10, Max. 50W, Incl. 5W LED,  
Light source: Lumen 345, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
Light source energy class A+  
Fixture energy class A++ - A



### Measurements

H: 10,3 cm  
Ø: 8,5 cm,  
Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm  
Tilt angle: 12°





## Dorado 2700K 3-Kit Dim Tilt

Built in

No. 49400101 White  
No. 49400155 Nickel


Master Box qty 3  
Material: Plastic/Metal

IP20, Class 2

Fixed LED, Incl. 3X5,5W LED,

Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 3X345, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 36°, Dimmable  
Fixture energy class A+



### Measurements

H: 5,4 cm  
Ø: 8,5 cm,  
Mounting min. height: 6,8 cm  
Cut-out Ø: 7,2 cm  
Tilt angle: 12°



## Dorado 2700K 3-Kit Dim Tilt

Built in

No. 49420101 White  
No. 49420155 Nickel


Master Box qty 3  
Material: Plastic/Metal

IP20, Class 2

Fixed LED, Incl. 3X5,5W LED,

Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 3X345, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 36°, Dimmable  
Fixture energy class A+



### Measurements

H: 5,4 cm  
Ø: 8,5 cm,  
Mounting min. height: 6,8 cm  
Cut-out Ø: 7,2 cm  
Tilt angle: 12°



## Dorado 2700K 3-Kit Dim

Built in

No. 49410101 White  
No. 49410155 Nickel


Master Box qty 3  
Material: Plastic/Metal

IP65, Class 2

Fixed LED, Incl. 3X5,5W LED,

Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 3X345, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 100°, Dimmable  
Fixture energy class A+



### Measurements

H: 3,6 cm  
Ø: 8,5 cm,  
Mounting min. height: 4,6 cm  
Cut-out Ø: 7,2 cm



## Dorado 2700K 1-Kit Dim

Built in

No. 49430101 White  
No. 49430133 Chrome  
No. 49430155 Nickel


Master Box qty 3  
Material: Plastic/Metal

IP65, Class 2

Fixed LED, Incl. 5,5W LED,

Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 345, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 100°, Dimmable  
Fixture energy class A+



### Measurements

H: 3,6 cm  
Ø: 8,5 cm,  
Mounting min. height: 4,6 cm  
Cut-out Ø: 7,2 cm



## Leonis 2700K IP23 3-Kit Tilt

Built in

No. 49150101 White  
No. 49150155 Nickel

Master Box qty 3

Material: Plastic

IP23, Class 2

Fixed LED, Incl. 3x4,5W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 3x345, Kelvin 2.700,


Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Fixture energy class A+



### Measurements

H: 4,2 cm  
Ø: 8,5 cm,  
Mounting min. height: 5,2 cm  
Cut-out Ø: 6,8-7,4 cm  
Tilt angle: 15°



## Leonis 2700K IP65 5-Kit

Built in

No. 49180101 White  
No. 49180155 Nickel

Master Box qty 3

Material: Plastic

IP65, Class 2

Fixed LED, Incl. 5x4,5W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 5x345, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Fixture energy class A+



### Measurements

H: 3,6 cm  
Ø: 8,5 cm,  
Mounting min. height: 4,6 cm  
Cut-out Ø: 6,8-7,4 cm



## Leonis 2700K IP65 3-Kit

Built in

No. 49160101 White  
No. 49160133 Chrome  
No. 49160155 Nickel

Master Box qty 3

Material: Plastic

IP65, Class 2

Fixed LED, Incl. 3x4,5W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 3x345, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Fixture energy class A+



### Measurements

H: 3,6 cm  
Ø: 8,5 cm,  
Mounting min. height: 4,6 cm  
Cut-out Ø: 6,8-7,4 cm



## Leonis 2700K IP65 3-Kit

Built in

No. 49170101 White

Master Box qty 3

Material: Plastic

IP65, Class 2

Fixed LED, Incl. 3x4,5W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 3x345, Kelvin 2.700,


Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Fixture energy class A+



### Measurements

H: 3,6 cm, Ø: 8,5 cm,  
Mounting min. height: 4,6 cm  
Cut-out Ø: 6,8-7,4 cm





## Leonis 4000K IP65 3-Kit

Built in

No. 49200101 White  
No. 49200155 Nickel

Master Box qty 3

Material: Plastic

IP65, Class 2


Fixed LED, Incl. 3x4,5W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 3x400, Kelvin 4.000,

Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Fixture energy class A+



### Measurements

H: 3,6 cm  
Ø: 8,5 cm,  
Mounting min. height: 4,6 cm  
Cut-out Ø: 6,8-7,4 cm



## Pavonis 2700K Dim Tilt 1-Kit

Built in

No. 49620101 White  
No. 49620155 Nickel

Master Box qty 3

Material: Metal

IP20, Class 2

GU10, Max. 50W, Incl. 5,5W LED,

Light source: Lumen 345, Kelvin 2.700,

Life hours 25.000, RA 90, Beam angle 36°, Dimmable

Light source energy class A+

Fixture energy class A++ - A



### Measurements

H: 10,3 cm  
Ø: 8,5 cm,  
Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm  
Tilt angle: 12°



## Ankaa 2700K 1-Kit

Built in

No. 49590101 White  
No. 49590155 Nickel

Master Box qty 3

Material: Metal

IP20, Class 2

GU10, Max. 50W, Incl. 6,7W LED,

Light source: Lumen 540, Kelvin 2.700,

Life hours 15.000, RA 80, Beam angle 36°, Dimmable

Light source energy class A+

Fixture energy class A++ - A



### Measurements

H: 10,3 cm  
Ø: 8,5 cm,  
Mounting min. height: 11,3 cm  
Cut-out Ø: 7,2 cm  
Tilt angle: 12°




## Octans 2700K 3-Kit Step-Dim

Built in

No. 49240101 White  
No. 49240155 Nickel

Master Box qty 3  
Material: Plastic  
IP20, Class 2  
GU10, Max. 7,5W LED, Incl. 3X4,8W LED,  
Light source: Lumen 3X345, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 36°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A



### Measurements

H: 9 cm  
Ø: 8,5 cm,  
Mounting min. height: 10,5 cm  
Cut-out Ø: 6,8 - 7,6 cm  
Tilt angle: 27°




## Octans 2700K 3-kit

Built in

No. 49250101 White  
No. 49250133 Chrome  
No. 49250155 Nickel

Master Box qty 3  
Material: Plastic  
IP20, Class 2  
GU10, Max. 7,5W LED, Incl. 3X4,8W LED,  
Light source: Lumen 3X345, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 36°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A



### Measurements

H: 9 cm  
Ø: 8,5 cm,  
Mounting min. height: 10,5 cm  
Cut-out Ø: 6,8 - 7,6 cm  
Tilt angle: 27°




## Octans 2700K 5-Kit

Built in

No. 49260101 White  
No. 49260155 Nickel

Master Box qty 3  
Material: Plastic  
IP20, Class 2  
GU10, Max. 7,5W LED, Incl. 5x4,8W LED,  
Light source: Lumen 5x345, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 36°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A



### Measurements

H: 9 cm  
Ø: 8,5 cm,  
Mounting min. height: 10,5 cm  
Cut-out Ø: 6,8 - 7,6 cm  
Tilt angle: 27°



## Octans 4000K 3-Kit

Built in

No. 49270101 White

No. 49270155 Nickel

Master Box qty 3

Material: Plastic

IP20, Class 2

GU10, Max. 7,5W LED, Incl. 5x4,8W LED,

Light source: Lumen 5x380, Kelvin 4.000,

Life hours 15.000, RA 80, Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A

NEW    LUMEN  
3X380    GU10    IP20



### Measurements


H: 9 cm

Ø: 8,5 cm,

Mounting min. height: 10,5 cm

Cut-out Ø: 6,8 - 7,6 cm

Tilt angle: 27°



## Octans 4000K 5-Kit

Built in

No. 49280101 White

No. 49280155 Nickel

Master Box qty 3

Material: Plastic

IP20, Class 2

GU10, Max. 7,5W LED, Incl. 5x4,8W LED,

Light source: Lumen 5x380, Kelvin 4.000,

Life hours 15.000, RA 80, Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A

NEW    LUMEN  
5X380    GU10    IP20



### Measurements


H: 9 cm

Ø: 8,5 cm,

Mounting min. height: 10,5 cm

Cut-out Ø: 6,8 - 7,6 cm

Tilt angle: 27°





## Clarkson 2700K 3-Kit

Built in

No. 47590101 White

No. 47590132 Brushed steel

Master Box qty 3

Material: Plastic/Metal

IP65, Class 2


Fixed LED, Incl. 3X4,8W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 3X345, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 100°, Not dimmable

Fixture energy class A++ - A




### Measurements

H: 5,4 cm

Ø: 8,5 cm

Mounting min. height: 6,8 cm

Cut-out Ø: 7,2 cm



## Clarkson 4000K 3-Kit

Built in

No. 47880101 White

No. 47880132 Brushed steel

Master Box qty 3

Material: Plastic/Metal

IP65, Class 2

Fixed LED, Incl. 3X4,8W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 3X345, Kelvin 4.000,

Life hours 20.000, RA 80, Beam angle 100°, Not dimmable

Fixture energy class A++ - A





### Measurements

H: 5,4 cm, Ø: 8,5 cm,

Mounting min. height: 6,8 cm

Cut-out Ø: 7,2 cm



## Clarkson 2700K 3-Kit

Built in

No. 47600101 White

No. 47600132 Brushed steel

Master Box qty 3

Material: Plastic/Metal

IP65, Class 2


Fixed LED, Incl. 3X4,8W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 3X345, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 100°, Not dimmable

Fixture energy class A++ - A




### Measurements

H: 5,4 cm

Ø: 8,5 cm

Mounting min. height: 6,8 cm

Cut-out Ø: 7,2 cm



## Clarkson 4000K 3-Kit

Built in

No. 47890101 White

No. 47890132 Brushed steel

Master Box qty 3

Material: Plastic/Metal

IP65, Class 2

Fixed LED, Incl. 3X4,8W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 3X345, Kelvin 4.000,

Life hours 20.000, RA 80, Beam angle 100°, Not dimmable

Fixture energy class A++ - A




### Measurements

H: 5,4 cm, Ø: 8,5 cm,

Mounting min. height: 6,8 cm

Cut-out Ø: 7,2 cm





## Fremont 2700K 1-Kit

Built in

No. 47570101 White

No. 47570103 Black

No. 47570132 Brushed steel

Master Box qty 3

Material: Plastic/Metal

IP23, Class 2


Fixed LED, Incl. 5,5W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 345, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 36°, Dimmable

Fixture energy class A++ - A



LUMEN  
345

FIXED  
LED

IP23



### Measurements

H: 5,4 cm

Ø: 8,5 cm

Mounting min. height: 6,8 cm

Cut-out Ø: 7,2 cm

Tilt angle: 12°



## Fremont 2700K 3-Kit

Built in

No. 47580101 White

No. 47580103 Black

No. 47580132 Brushed steel

Master Box qty 3

Material: Plastic/Metal

IP23, Class 2


Fixed LED, Incl. 3X5,5W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 3X345, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 36°, Dimmable

Fixture energy class A++ - A



LUMEN  
3X345

FIXED  
LED

IP23



### Measurements

H: 5,4 cm

Ø: 8,5 cm

Mounting min. height: 6,8 cm

Cut-out Ø: 7,2 cm

Tilt angle: 12°



## Palma 12 1-Kit

Built in

No. 83500001 White/Satinated - White cable

Master Box qty 3

Material: Metal/Plastic

IP44, Class 3

Cable: 22 cm

Fixed LED, Incl. 6W LED,

Parallel connection possible

Can be mounted directly in the insulation


5 year LED guarantee,

Light source: Lumen 450, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A

LUMEN  
450      FIXED  
LED      IP44



**Measurements**

H: 2,2 cm

Ø: 12 cm

Mounting min. height: 6 cm

Cut-out Ø: 11 cm



## Palma 14 1-Kit

Built in

No. 83510001 White/Satinated - White cable

Master Box qty 3

Material: Metal/Plastic

IP44, Class 3

Cable: 22 cm

Fixed LED, Incl. 8W LED,

Parallel connection possible

Can be mounted directly in the insulation


5 year LED guarantee,

Light source: Lumen 640, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A

LUMEN  
640      FIXED  
LED      IP44



**Measurements**

H: 2,2 cm

Ø: 14,5 cm

Mounting min. height: 6 cm

Cut-out Ø: 13,5 cm



## Palma 18 1-Kit

Built in

No. 83520001 White/Satinated - White cable

Master Box qty 3

Material: Metal/Plastic

IP44, Class 3

Cable: 22 cm

Fixed LED, Incl. 12W LED,

Parallel connection possible

Can be mounted directly in the insulation


5 year LED guarantee,

Light source: Lumen 900, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A

LUMEN  
900      FIXED  
LED      IP44



**Measurements**

H: 2,2 cm

Ø: 18 cm

Mounting min. height: 6 cm

Cut-out Ø: 17 cm




## Cambio 2W 3-Kit


Built in/on

No. 79440029 Aluminium/Clear - White cable

Master Box qty 3  
Material: Plastic/Metal  
IP20/23, Class 3  
Cable: 200 cm  
Switch on cable  
Fixed LED, Incl. 3X2W LED, 5 year LED guarantee,  
Light source: Lumen 3X150, Kelvin 3.000  
Life hours 30.000, RA 80, Beam angle 90°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 1,1 cm  
Ø: 6,5 cm,  
Mounting min. height: 1,1 cm  
Cut-out Ø: 6,2 cm




## Lismore 4-kit


Built on

No. 76730001 Chrome/Clear - Black cable

Master Box qty 3  
Material: Plastic  
IP20, Class 3  
Cable: 150 cm  
Switch on cable  
Fixed LED, Incl. 4X0.7W LED, 5 year LED guarantee,  
Light source: Lumen 4X75, Kelvin 3.000  
Life hours 30.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 0,8 cm  
Ø: 6 cm




## Rogue 3-Kit

Built in/on

No. 84630001 White/Satinated - White cable

Master Box qty 3  
Material: Metal/Plastic  
IP23, Class 2  
Cable: 195 cm  
Switch on cable  
Fixed LED, Incl. 3X3W  
Can be mounted directly in the insulation  
5 year LED guarantee,  
Light source: Lumen 3X300, Kelvin 3.000  
Life hours 20.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 1,5 cm  
Ø: 7 cm  
Mounting min. height: 4 cm  
Cut-out Ø: 6,5 cm




## Cambio 2W 1-Kit


Built in/on

No. 79470029 Aluminium/Clear - White cable

Master Box qty 6  
Material: Plastic/Metal  
IP20/23, Class 3  
Cable: 200 cm  
Fixed LED, Incl. 2W LED  
Can be mounted directly in the insulation  
5 year LED guarantee,  
Light source: Lumen 150, Kelvin 3.000  
Life hours 30.000, RA 80, Beam angle 90°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 1,1 cm  
Ø: 6,5 cm,  
Mounting min. height: 1,1 cm  
Cut-out Ø: 6,2 cm





## Triton 3-Kit LED SMD

Built in

No. 54360101 White

No. 54360132 Brushed steel

Master Box qty 6

Material: Metal

IP23, Class 2

GU10, Max. 3X35W, Incl. 3X3W LED,


Parallel connection possible,

Light source: Lumen 3X200, Kelvin 2.700

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D



### Measurements

H: 8,7 cm

Ø: 9 cm

Mounting min. height: 15 cm

Cut-out Ø: 7,5 cm, 5,4 Ltr.

Tilt angle: 25°



## Triton 3-kit

Built in

No. 54540101 White

No. 54540132 Brushed steel

Master Box qty 6


Material: Metal

IP23, Class 2

GU10, Max. 3X35W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



### Measurements

H: 8,7 cm

Ø: 9 cm,

Mounting min. height: 15 cm

Cut-out Ø: 7,5 cm, 5,4 Ltr.

Tilt angle: 25°



## Birla 1-Kit

Built in

No. 84950001 White - White cable

Master Box qty 6

Material: Plastic

IP44, Class 2

Cable: 20 cm replaceable

Fixed LED, Incl. 6W LED,

Parallel connection possible


Can be mounted directly in the insulation

5 year LED guarantee,

Light source: Lumen 600, Kelvin 3.000


Life hours 30.000, RA 80, Beam angle 90°, Dimmable

Fixture energy class A++ - A



### Measurements

H: 5,75 cm, Ø: 9,5 cm,  
Mounting min. height: 6 cm  
Cut-out Ø: 7 cm



## Roar Dim Tilt 1-Kit

Built in

No. 84960001 White - White cable

Master Box qty 6

Material: Plastic

IP23, Class 2

Cable: 20 cm replaceable

Fixed LED, Incl. 6W LED,

Parallel connection possible



Can be mounted directly in the insulation

5 year LED guarantee,

Light source: Lumen 550, Kelvin 3.000

Life hours 30.000, RA 80, Beam angle 40°, Dimmable

Fixture energy class A++ - A



### Measurements

H: 4,4 cm, Ø: 8,5 cm,  
Mounting min. height: 7 cm  
Cut-out Ø: 6,8 cm, Tilt angle:  
30°

## Recess 3-Kit LED COB

Built in

No. 84650001 White - Black cable

No. 84650032 Brushed steel - Black cable

Master Box qty 3

Material: Metal

IP23, Class 2

Cable: 200 cm replaceable

GU10, Max. 3X35W, Incl. 3X3W COB,


Parallel connection possible,

Light source: Lumen 3X260, Kelvin 3.000

Life hours 25.000, RA 80, Beam angle 38°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D



### Measurements

H: 8 cm, Ø: 8 cm,  
Mounting min. height: 15 cm  
Cut-out Ø: 7,5 cm, 5,4 Ltr.  
Tilt angle: 25°



## Mixit Prime 1-Kit

Built in

No. 71800101 White

No. 71800132 Brushed steel

Master Box qty 3  
Material: Plastic/Aluminium  
IP20/44, Class 2

Fixed LED, Incl. 7W LED,  
Parallel connection possible



Can be mounted directly in the insulation

5 year LED guarantee,

Light source: Lumen 486, Kelvin 3.000

Life hours 30.000, RA 95, Beam angle 38°, Dimmable

Fixture energy class A++ - A



### Measurements

H: 3,3 cm  
Ø: 9,4 cm,  
Mounting min. height: 5,4 cm  
Cut-out Ø: 8,4 cm  
Tilt angle: 30°



## Mixit 1-Kit


Built in

No. 71820132 Brushed steel

Master Box qty 3

Material: Plastic/Metal  
IP23, Class 2

GU10, Max. 8W LED, Excl. light source,  
Parallel connection possible  
Can be mounted directly in the insulation  
Fixture energy class A++ - A



### Measurements

H: 13,5 cm  
Ø: 8,5 cm,  
Mounting min. height: 14 cm  
Cut-out Ø: 7,6 cm  
Tilt angle: 25°



## Mixit Pro 1-Kit

Built in

No. 71810101 White


No. 71810132 Brushed steel

Master Box qty 3  
Material: Plastic/Metal  
IP23, Class 2

GU10, Max. 8W LED, Excl. light source,  
Parallel connection possible

Can be mounted directly in the insulation

Fixture energy class A++ - A



### Measurements

H: 7,2 cm  
Ø: 8,5 cm,  
Mounting min. height: 7,2 cm  
Cut-out Ø: 7,6 cm  
Tilt angle: 30°




## Tip 1-Kit

Built in

No. 20299931 Galvanized

Master Box qty 3

Material: Metal  
IP23, Class 2  
GU10, Max. 35W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



### Measurements

H: 8,5 cm  
Ø: 8 cm  
Mounting min. height: 15 cm  
Cut-out Ø: 7,2 cm  
5,4 Ltr.  
Tilt angle: 35°



## Douglas 31 3000K

Plafond

No. 47226001 White

Master Box qty 3

Material: Plastic/Metal

IP20, Class 1

Fixed LED, Incl. 13W LED



Incl. MOODMAKER switch dimming

5 year LED guarantee,

Light source: Lumen 900, Kelvin 3.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



Measurements  
D: 5,3 cm  
Ø: 30 cm



## Douglas 31 4000K

Plafond

No. 47926001 White

Master Box qty 3

Material: Plastic/Metal

IP20, Class 1

Fixed LED, Incl. 26W LED




Incl. MOODMAKER switch dimming

5 year LED guarantee

Light source: Lumen 950, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



Measurements  
D: 5,3 cm  
Ø: 30 cm



## Douglas 43 3000K

Plafond

No. 47236001 White

Master Box qty 3

Material: Plastic/Metal

IP20, Class 1

Fixed LED, Incl. 26W LED



Incl. MOODMAKER switch dimming

5 year LED guarantee,

Light source: Lumen 1.900, Kelvin 3.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



Measurements  
D: 5,3 cm  
Ø: 43 cm



## Douglas 43 4000K

Plafond

No. 47936001 White

Master Box qty 3

Material: Plastic/Metal

IP20, Class 1

Fixed LED, Incl. 26W LED




Incl. MOODMAKER switch dimming

5 year LED guarantee

Light source: Lumen 2.000, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable


Fixture energy class A++ - A



Measurements  
D: 5,3 cm  
Ø: 43 cm



### 3-STEP DIMMER MOODMAKER™




## Oja 29 2700K 3-step

Plafond

No. 47276001 White

Master Box qty 3  
Material: Plastic  
IP20, Class 2  
Fixed LED, Incl. 18W LED  
Incl. 3-Step MOODMAKER  
5 year LED guarantee,  
Light source: Lumen 1.600, Kelvin 2.700,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 2,3 cm  
Shade Ø: 29,4 cm





## Oja 29 4000K 3-step

Plafond

No. 47156001 White

Master Box qty 3  
Material: Plastic  
IP20, Class 2  
Fixed LED, Incl. 18W LED  
Incl. 3-Step MOODMAKER  
5 year LED guarantee,  
Light source: Lumen 1.700, Kelvin 4.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A


### 3-STEP DIMMER MOODMAKER™



**Measurements**  
D: 2,3 cm  
Shade Ø: 29,4 cm



### 3-STEP DIMMER MOODMAKER™




## Oja 42 2700K 3-step

Plafond

No. 47286001 White

Master Box qty 3  
Material: Plastic  
IP20, Class 2  
Fixed LED, Incl. 22W LED  
Incl. 3-Step MOODMAKER  
5 year LED guarantee  
Light source: Lumen 2.100, Kelvin 2.700,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 2,3 cm  
Shade Ø: 42,4 cm





## Oja 42 4000K 3-step

Plafond

No. 47166001 White

Master Box qty 3  
Material: Plastic  
IP20, Class 2  
Fixed LED, Incl. 22W LED  
Incl. 3-Step MOODMAKER  
5 year LED guarantee  
Light source: Lumen 2.200, Kelvin 4.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A

### 3-STEP DIMMER MOODMAKER™



**Measurements**  
D: 2,3 cm  
Shade Ø: 42,4 cm



## Oja 24 2700K

Plafond

No. 47246001 White

Master Box qty 3

Material: Plastic


IP20, Class 2

Fixed LED, Incl. 15W LED, 5 year LED guarantee,

Light source: Lumen 1.250, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 2,3 cm  
Ø: 24,4 cm



## Oja 29 IP54 2700K

Plafond

No. 50036101 White

Master Box qty 3

Material: Plastic

IP54, Class 2

Fixed LED, Incl. 18W LED, 5 year LED guarantee,

Light source: Lumen 1.600, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 2,3 cm  
Ø: 29,4 cm



## Oja 29 2700K

Plafond

No. 47256001 White

Master Box qty 3

Material: Plastic

IP20, Class 2

Fixed LED, Incl. 18W LED, 5 year LED guarantee,

Light source: Lumen 1.600, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 2,3 cm  
Ø: 29,4 cm



## Oja 29 IP54 2700K

Plafond

No. 50046101 White

Master Box qty 3

Material: Plastic

IP54, Class 2

Fixed LED, Incl. 17W LED, 5 year LED guarantee,

Light source: Lumen 1.550, Kelvin 2.700,

Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



**Measurements**  
D: 2,3 cm  
Ø: 29,4 cm



## Oja 42 IP54 2700K

Plafond

No. 50056101 White

Master Box qty 3

Material: Plastic

IP54, Class 2

Fixed LED, Incl. 24W LED, 5 year LED guarantee,

Light source: Lumen 2.150, Kelvin 2.700,

Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



**Measurements**  
D: 2,3 cm  
Ø: 42,4 cm



## Oja 42 2700K

Plafond

No. 47266001 White

Master Box qty 3

Material: Plastic


IP20, Class 2

Fixed LED, Incl. 22W LED, 5 year LED guarantee,

Light source: Lumen 2.100, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 2,3 cm  
Ø: 42,4 cm



## Oja 24 4000K

Plafond

No. 47946001 White

Master Box qty 3

Material: Plastic


IP20, Class 2

Fixed LED, Incl. 15W LED, 5 year LED guarantee,

Light source: Lumen 1.250, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 2,3 cm  
Ø: 24,4 cm



## Oja 29 4000K

Plafond

No. 47956001 White

Master Box qty 3

Material: Plastic


IP20, Class 2

Fixed LED, Incl. 18W LED, 5 year LED guarantee,

Light source: Lumen 1.600, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 2,3 cm  
Ø: 29,4 cm



## Oja 42 4000K

Plafond

No. 47966001 White

Master Box qty 3

Material: Plastic


IP20, Class 2

Fixed LED, Incl. 22W LED, 5 year LED guarantee,

Light source: Lumen 2.100, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 2,3 cm  
Ø: 42,4 cm



## Montone 25 2700K

Plafond

No. 49936101 White

Master Box qty 3

Material: Metal/Plastic

IP20, Class 1

Fixed LED, Incl. 13W LED, 5 year LED guarantee,  
Light source: Lumen 800, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 8 cm  
Ø: 25 cm



## Montone 30 2700K

Plafond

No. 49956101 White

Master Box qty 3

Material: Metal/Plastic

IP20, Class 1

Fixed LED, Incl. 13W LED, 5 year LED guarantee,  
Light source: Lumen 800, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 9,5 cm  
Ø: 30 cm



## Montone 28 2700K Sensor

Plafond

No. 49986101 White

Master Box qty 3

Material: Metal/Plastic

IP20, Class 1

Fixed LED, Incl. 14W LED, 5 year LED guarantee,  
Light source: Lumen 750, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 9 cm  
Ø: 28 cm



## Montone 28 4000K Sensor

Plafond

No. 50026101 White


Master Box qty 3

Material: Metal/Plastic

IP20, Class 1

Fixed LED, Incl. 15W LED, 5 year LED guarantee,  
Light source: Lumen 800, Kelvin 4.000,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 9 cm  
Ø: 28 cm



## Altus 2700K

Plafond

No. 47206001 White

No. 47206010 Grey

Master Box qty 3

Material: Plastic/Metal



IP20, Class 1

Fixed LED, Incl. 13W LED, 5 year LED guarantee,

Light source: Lumen 850, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 9 cm  
Ø: 29,8 cm



## Altus 4000K

Plafond

No. 47906001 White

No. 47906010 Grey

Master Box qty 3

Material: Plastic/Metal


IP20, Class 1

Fixed LED, Incl. 13W LED, 5 year LED guarantee,

Light source: Lumen 900, Kelvin 4.000,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 9 cm  
Ø: 29,8 cm



## Montone 30 4000K

Plafond

No. 50016101 White

Master Box qty 3

Material: Metal/Plastic


IP20, Class 1

Fixed LED, Incl. 13W LED, 5 year LED guarantee,

Light source: Lumen 1.000, Kelvin 4.000,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 9,5 cm  
Ø: 30 cm



## Ancona LED

Plafond

No. 25216101 White/Opal white

No. 25216132 Brushed steel/Opal white

Master Box qty 3

Material: Metal/Glass



IP44/43, Class 1

Fixed LED, Incl. 6W LED, 5 year LED guarantee,

Light source: Lumen 330, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 5 cm  
Shade Ø: 18,4 cm



## Ancona Maxi LED

Plafond

No. 25246101 White/Opal white

No. 25246132 Brushed steel/Opal white

Master Box qty 3

Material: Metal/Glass



IP44/43, Class 1

Fixed LED, Incl. 12W LED, 5 year LED guarantee,

Light source: Lumen 1.020, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 130°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 9,5 cm  
Shade Ø: 31,5 cm



## Ancona Maxi E27

Plafond

No. 25316101 White/Opal white

No. 25316132 Brushed steel/Opal white


Master Box qty 3

Material: Metal/Glass

IP44/43, Class 1

E27, Max. 2X40W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
D: 8 cm  
Shade Ø: 31,5 cm



## Ask 28

Plafond

No. 45356001 White/Mattwhite

Master Box qty 3

Material: Metal/Plastic


IP44, Class 1

Fixed LED, Incl. 12W LED, 5 year LED guarantee,

Light source: Lumen 1.050, Kelvin 3.000

Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 9,5 cm  
Shade Ø: 28 cm



## Ask 36 Sensor

Plafond

No. 45386501 White/Mattwhite

Master Box qty 3

Material: Metal/Plastic


IP44, Class 1

Fixed LED, Incl. 18W LED, 5 year LED guarantee,

Light source: Lumen 1.450, Kelvin 3.000

Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 10,5 cm  
Shade Ø: 36 cm



## Ask 36

Plafond

No. 45376001 White/Mattwhite

Master Box qty 3

Material: Metal/Plastic

IP44, Class 1

Fixed LED, Incl. 18W LED, 5 year LED guarantee,

Light source: Lumen 1.450, Kelvin 3.000

Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 10,5 cm  
Shade Ø: 36 cm



## Ask 41

Plafond

No. 45396001 White/Mattwhite

Master Box qty 3

Material: Metal/Plastic


IP44, Class 1

Fixed LED, Incl. 32W LED, 5 year LED guarantee,

Light source: Lumen 3.000, Kelvin 3.000

Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 11,5 cm  
Shade Ø: 41 cm



## Baton 3000K

Plafond

No. 47216001 White

No. 47216033 Chrome

Master Box qty 3

Material: Plastic/Metal



IP54, Class 1

Fixed LED, Incl. 14W LED, 5 year LED guarantee,

Light source: Lumen 780, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



**Measurements**  
D: 9 cm  
Ø: 31 cm



## Baton 4000K

Plafond

No. 47916001 White

No. 47916033 Chrome

Master Box qty 3

Material: Plastic/Metal



IP54, Class 1

Fixed LED, Incl. 14W LED, 5 year LED guarantee,

Light source: Lumen 850, Kelvin 4.000,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



**Measurements**  
D: 9 cm  
Ø: 31 cm



## Leroy 2700K

Plafond

No. 47560101 White

Master Box qty 3

Material: Plastic



IP20, Class 2

Fixed LED, Incl. 15W LED, 5 year LED guarantee,

Light source: Lumen 1.260, Kelvin 2.700,

Life hours 30.000, RA 80, Beam angle 110°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 3,7 cm  
Ø: 22 cm



## Leroy 4000K

Plafond

No. 47680101 White

Master Box qty 3

Material: Plastic



IP20, Class 2

Fixed LED, Incl. 15W LED, 5 year LED guarantee,

Light source: Lumen 1.400, Kelvin 4.000,

Life hours 30.000, RA 80, Beam angle 110°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 3,7 cm  
Ø: 22 cm



## Frisbee

Plafond

No. 25266001 White/Frosted glass

No. 25266029 Aluminium/Frosted glass


Master Box qty 6

Material: Glass/Aluminium

IP20, Class 1

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
D: 8 cm  
Shade Ø: 28,5 cm



## Mani 32

Plafond

No. 45616001 White

Master Box qty 6

Material: Metal/Plastic


IP20, Class 1

Fixed LED, Incl. 18W LED, 5 year LED guarantee,


Light source: Lumen 1.000, Kelvin 3.000

Life hours 30.000, RA 80, Beam angle 118°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 10,5 cm  
Shade Ø: 32,5 cm



## Mani 25

Plafond

No. 45606001 White

Master Box qty 6

Material: Metal/Plastic


IP20, Class 1

Fixed LED, Incl. 12W LED, 5 year LED guarantee,


Light source: Lumen 700, Kelvin 3.000

Life hours 30.000, RA 80, Beam angle 118°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 9,5 cm  
Shade Ø: 25,5 cm





## Melo 34

Plafond

No. 63246001 White/Mattwhite

Master Box qty 3

Material: Plastic/Metal



IP20, Class 1

Fixed LED, Incl. 12W LED, 5 year LED guarantee,

Light source: Lumen 840, Kelvin 3.000

Life hours 20.000, RA 80, Beam angle 130°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 10 cm  
Shade Ø: 34 cm



## Melo 28

Plafond

No. 77656001 White/Mattwhite

Master Box qty 3

Material: Plastic/Metal



IP20, Class 1

Fixed LED, Incl. 9W LED, 5 year LED guarantee,

Light source: Lumen 470, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 130°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 9 cm  
Shade Ø: 28,5 cm



## Melo 34 Sensor

Plafond

No. 78866001 White/Mattwhite

Master Box qty 3

Material: Plastic/Metal



IP20, Class 1

Fixed LED, Incl. 12W LED, 5 year LED guarantee,

Light source: Lumen 840, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 130°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 10 cm  
Shade Ø: 34 cm

## Melo 40

Plafond

No. 77666001 White/Mattwhite

Master Box qty 3

Material: Plastic/Metal


IP20, Class 1

Fixed LED, Incl. 18W LED, 5 year LED guarantee,

Light source: Lumen 1.277, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 11 cm  
Shade Ø: 40 cm



## Salsa 27

Plafond

No. 77686001 White/Satinated

Master Box qty 3

Material: Plastic/Metal


IP20, Class 1

Fixed LED, Incl. 12W LED, 5 year LED guarantee,

Light source: Lumen 690, Kelvin 3.000

Life hours 50.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**

W: 27 cm  
L: 27 cm  
D: 7 cm



## Spinner

Plafond

No. 25416001 White/Opal white

No. 25416032 Brushed steel/Opal white


Master Box qty 3

Material: Metal/Glass

IP20, Class 1

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
D: 7 cm  
Shade Ø: 28 cm



## Trio 45

Plafond

No. 3001601 White - White cable

Master Box qty 6

Material: Plastic


IP20, Class 2

Cable: 200 cm

Switch on cable

E27, Max. 40W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
D: 15 cm  
Shade Ø: 45 cm



## Salsa 34

Plafond

No. 77696001 White/Satinated

Master Box qty 3

Material: Plastic/Metal

IP20, Class 1

Fixed LED, Incl. 15W LED, 5 year LED guarantee,

Light source: Lumen 855, Kelvin 3.000

Life hours 50.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**

W: 33,5 cm  
L: 33,5 cm  
D: 8,5 cm



## Ufo

Plafond

No. 25576000 White/Opal white

Master Box qty 3

Material: Glass/Metal

IP44/43, Class 1

E27, Max. 40W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
D: 10,5 cm  
Shade Ø: 22,5 cm



## Standard

Plafond

No. 25326001 White/Opal white

Master Box qty 3

Material: Glass/Metal

IP20, Class 1

E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
D: 7,5 cm  
Shade Ø: 25 cm



## Ufo Maxi

Plafond

No. 25626001 White/Opal white

Master Box qty 3

Material: Glass/Metal

IP44/43, Class 1

E27, Max. 2X40W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
D: 11 cm  
Shade Ø: 29,5 cm



## Petri 30

Plafond


No. 92746001 White/Alabaster white

Master Box qty 3

Material: Glass/Metal

IP20, Class 1

E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
D: 9 cm  
Shade Ø: 30 cm




## Westport 60

### Fixture

No. 49646110 Grey

Master Box qty 3  
Material: Plastic  
IP65, Class 2  
Fixed LED, Incl. 11W LED,  
5 year LED guarantee,  
Light source: Lumen 1.050, Kelvin 4.000,  
Life hours 25.000, RA 80, Beam angle 125°, Not dimmable  
Fixture energy class A+



**Measurements**  
W: 5,4 cm  
L: 55,8 cm  
D: 5,4 cm




## Westport 120

### Fixture

No. 49666110 Grey

Master Box qty 3  
Material: Plastic  
IP65, Class 2  
Fixed LED, Incl. 23W LED,  
5 year LED guarantee,  
Light source: Lumen 2.160, Kelvin 4.000,  
Life hours 25.000, RA 80, Beam angle 125°, Not dimmable  
Fixture energy class A+



**Measurements**  
W: 5,4 cm  
L: 115,8 cm  
D: 5,4 cm




## Westport 60

### Fixture

No. 49656110 Grey

Master Box qty 3  
Material: Plastic  
IP65, Class 2  
Fixed LED, Incl. 23W LED,  
5 year LED guarantee,  
Light source: Lumen 2.100, Kelvin 4.000,  
Life hours 25.000, RA 80, Beam angle 125°, Not dimmable  
Fixture energy class A+



**Measurements**  
W: 5,4 cm  
L: 55,8 cm  
D: 5,4 cm



## Westport 120

### Fixture

No. 49676110 Grey

Master Box qty 3  
Material: Plastic  
IP65, Class 2  
Fixed LED, Incl. 43W LED,  
5 year LED guarantee,  
Light source: Lumen 4.400, Kelvin 4.000,  
Life hours 25.000, RA 80, Beam angle 125°, Not dimmable  
Fixture energy class A+



**Measurements**  
W: 5,4 cm  
L: 115,8 cm  
D: 5,4 cm



## Arlington 60

Fixture

No. 47826101 White

Master Box qty 6

Material: Plastic



IP20, Class 2

Fixed LED, Incl. 12W LED, 5 year LED guarantee,

Light source: Lumen 1.000, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 150°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
W: 3,2 cm  
L: 61 cm  
D: 4,5 cm



## Arlington 150

Fixture

No. 47846101 White

Master Box qty 6

Material: Plastic



IP20, Class 2

Fixed LED, Incl. 25W LED, 5 year LED guarantee,

Light source: Lumen 2.200, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 150°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
W: 3,2 cm  
L: 151 cm  
D: 4,5 cm



## Arlington 120

Fixture

No. 47836101 White

Master Box qty 6

Material: Plastic



IP20, Class 2

Fixed LED, Incl. 21W LED, 5 year LED guarantee,

Light source: Lumen 1.900, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 150°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
W: 3,2 cm  
L: 121 cm  
D: 4,5 cm



## Boxline 13W

Fixture

No. 27496101 White/Clear - White cable

Master Box qty 3

Material: Plastic

IP21, Class 2

Cable: 180 cm

Switch on fixture

G5, Max. 13W, Incl. 13W T5,

Parallel connection possible,

Light source: Lumen 800, Kelvin 4.000,

Life hours 8.000, RA 80, Beam angle 120°, Not dimmable

Light source energy class A

Fixture energy class A++ - A



**Measurements**  
W: 7 cm  
L: 55 cm  
D: 2 cm



## Latona 5W

Fixture


No. 47416101 White

Master Box qty 6  
Material: Plastic  
IP20, Class 2  
Fixed LED, Incl. 5W LED  
Incl. 2-Step MOODMAKER TM  
Parallel connection possible  
Incl. cable  
Switch on fixture  
5 year LED guarantee,  
Light source: Lumen 420, Kelvin 3.000-4.000  
Life hours 25.000, RA 80, Beam angle 130°, Not dimmable  
Fixture energy class A+

Connectable



### 2-STEP DIMMER MOODMAKER™



#### Measurements

W: 2,4 cm  
L: 31,2 cm  
D: 3,4 cm



## Latona 9W

Fixture


No. 47426101 White

Master Box qty 6  
Material: Plastic  
IP20, Class 2  
Fixed LED, Incl. 9W LED  
Incl. 2-Step MOODMAKER TM  
Parallel connection possible  
Incl. cable  
Switch on fixture  
5 year LED guarantee,  
Light source: Lumen 730, Kelvin 3.000-4.000  
Life hours 25.000, RA 80, Beam angle 130°, Not dimmable  
Fixture energy class A+

Connectable



### 2-STEP DIMMER MOODMAKER™



#### Measurements

W: 2,4 cm  
L: 56,2 cm  
D: 3,4 cm



## Latona 12W

Fixture


No. 47436101 White

Master Box qty 6  
Material: Plastic  
IP20, Class 2  
Fixed LED, Incl. 12W LED  
Incl. 2-Step MOODMAKER TM  
Parallel connection possible  
Incl. cable  
Switch on fixture  
5 year LED guarantee,  
Light source: Lumen 1.050, Kelvin 3.000-4.000  
Life hours 25.000, RA 80, Beam angle 130°, Not dimmable  
Fixture energy class A+

Connectable



### 2-STEP DIMMER MOODMAKER™



#### Measurements

W: 2,4 cm  
L: 91,2 cm  
D: 3,4 cm




## Renton 30

Fixture

No. 47776101 White


Master Box qty 6  
Material: Plastic  
IP20, Class 2  
Switch on fixture  
Fixed LED, Incl. 5W LED, 5 year LED guarantee,  
Parallel connection possible  
Incl. cable  
Switch on fixture  
Light source: Lumen 350, Kelvin 2.700,  
Life hours 25.000, RA 80, Beam angle 130°, Not dimmable  
Fixture energy class A++ - A

Connectable



#### Measurements

W: 2,4 cm  
L: 31,2 cm  
D: 3,4 cm





Connectable

## Renton 55

### Fixture

No. 47786101 White

Master Box qty 6

Material: Plastic

IP20, Class 2

Switch on fixture

Fixed LED, Incl. 9W LED, 5 year LED guarantee,

Parallel connection possible


Incl. cable

Switch on fixture

Light source: Lumen 650, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Fixture energy class A++ - A



#### Measurements

W: 2,4 cm

L: 56,2 cm

D: 3,4 cm



Connectable

## Renton 110

### Fixture

No. 47806101 White

Master Box qty 6

Material: Plastic

IP20, Class 2

Switch on fixture

Fixed LED, Incl. 15W LED, 5 year LED guarantee,

Parallel connection possible


Incl. cable

Switch on fixture

Light source: Lumen 1.100, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Fixture energy class A++ - A



#### Measurements

W: 2,4 cm

L: 111,2 cm

D: 3,4 cm



Connectable

## Renton 90

### Fixture

No. 47796101 White

Master Box qty 6

Material: Plastic

IP20, Class 2

Switch on fixture

Fixed LED, Incl. 12W LED, 5 year LED guarantee,

Parallel connection possible


Incl. cable

Switch on fixture

Light source: Lumen 900, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Fixture energy class A++ - A



#### Measurements

W: 2,4 cm

L: 91,2 cm

D: 3,4 cm



Connectable

## Renton 150

### Fixture

No. 47816101 White

Master Box qty 6

Material: Plastic

IP20, Class 2

Switch on fixture

Fixed LED, Incl. 20W LED, 5 year LED guarantee,

Parallel connection possible


Incl. cable

Switch on fixture

Light source: Lumen 1.500, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Fixture energy class A++ - A



#### Measurements

W: 2,4 cm

L: 151,2 cm

D: 3,4 cm





## Oakland 60 11W

### Fixture

No. 47716101 White

Master Box qty 6

Material: Plastic

IP65, Class 2


Fixed LED, Incl. 11W LED, 5 year LED guarantee,

Parallel connection possible

Light source: Lumen 1.050, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Fixture energy class A++ - A




#### Measurements

W: 6,3 cm

L: 65 cm

D: 6,3 cm



## Oakland 120 22W

### Fixture

No. 47736101 White

Master Box qty 6

Material: Plastic

IP65, Class 2


Fixed LED, Incl. 22W LED, 5 year LED guarantee,

Parallel connection possible


Light source: Lumen 2.100, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
W: 6,3 cm  
L: 125 cm  
D: 6,3 cm



## Oakland 60 22W

### Fixture

No. 47726101 White

Master Box qty 6

Material: Plastic

IP65, Class 2


Fixed LED, Incl. 22W LED, 5 year LED guarantee,

Parallel connection possible

Light source: Lumen 2.160, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Fixture energy class A++ - A




#### Measurements

W: 8,3 cm

L: 65 cm

D: 6,5 cm



## Oakland 120 43W

### Fixture

No. 47746101 White

Master Box qty 6

Material: Plastic

IP65, Class 2


Fixed LED, Incl. 43W LED, 5 year LED guarantee,

Parallel connection possible


Light source: Lumen 4.400, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
W: 8,3 cm  
L: 125 cm  
D: 6,5 cm





## Oakland 150 30W

### Fixture

No. 47756101 White

Master Box qty 6

Material: Plastic

IP65, Class 2


Fixed LED, Incl. 30W LED, 5 year LED guarantee,

Parallel connection possible

Light source: Lumen 2.700, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
W: 6,3 cm  
L: 155 cm  
D: 6,3 cm



## Chamber 5W

### Fixture

No. 84626101 White/Opal white - White cable

Master Box qty 3

Material: Plastic

IP20, Class 2

Cable: 180 cm replaceable

Switch on fixture


Fixed LED, Incl. 5W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 400, Kelvin 3.000,

Life hours 25.000, RA 80, Beam angle 115°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
W: 2,5 cm  
L: 31,3 cm  
D: 3 cm



## Oakland 150 60W

### Fixture

No. 47766101 White

Master Box qty 6

Material: Plastic

IP65, Class 2


Fixed LED, Incl. 60W LED, 5 year LED guarantee,

Parallel connection possible

Light source: Lumen 5.600, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
W: 8,3 cm  
L: 155 cm  
D: 6,5 cm

## Chamber 9W

### Fixture

No. 84646101 White/Opal white - White cable

Master Box qty 3

Material: Plastic

IP20, Class 2

Cable: 180 cm replaceable

Switch on fixture


Fixed LED, Incl. 9W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 680, Kelvin 3.000,

Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
W: 2,5 cm  
L: 57,3 cm  
D: 3 cm



## Trenton 23W

Fixture

No. 47856101 White

Master Box qty 3

Material: Plastic/Metal


IP20, Class 1

Fixed LED, Incl. 23W LED, 5 year LED guarantee,

Light source: Lumen 1.900, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A+



**Measurements**  
W: 16 cm  
L: 60 cm  
D: 5 cm



## Trenton 48W

Fixture

No. 47476101 White

Master Box qty 3

Material: Plastic/Metal


IP20, Class 1

Fixed LED, Incl. 48W LED, 5 year LED guarantee,

Light source: Lumen 3.800, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A+



**Measurements**  
W: 16 cm  
L: 90 cm  
D: 5 cm



## Trenton 56W

Fixture

No. 47486101 White

Master Box qty 3

Material: Plastic/Metal


IP20, Class 1

Fixed LED, Incl. 56W LED, 5 year LED guarantee,

Light source: Lumen 4.700, Kelvin 4.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A+



**Measurements**  
W: 16 cm  
L: 117 cm  
D: 5 cm



## Works IP65 1x18W

### Fixture

No. 27306101 Grey/Clear

Master Box qty 6

Material: Plastic

IP65, Class 1

G13, Max. 18W, Incl. 18W T8,



Parallel connection possible,

Light source: Lumen 1.200, Kelvin 4.000,

Life hours 16.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A

Fixture energy class A++ - A



#### Measurements

W: 8,5 cm  
L: 65,8 cm  
D: 8,8 cm



## Works IP65 2x18W

### Fixture

No. 27326101 Grey/Clear

Master Box qty 3

Material: Plastic

IP65, Class 1

G13, Max. 2X18W, Incl. 2X18W T8,



Parallel connection possible,

Light source: Lumen 2x1.000, Kelvin 4.000,

Life hours 16.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A

Fixture energy class A++ - A



#### Measurements

W: 11,8 cm  
L: 65,8 cm  
D: 8,8 cm



## Works IP65 1x36W

### Fixture

No. 27316101 Grey/Clear

Master Box qty 6

Material: Plastic

IP65, Class 1

G13, Max. 36W, Incl. 36W T8,


Parallel connection possible,

Light source: Lumen 2.500, Kelvin 4.000,

Life hours 16.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A

Fixture energy class A++ - A



#### Measurements

W: 8,5 cm  
L: 126,8 cm  
D: 8,8 cm



## Works IP65 2x36W

### Fixture

No. 27336101 Grey/Clear

Master Box qty 3

Material: Plastic

IP65, Class 1

G13, Max. 2X36W, Incl. 2X36W T8,



Parallel connection possible,

Light source: Lumen 2x3.348, Kelvin 4.000,

Life hours 12.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A

Fixture energy class A++ - A



#### Measurements

W: 11,8 cm  
L: 126,8 cm  
D: 8,8 cm




## Works IP65 1X9W LED

### Fixture

No. 27386101 Grey/Clear

Master Box qty 6  
Material: Plastic/Metal  
IP65, Class 1  
G13, Max. 9.9W, Incl. 9W T8 LED,  
Parallel connection possible,  
Light source: Lumen 800, Kelvin 4.000  
Life hours 25.000, RA 80, Beam angle 110°, Not dimmable  
Light source energy class A  
Fixture energy class A++ - A



**Measurements**  
H: 9 cm  
W: 8.5 cm  
L: 66 cm




## Works IP65 2x9W LED

### Fixture

No. 27586101 Grey/Clear

Master Box qty 6  
Material: Plastic  
IP65, Class 1  
G13, Max. 2X9W, Incl. 9W T8 LED,  
Parallel connection possible,  
Light source: Lumen 2x800, Kelvin 4.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A



**Measurements**  
H: 9 cm  
W: 11.8 cm  
L: 66 cm




## Works IP65 1X18W LED

### Fixture

No. 27396101 Grey/Clear

Master Box qty 6  
Material: Plastic/Metal  
IP65, Class 1  
G13, Max. 19.8W, Incl. 18W T8 LED,  
Parallel connection possible,  
Light source: Lumen 1.700, Kelvin 4.000  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Light source energy class A  
Fixture energy class A++ - A



**Measurements**  
H: 9 cm  
W: 8.5 cm  
L: 126.6 cm




## Works IP65 2x18W LED

### Fixture

No. 27596101 White/Clear

Master Box qty 6  
Material: Plastic  
IP65, Class 1  
G13, Max. 2X18W, Incl. 18W T8 LED,  
Parallel connection possible,  
Light source: Lumen 2x1.700, Kelvin 4.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A



**Measurements**  
H: 9 cm  
W: 11.8 cm  
L: 127 cm





## Works 9W LED

### Fixture

No. 27186101 White

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 1  
G13, Max. 9.9W, Incl. 9W T8 LED,  
Parallel connection possible,  
Light source: Lumen 736, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 115°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A



**Measurements**  
H: 6,86 cm  
W: 5 cm  
L: 62,2 cm




## Works Standard 18W

### Fixture

No. 27266101 Grey

Master Box qty 6  
Material: Metal/Plastic  
IP20, Class 1  
G13, Max. 18W, Incl. 18W T8,  
Parallel connection possible,  
Light source: Lumen 1.480, Kelvin 4.000,  
Life hours 10.000, RA 76, Beam angle 360°, Not dimmable  
Light source energy class A  
Fixture energy class A++ - A



**Measurements**  
W: 5 cm  
L: 62,5 cm  
D: 6,5 cm



## Works 18W LED

### Fixture

No. 27196101 White

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 1  
G13, Max. 19.8W, Incl. 18W T8 LED,  
Parallel connection possible,  
Light source: Lumen 1.518, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 115°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A



**Measurements**  
H: 6,86 cm  
W: 4,96 cm  
L: 123,2 cm




## Works Standard 36W

### Fixture

No. 27276101 Grey

Master Box qty 6  
Material: Metal/Plastic  
IP20, Class 1  
G13, Max. 36W, Incl. 36W T8,  
Parallel connection possible,  
Light source: Lumen 3.350, Kelvin 4.000,  
Life hours 12.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A  
Fixture energy class A++ - A



**Measurements**  
W: 5 cm  
L: 123,5 cm  
D: 6,5 cm



## Led Strip 3M RGB incl. Remote

LED-Strip

No. 47970000 - White cable

Master Box qty 6

Material: Silicone/Plastic

IP20/23, Class 3


Cable: 120 cm

Fixed LED, 18W, 5 year LED guarantee,


Light source: Lumen 330/m, Life hours 30.000,

Beam angle 120°, Dimmable

Fixture energy class A++ - A



**Measurements**  
H: 0,7 cm  
W: 1 cm  
L: 300 cm



## Nimba 3M RGB incl. remote

LED-Strip

No. 79560000 White - White cable

Master Box qty 3

Material: Metal/Rubber

IP65/20, Class 3

Cable: 150 cm



Switch on cable

Fixed LED, Incl. 20W LED, 5 year LED guarantee,

Light source: Lumen 720,

Life hours 15.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



**Measurements**  
H: 0,25 cm  
W: 1 cm  
L: 300 cm



## Nimba 5M

LED-Strip

No. 79570000 White - White cable

Master Box qty 3

Material: Metal/Rubber

IP65/20, Class 3

Cable: 150 cm

Switch on cable

Fixed LED, Incl. 30W LED, 5 year LED guarantee,

Light source: Lumen 1.200, Kelvin 3.000,

Life hours 15.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



## Led Strip 5M

LED-Strip

No. 47980000 - White cable

Master Box qty 6

Material: Silicone/Plastic

IP20/23, Class 3


Cable: 120 cm

Fixed LED, 9W, 5 year LED guarantee,



Light source: Lumen 180/m, Kelvin 2.700,

Life hours 30.000, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
H: 0,2 cm  
W: 0,8 cm  
L: 500 cm



**Measurements**  
H: 0,25 cm  
W: 1 cm  
L: 500 cm



## Link Opposite Adaptor


Rail

No. 79039901 White  
No. 79039903 Black

Master Box qty 3  
Material: Plastic  
IP20, Class 1



IP20



**Measurements**  
W: 3,5 cm, L: 6,5 cm  
D: 1,8 cm



## Link Connect Turnable


Rail

No. 79029901 White  
No. 79029903 Black

Master Box qty 6  
Material: Plastic  
IP20, Class 1



IP20



**Measurements**  
W: 3,5 cm, L: 12 cm  
D: 1,8 cm



## Link Double Adaptor


Rail

No. 79049901 White  
No. 79049903 Black

Master Box qty 3  
Material: Plastic  
IP20, Class 1



IP20



**Measurements**  
W: 3,5 cm, L: 9,5 cm  
D: 1,8 cm



## Link Connect


Rail

No. 79059901 White  
No. 79059903 Black

Master Box qty 6  
Material: Plastic  
IP20, Class 1  
Max. 690W



IP20



**Measurements**  
W: 3,5 cm, L: 6,5 cm  
D: 1,8 cm



## Link T-Connector Right

Rail

No. 86059901 White


No. 86059903 Black

Master Box qty 6

Material: Plastic/Metal

IP20, Class 1

Max. 660W,



## Link X-Connector

Rail

No. 86079901 White


No. 86079903 Black

Master Box qty 6

Material: Plastic/Metal

IP20, Class 1

Max. 660W,



## Link T-Connector Left

Rail

No. 86069901 White


No. 86069903 Black

Master Box qty 6

Material: Plastic/Metal

IP20, Class 1

Max. 660W,



## Link Adaptor

Rail

No. 79069901 White

No. 79069903 Black

Master Box qty 6

Material: Plastic

IP20, Class 1

Max. 115W,





## Link 1M

Rail

No. 79079901 White  
No. 79079903 Black

Master Box qty 3  
Material: Metal  
IP20, Class 1  
Max. 690W,



**Measurements**  
W: 3,5 cm  
L: 107 cm  
D: 1,8 cm



## Link 2M

Rail

No. 79089901 White  
No. 79089903 Black

Master Box qty 3  
Material: Metal  
IP20, Class 1  
Max. 690W,



**Measurements**  
W: 3,5 cm  
L: 207 cm  
D: 1,8 cm



## Link Sleeky

Rail

No. 86159901 White/Mattwhite

Master Box qty 3  
Material: Aluminium/Plastic  
IP20, Class 2  
Fixed LED, Incl. 4W LED, 5 year LED guarantee,  
Light source: Lumen 200, Kelvin 3.000,  
Life hours 20.000, RA 80, Beam angle 130°, Dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 18,5 cm  
W: 9 cm  
L: 12 cm  
Shade Ø: 9 cm  
Tilt angle: 180°



## Link Fez

Rail

No. 86169901 White

Master Box qty 3  
Material: Aluminium/Metal  
IP20, Class 2  
GU10, Max. 25W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
D: 16,5 cm  
Shade Ø: 9 cm



## Link Frøya

Rail

No. 86119901 White


Master Box qty 3

Material: Metal/Plastic

IP20, Class 2

GU10, Max. 50W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
L: 10,9 cm  
D: 8,8 cm  
Shade Ø: 3,6 cm



## Link Frøya 3-Kit + 1M Rail

Rail

No. 359131 White

Master Box qty 3

Material: Metal/Plastic

IP20, Class 1

GU10, Max. 3X35W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
H: 14,5 cm  
W: 6,1 cm  
L: 102 cm  
D: 11,7 cm



## Link Munin

Rail

No. 86129901 White


Master Box qty 3

Material: Metal/Plastic

IP20, Class 2

GU10, Max. 35W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
H: 11,6 cm  
L: 8 cm  
D: 13,6 cm  
Shade Ø: 6,1 cm



## Link Munin 3-Kit + 1M Rail

Rail

No. 359531 White

Master Box qty 3

Material: Metal/Plastic

IP20, Class 1

GU10, Max. 3X35W, Excl. light source,

Fixture energy class A++ - D



**Measurements**  
H: 14,5 cm  
W: 6 cm  
L: 100 cm  
Shade Ø: 6 cm



## Link Bendy

Rail

No. 86179901 White/Mattwhite

Master Box qty 3

Material: Silicone/Metal


IP20, Class 2

Fixed LED, Incl. 4W LED, 5 year LED guarantee,

Light source: Lumen 250, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 130°, Dimmable

Fixture energy class A++ - A



## Link Single

Rail

No. 86109901 White

No. 86109903 Black

Master Box qty 6

Material: Metal/Plastic

IP20, Class 1

GU10, Max. 35W, Excl. light source,

Fixture energy class A++ - D



## Link Explore

Rail

No. 86189901 White

No. 86189903 Black


Master Box qty 6



Material: Metal/Plastic

IP20, Class 2

GU10, Max. 7W, Excl. light source,

Fixture energy class A++ - A





## NEW 19/20

This bulb is a frosted A60 bulb with 9.2W and 806lm. The bulb has a 2 Step-Dim where you can dim the light with your regular switch from 100% > 30%. The beam angle is 240° and the color temperature is 2700K. The cap size is E27 and the RA values is under 80. The bulb is A+ rated and it has a lifetime of 15000 hours. The dimension of the bulb is 60x60x109mm. Eq. W=60W.

## Bulbs

This 19/20 collection, our sustained development has resulted in the largest ever assortments of bulbs, and therefore we are pleased to present a complete bulb assortment.

The collection emphasizes our dedication to developing bulbs that have the right balance between high quality and low prices. Our bulbs have a long lifetime and contain world's leading LED technology, have an elegant design, good color rendering, from low to high wattages and lumen, high energy efficiency and long lifetime.

You will find our range of Moodmaker™ bulbs, the big expansion of the ranges in full glass, clear and milky bulbs, and also the basic plastic range and lastly our deco bulb assortment.

**We proudly present our 19/20 collection**

**Spot | 4,8W | GU10**

Bulb

No. 1505470 Clear

Master Box qty 12


Material: Glass

GU10, Max. 4,8W, Eq wattage 50W, H: 5,5 cm, Ø: 5 cm

Light source: Lumen 345, Kelvin 2.700, Candela 650,

Life hours 15.000, RA 80, Beam angle 36°, Dimmable

Light source energy class A+

**Mini Globe | Ø4,5 | 5,8W | E14**

Bulb

No. 1505370 Frosted

Master Box qty 12

Material: Plastic

E14, Max. 5,8W, H: 8,7 cm, Ø: 6 cm

Light source: Lumen 470, Kelvin 2.700, Eq wattage 40W,

Life hours 15.000, RA 80, Beam angle 225°, Dimmable

Light source energy class A+

**Standard | Ø6 | 5,5W | E27**

Bulb

No. 1500370 Frosted

Master Box qty 12

Material: Plastic

E27, H: 10,9 cm, Ø: 6 cm

Light source: Lumen 470, Kelvin 2.700, Eq wattage 40W,

Life hours 15.000, RA 80, Beam angle 240°, Not dimmable

Light source energy class A+

**Standard | Ø6 | 9,2W | E27**

Bulb

No. 1505270 Frosted

Master Box qty 12

Material: Plastic

E27, Max. 9,2W, H: 10,9, Ø: 6cm

Light source: Lumen 806, Kelvin 2.700,

Life hours 15.000, RA 80, Beam angle 240°, Dimmable

Light source energy class A+

**Standard | Ø6 | 6,3W | E27**

Bulb

No. 1505970 Clear

Master Box qty 12

Material: Glass

E27, Max. 6,3W, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 806, Kelvin 2.700, Eq wattage 60W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++



NEW

**Standard | Ø6 | 2,5W | E27**

Bulb

No. 1505570 Clear

Master Box qty 12

Material: Glass

E27, Max. 2,5W, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 250, Kelvin 2.700, Eq wattage 25W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable,

Light source energy class A++

**Standard | Ø6 | 4,4W | E27**

Bulb

No. 1501270 Clear

Master Box qty 12

Material: Glass

E27, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 470, Kelvin 2.700, Eq wattage 40W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable,

Light source energy class A++

**Standard Gold | Ø6 | 1,2W | E27**

Bulb

No. 1503070 Golden

Master Box qty 12

Material: Glass

E27, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 100, Kelvin 2.000, Eq wattage 10W,

Life hours 15.000, RA 80, Beam angle 300°, Not dimmable

Light source energy class A+

**Standard Gold | Ø6 | 1,9W | E27**

Bulb

No. 1503170 Golden

Master Box qty 12

Material: Glass

E27, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 100, Kelvin 2.200, Eq wattage 21W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++



NEW

**Standard | Ø6 | 7W | E27**

Bulb

No. 1505770 Clear

Master Box qty 12

Material: Glass

E27, Max. 7W, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 806, Kelvin 2.700, Eq wattage 60W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable,

Light source energy class A++

**Standard | Ø6 | 8,3W | DIM | E27**

Bulb

No. 1501370 Clear

Master Box qty 12

Material: Glass

E27, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 806, Kelvin 2.700, Eq wattage 60W,

Life hours 15.000, RA 80, Beam angle 360°, Dimmable,

Light source energy class A+

**Standard Mirror | Ø6 | 8,3W | DIM | E27**

Bulb

No. 1501670 Clear

Master Box qty 12

Material: Glass

E27, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 660, Kelvin 2.700, Eq wattage 51,

Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A+



### **Mini Globe Gold | Ø4,5 | 1,2W | E14**

Bulb

No. 1502970 Golden

Master Box qty 12

Material: Glass

E14, H: 7,9 cm, Ø: 4,5 cm

Light source: Lumen 100, Kelvin 2.200, Eq wattage 10W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++



### **Mini Globe | Ø4,5 | 2,5W | E14**

Bulb

No. 1502170 Clear

Master Box qty 12

Material: Glass

E14, H: 7,9 cm, Ø: 4,5 cm

Light source: Lumen 250, Kelvin 2.700, Eq wattage 25W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++



### **Mini Globe Mirror | Ø4,5 | 4,8W | DIM | E27**

Bulb

No. 1502670 Clear

Master Box qty 12

Material: Glass

E27, H: 7,9 cm, Ø: 4,5 cm

Light source: Lumen 380, Kelvin 2.700, Eq wattage 34W,

Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A+



### **Mini Globe | Ø4,5 | 4,8W | DIM | E14**

Bulb

No. 1502270 Clear

Master Box qty 12

Material: Glass

E14, H: 7,9 cm, Ø: 4,5 cm

Light source: Lumen 470, Kelvin 2.700, Eq wattage 40W,

Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A++

### **Mini Globe | Ø4,5 | 4,8W | DIM | E27**

Bulb

No. 1504570 Clear

Master Box qty 12

Material: Glass

E27, Max. 4,8W, H: 7,9 cm, Ø: 4,5 cm

Light source: Lumen 470, Kelvin 2.700, Eq wattage 40W,

Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A++



### Candle | Ø4,5 | 2,5W | E14

Bulb

No. 1501770 Clear

Master Box qty 12

Material: Glass

E14, H: 9,7 cm, Ø: 3,5 cm

Light source: Lumen 250, Kelvin 2.700, Eq wattage 25W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++



### Globe Gold | Ø8 | 2,8W | E27

Bulb

No. 1503270 Golden

Master Box qty 6

Material: Glass

E27, H: 11,6 cm, Ø: 8 cm

Light source: Lumen 200, Kelvin 2.000, Eq wattage 21W,

Life hours 15.000, RA 80, Beam angle 300°, Not dimmable

Light source energy class A+



### Globe | Ø8 | 4,6W | E27

Bulb

No. 1503670 Clear

Master Box qty 6

Material: Glass

E27, H: 11,6 cm, Ø: 8 cm

Light source: Lumen 470, Kelvin 2.700, Eq wattage 40W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++



### Candle | Ø4,5 | 4,8W | DIM | E14

Bulb

No. 1501870 Clear

Master Box qty 12

Material: Glass

E14, H: 9,7 cm, Ø: 3,5 cm

Light source: Lumen 470, Kelvin 2.700, Eq wattage 40W,

Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A++



### Globe | Ø8 | 8,3W | DIM | E27

Bulb

No. 1503770 Clear

Master Box qty 6


Material: Glass

E27, H: 11,6 cm, Ø: 8 cm

Light source: Lumen 806, Kelvin 2.700, Eq wattage 60W,

Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A+



### Globe | Ø9,5 | 8,6W | DIM | E27

Bulb

No. 1503870 Clear

Master Box qty 6

Material: Glass

E27, H: 13,7 cm, Ø: 9,5 cm

Light source: Lumen 1.055, Kelvin 2.700, Eq wattage 75W,

Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A++

**Globe Gold | Ø9,5 | 1,2W | E27**

Bulb

No. 1503370 Golden

Master Box qty 6

Material: Glass

E27, H: 13,7 cm, Ø: 9,5 cm

Light source: Lumen 100, Kelvin 2.000, Eq wattage 10W

Life hours 15.000, RA 80, Beam angle 300°, Not dimmable

Light source energy class A+

**Globe Gold | Ø12 | 1,2W | E27**

Bulb

No. 1503470 Golden

Master Box qty 6

Material: Glass

E27, H: 17,2 cm, Ø: 12,4 cm

Light source: Lumen 100, Kelvin 2.000, Eq wattage 10W,

Life hours 15.000, RA 80, Beam angle 300°, Not dimmable

Light source energy class A+

**Standard | Ø6 | 2,5W | E27**

Bulb

No. 1505670 White

Master Box qty 12

Material: Glass

E27, Max. 2,5W, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 250, Kelvin 2.700, Eq wattage 25W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++

**Standard | Ø6 | 4,4W | E27**

Bulb

No. 1501470 Frosted

Master Box qty 12

Material: Glass

E27, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 470, Kelvin 2.700, Eq wattage 40W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++

**Globe Gold | Ø12 | 2,3W | E27**

Bulb

No. 1503570 Golden

Master Box qty 6

Material: Glass

E27, H: 17,2 cm, Ø: 12,4 cm

Light source: Lumen 200, Kelvin 2.000, Eq wattage 21W,

Life hours 15.000, RA 80, Beam angle 300°, Not dimmable

Light source energy class A++

**Globe | Ø12 | 8,6W | DIM | E27**

Bulb

No. 1503970 Clear

Master Box qty 6

Material: Glass

E27, H: 17,2 cm, Ø: 12,4 cm

Light source: Lumen 1.055, Kelvin 2.700, Eq wattage 75W,

Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A++

**Standard | Ø6 | 7W | E27**

Bulb

No. 1505870 White

Master Box qty 12

Material: Glass

E27, Max. 7W, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 806, Kelvin 2.700, Eq wattage 60W,

Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++

**Standard | Ø6 | 8,3W | DIM | E27**

Bulb

No. 1501570 Frosted

Master Box qty 12

Material: Glass

E27, H: 10,4 cm, Ø: 6 cm

Light source: Lumen 806, Kelvin 2.700, Eq wattage 60W,

Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A++

**Mini Globe | Ø4,5 | 2,5W | E14**

Bulb

No. 1502370 Frosted

Master Box qty 12

Material: Glass

E14, H: 7,9 cm, Ø: 4,5 cm

Light source: Lumen 250, Kelvin 2.700, Eq wattage 25W,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++



NEW

**Mini Globe | Ø4,5 | 2,5W | E27**

Bulb

No. 1506370 White

Master Box qty 12

Material: Glass

E27, Max. 2,5W, H: 7,9 cm, Ø: 4,5 cm

Light source: Lumen 250, Kelvin 2.700, Eq wattage 25W,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++

**Candle | Ø4,5 | 2,5W | E14**

Bulb

No. 1501970 Frosted

Master Box qty 12

Material: Glass

E14, H: 9,7 cm, Ø: 3,5 cm

Light source: Lumen 250, Kelvin 2.700, Eq wattage 25W,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

Light source energy class A++

**Candle | Ø4,5 | 4,8W | DIM | E14**

Bulb

No. 1502070 Frosted

Master Box qty 12

Material: Glass

E14, H: 9,7 cm, Ø: 3,5 cm

Light source: Lumen 470, Kelvin 2.700, Eq wattage 40W,  
Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A++

**Mini Globe | Ø4,5 | 4,8W | DIM | E14**

Bulb

No. 1502470 Frosted

Master Box qty 12

Material: Glass

E14, H: 7,9 cm, Ø: 4,5 cm

Light source: Lumen 470, Kelvin 2.700, Eq wattage 40W,  
Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A++



NEW

**Mini Globe | Ø4,5 | 4,8W | DIM | E27**

Bulb

No. 1502570 Frosted

Master Box qty 12

Material: Glass

E27, H: 7,9 cm, Ø: 4,5 cm

Light source: Lumen 470, Kelvin 2.700, Eq wattage 40W,  
Life hours 15.000, RA 80, Beam angle 360°, Dimmable

Light source energy class A+



NEW

**Globe | Ø9,5 | 8,2W | DIM | E27**

Bulb

No. 1504270 Frosted

Master Box qty 6

Material: Glass

E27, Max. 8.6W, Ø: 9,5 cm

Light source: Lumen 1.055, Kelvin 2.700, Eq wattage 75W,  
Life hours 15.000, RA 80, Beam angle 360°, Dimmable

NEW

**Globe | Ø12 | 8,2W | DIM | E27**

Bulb

No. 1504370 Frosted

Master Box qty 6

Material: Glass

E27, Max. 8.6W, Ø: 12 cm

Light source: Lumen 1.055, Kelvin 2.700, Eq wattage 75W,  
Life hours 15.000, RA 80, Beam angle 360°, Dimmable

**Standard | Ø6 | 7W | E27**

Bulb

No. 1500170 Frosted

Master Box qty 12

Material: Plastic

E27, H: 10,9 cm, Ø: 6 cm

Light source: Lumen 345, Kelvin 2.700, Candela 700, Eq wattage 40W,

Life hours 15.000, RA 80, Beam angle 36°, Not dimmable

Light source energy class A+

**Standard | Ø6 | 9,8W | DIM | E27**

Bulb

No. 1500270 Frosted

Master Box qty 12

Material: Plastic

E27, H: 10,9 cm, Ø: 6 cm

Light source: Lumen 806, Kelvin 2.700, Eq wattage 60W,

Life hours 15.000, RA 80, Beam angle 240°, Dimmable

Light source energy class A+

**Mini Globe | Ø4,5 | 3,5W | E14**

Bulb

No. 1500570 Frosted

Master Box qty 12

Material: Glass

E14, H: 8,7 cm, Ø: 4,5 cm

Light source: Lumen 470, Kelvin 2.700,

Life hours 15.000, RA 80, Beam angle 225°, Dimmable

Light source energy class A+

**Mini Globe | Ø4,5 | 3,5W | E27**

Bulb

No. 1506270 Frosted

Master Box qty 12

Material: Plastic

E27, Max. 3,5W, H: 8,4 cm Ø: 4,5 cm

Light source: Lumen 250, Kelvin 2.700,

Life hours 15.000, RA 80, Beam angle 225°, Not dimmable

Light source energy class A+



NEW

**Standard | Ø6 | 11W | DIM | E27**

Bulb

No. 1504170 Frosted

Master Box qty 12

Material: Plastic

E27, Max. 11W, H: 10,9 cm, Ø: 6 cm

Light source: Lumen 1.055, Kelvin 2.700, Eq wattage 75W,

Life hours 15.000, RA 80, Beam angle 240°, Dimmable

Light source energy class A+

**Mini Globe | Ø4,5 | 6W | DIM | E14**

Bulb

No. 1500470 Frosted

Master Box qty 12

Material: Plastic

E14, H: 8,7 cm, Ø: 4,5 cm

Light source: Lumen 250, Kelvin 2.700,

Life hours 15.000, RA 80, Beam angle 225°, Not dimmable

Light source energy class A+



NEW

**Mini Globe | Ø4,5 | 6W | DIM | E27**

Bulb

No. 1504470 Frosted

Master Box qty 12

Material: Plastic

E27, Max. 6W, H: 8,4 cm, Ø: 4,5 cm

Light source: Lumen 470, Kelvin 2.700,

Life hours 15.000, RA 80, Beam angle 225°, Dimmable

Light source energy class A+



NEW

## Candle | Ø4,5 | 3,5W | E14

Bulb

No. 1506070 Frosted

Master Box qty 12

Material: Plastic

E14, Max. 3,5W, H: 10,7 cm, Ø: 3,5 cm

Light source: Lumen 250, Kelvin 2.700, Eq wattage 25W,

Life hours 15.000, RA 80, Beam angle 300°, Not dimmable

Light source energy class A+



NEW

## Spot | 2,3W | GU10

Bulb

No. 1506570 Clear

Master Box qty 12

Material: Glass/Plastic

GU10, H: 5,5 cm, Ø: 5 cm, Max. 2,3W, Eq wattage 25W,

Light source: Lumen 140, Kelvin 2.700, Candela 350,

Life hours 15.000, RA 80, Beam angle 36°, Not dimmable

Light source energy class A+



## Spot | 4W | GU10

Bulb

No. 1500670 Clear

Master Box qty 12

Material: Glass/Plastic

GU10, H: 5,5 cm, Ø: 5 cm, Eq wattage 35W,

Light source: Lumen 230, Kelvin 2.700, Candela 450,

Life hours 15.000, RA 80, Beam angle 36°, Not dimmable

Light source energy class A+



NEW

## Candle | Ø4,5 | 5,8W | E14

Bulb

No. 1506170 Frosted

Master Box qty 12

Material: Plastic

E14, Max. 5,8W, H: 10,7 cm, Ø: 3,5 cm

Light source: Lumen 470, Kelvin 2.700, Eq Wattage 40W,

Life hours 15.000, RA 80, Beam angle 300°, Not dimmable

Light source energy class A+



## Spot | 5,5W | Dim | GU10

Bulb

No. 1500770 Clear

Master Box qty 12

Material: Glass/Plastic

GU10, H: 5,5 cm, Ø: 5 cm, Eq wattage 40W,

Light source: Lumen 450, Kelvin 2.700, Candela 800,

Life hours 15.000, RA 80, Beam angle 36°, Dimmable

Light source energy class A+

**Spot | 4,9W | DIM | GU10**

Bulb

No. 1500870 Clear

Master Box qty 12

Material: Plastic

GU10, H: 5,5 cm, Ø: 5 cm, Eq wattage 75W,  
 Light source: Lumen 345, Kelvin 2.700, Candela 660,  
 Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
 Light source energy class A+

**Spot | 6,7W | DIM | GU10**

Bulb

No. 1500970 Clear

Master Box qty 12

Material: Plastic

GU10, H: 5,5 cm, Ø: 5 cm, Eq wattage 50W,  
 Light source: Lumen 540, Kelvin 2.700, Candela 850,  
 Life hours 15.000, RA 80, Beam angle 36°, Dimmable  
 Light source energy class A+



NEW

**G4 | Ø1,1 | 1,8W | DC**

Bulb

No. 1504770

Master Box qty 12

Material: Metal

G4, Max. 1,6W, Eq wattage 16W, H: 3,7 cm, Ø: 1,8 cm  
 Light source: Lumen 156, Kelvin 2.700, Candela 350,  
 Life hours 15.000, RA 80, Beam angle 245°, Not dimmable  
 Light source energy class A++



NEW

**G4 | Ø3,5 | 2,1W | AC/DC**

Bulb

No. 1504870

Master Box qty 12

Material: Metal

G4, Max. 2,1W, Eq wattage 25W, H: 4,6 cm, Ø: 3,5 cm  
 Light source: Lumen 203, Kelvin 2.700, Candela 350,  
 Life hours 15.000, RA 80, Beam angle 114°, Dimmable  
 Light source energy class A++

**T25 | Ø4,5 | 1,2W | E14**

Bulb

No. 1502870 Clear

Master Box qty 12

Material: Glass

E14, H: 5,7 cm, Ø: 2,5 cm

Light source: Lumen 100, Kelvin 2.200, Eq wattage 10W,  
 Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
 Light source energy class A++

**T25 | Ø4,5 | 2,5W | E14**

Bulb

No. 1502770 Clear

Master Box qty 12

Material: Glass

E14, H: 8,7 cm, Ø: 2,5 cm

Light source: Lumen 250, Kelvin 2.700, Eq wattage 25W,  
 Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
 Light source energy class A++



NEW

**G9 | Ø1,8 | 3,3W**

Bulb

No. 1506470 Frosted

Master Box qty 12

Material: Plastic

G9, Max. 3,3W, H: 5,7 cm, Ø: 1,8 cm

Light source: Lumen 320, Kelvin 2.700, Eq wattage 33W,  
 Life hours 15.000, RA 80, Beam angle 280°, Not dimmable  
 Light source energy class A++



NEW

**G9 | Ø1,8 | 3,5W | DIM**

Bulb

No. 1504670 Frosted

Master Box qty 12

Material: Plastic

G9, Max. 3,5W, H: 5,7 cm, Ø: 1,8 cm

Light source: Lumen 320, Kelvin 2.700, Eq wattage 33W,  
 Life hours 15.000, RA 80, Beam angle 280°, Dimmable  
 Light source energy class A++



**Avra | E27 | Striped Fil. Clear**  
Bulb

No. 1421070 Clear

Master Box qty 6  
Material: Glass  
E27, H: 17,3 cm, Ø: 12,5 cm  
Light source: Lumen 150, Kelvin 2.200,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A++



**Avra | E27 | Diamond Filament**  
Bulb

No. 1423070 Clear

Master Box qty 6  
Material: Glass  
E27, H: 14,5 cm, W: 10 cm, Ø: 10 cm  
Light source: Lumen 150, Kelvin 2.200,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A++



**Avra | E27 | Bamboo | Smoke**  
Bulb

No. 1427070 Smoked

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 17,7 cm, W: 12,5 cm, Ø: 12,5 cm  
Light source: Lumen 130, Kelvin 2.200,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A+



**Avra | E27 | Dent | Smoke**  
Bulb

No. 1429070 Smoked

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 17,7 cm, W: 12,5 cm, Ø: 12,5 cm  
Light source: Lumen 130, Kelvin 2.200,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A+



**Avra | E27 | Fil. | Amber**  
Bulb

No. 1422070 Amber

Master Box qty 6  
Material: Glass  
E27, H: 17,3 cm, W: 12,5 cm, Ø: 12,5 cm  
Light source: Lumen 130, Kelvin 2.200,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A+



**Avra | E27 | Striped | Smoke**  
Bulb

No. 1426070 Smoked

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 18 cm, W: 12,5 cm, Ø: 12,5 cm  
Light source: Lumen 140, Kelvin 2.200,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A++



**Avra BL | E27 | Nut | Amber**  
Bulb

No. 1440070 Amber

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 18 cm, Ø: 10 cm  
Light source: Lumen 120, Kelvin 2.000,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A++  
Fixture energy class A++



**Avra | E27 | Nut | Amber**  
Bulb

No. 1430070 Amber

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 18 cm, Ø: 10 cm  
Light source: Lumen 200, Kelvin 2.200,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A++



**Avra | E27 | Comm. | Dim | Clear**  
Bulb

No. 1435070 Clear

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 15 cm, W: 5,5 cm, Ø: 5,5 cm  
Light source: Lumen 500, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 360°, Dimmable  
Light source energy class A++



**Avra | E27 | Comm. | Dim | Smoke**  
Bulb

No. 1436070 Smoked

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 15,5 cm, W: 5 cm, Ø: 5 cm  
Light source: Lumen 300, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 360°, Dimmable  
Light source energy class A+



**Avra BL | E27 | Stripes | Amber**  
Bulb

No. 1438070 Amber

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 17,7 cm, Ø: 12,5 cm  
Light source: Lumen 120, Kelvin 2.000,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A++  
Fixture energy class A++



**Avra | E27 | Square | Amber**  
Bulb

No. 1428070 Amber

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 17,7 cm, W: 12 cm, Ø: 12 cm  
Light source: Lumen 140, Kelvin 2.200,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A+



**Avra | E27 | Air | Dim | Clear**  
Bulb

No. 1433070 Clear

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 18,5 cm, W: 9 cm, Ø: 9 cm  
Light source: Lumen 600, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 360°, Dimmable  
Light source energy class A++



**Avra | E27 | Air | Dim | Smoke**  
Bulb

No. 1434070 Smoked

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 18,5 cm, W: 9 cm, Ø: 9 cm  
Light source: Lumen 500, Kelvin 2.700,  
Life hours 15.000, RA 80, Beam angle 360°, Dimmable  
Light source energy class A++



**E27 | Avra BL | Dent | Amb**  
Bulb

No. 1439070 Amber

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 17,7 cm, Ø: 12,5 cm  
Light source: Lumen 120, Kelvin 2.000,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A++  
Fixture energy class A++



**E27 | Avra BL | Stripes | Clear**  
Bulb

No. 1441070 Clear

Master Box qty 6  
Material: Glass  
IP20, Class 2  
E27, H: 17,7 cm, Ø: 12,5 cm  
Light source: Lumen 150, Kelvin 2.200,  
Life hours 15.000, RA 80, Beam angle 360°, Not dimmable  
Light source energy class A++  
Fixture energy class A++



## **Avra | E27 | Top | Mirror**

Bulb

No. 1432070 Silver

Master Box qty 6

Material: Glass

IP20, Class 2

E27, H: 14 cm, W: 9,5 cm, Ø: 9,5 cm

Light source: Lumen 180, Kelvin 2.200,

Life hours 15.000, RA 80, Beam angle 180°, Not dimmable

Light source energy class A++



## **Avra | E27 | Top | Brass**

Bulb

No. 1431070 Brass

Master Box qty 6

Material: Glass


IP20, Class 2

E27, H: 14 cm, W: 9,5 cm, Ø: 9,5 cm

Light source: Lumen 180, Kelvin 2.200,

Life hours 15.000, RA 80, Beam angle 180°, Not dimmable

Light source energy class A++



## NEW 19/20

Polperro is inspired by harsh coastal areas with roaring seas and tall waves. The maritime design makes Polperro a decorative and classic wall lamp that fits beautifully by the front door, the garage or on the fence. Furthermore, the Polperro can be connected in parallel, making the lamp extremely functional.

## Outdoor

The 19/20 outdoor collection reflects our dedication for continuous development of technology, showing new innovative lighting solutions including automatic sundown light and movement sensors beautifully integrated into the design. The technology also enables personalization, allowing you to design your own light using patterned inserts, and furthermore, you will find products with new and easier methods for installation.

At Nordlux we wish to lift people's quality of life with light and therefore we always strive to develop products in the best possible quality at a price that allows everyone to join in. Therefore, you will see well-known products which have been updated with improved design and quality at an even better price. Our passion for great design, has also led to that our outdoor products is so stylish that they are suitable for indoor use.

We proudly present our 19/20 collection

**NEW 19/20**

# Canto 2 series



Canto is a true Nordlux product. Almost half a million Canto's are now lighting up people's lives. It offers a great combination of form and function - the combination of up and down light gives a unique and almost sculptural expression and the option to create your own light effects makes it personal. The timeless Danish design makes it an attractive addition to most homes and can be used both indoor and outdoor. 19/20 Canto gets a full upgrade with higher lumen output, easier installation and an even simpler design. And at the same time the price goes down.

*Danish design by Bønnelycke mdd*



Get more information about the Canto 2 series on p. 328

# Canto 2 - an upgraded bestseller



Incl.  
3 light effects

# Concordia garden

NEW 19/20

Concordia is a modern and minimalist garden lamp used to illuminate outdoor space in a beautiful way.

With its geometrical design, the one-metre-tall lamp is a standing sculpture in the outdoor space, which can be advantageously placed along the driveway, pathway or used for general illumination of the garden.

Danish design by Bønnelycke mdd




Get more information about Concordia on p. 349

# Egon wall

NEW 19/20

Egon is a modern outdoor wall lamp with a beautiful rectangle shape. The lamp has an integrated LED, which contributes to low energy consumption and long life. Egon has two lighting functions. When darkness falls, the light automatically comes on with a soft twilight lighting, and at the same time the built-in sensor is triggered by movement, making Egon extremely practical and functional. Nordlux offers a 5-year LED warranty.



Get more information about Egon on p. 348



When darkness falls, the light automatically comes on with a soft twilight lighting



When movement is detected, the full light is triggered


# Nestor wall

**NEW 19/20**

The gorgeous minimalist form makes Nestor a modern and timeless wall lamp. The lamp has an integrated LED, which has a long lifetime and a low energy consumption.

Furthermore, the lamp can be connected in parallel to multiple lamps, making Nestor highly functional.

Nordlux offers a 5-year LED warranty.



Get more information about Nestor on p. 346



# Hunt series

Get more information about the Hunt series on p. 340



References to both lunar and solar eclipses, or perhaps endless, starry nights, are obvious when light streams from Hunt. Designers Bjørn + Balle pair the square and the circle, playing with the interaction of light and shadow. From the meeting between the two geometric shapes, the light escapes and settles like a soft aura of the square plate. The dome is perforated, and allows dots of lights to be released – resulting in a bright, starry sky.

*Danish design by Bjørn + Balle*




# Maze series

With a decorative and embellished purpose in mind, the designer behind Maze, Bønnelycke MDD, took outdoor lighting to new heights. The geometric shapes create an artistic expression that gives the lamp an unusual and eye-catching dimension – like if you were caught in a maze.

*Danish design by Bønnelycke mdd*



Get more information about the Maze series on p. 338



# Scorpius series

Scorpius Wall light for outdoor use has a classic and timeless design. Scorpius has many uses – the perfect fit at the front door, at the entrance, on the fence, or in the stairwell. It can be used alone or with several placed side by side.

Get more information about the Scorpius series on p. 370




# Helix series



HELIX illuminates outdoor areas with its distinctive design. The screws are visible, and the finish exudes raw confidence. The actual light bulb is hidden from the eye. It comes from below and ensures indirect lighting, which is evenly distributed in the top part of the light.

Danish design by Bønnelycke mdd

Get more information about the Helix series on p. 396




# Fuse series

Fuse is the designer's tribute to the North Sea, with the light's raw look and clean lines. The garden light fixture with mounting spike can be placed and moved quickly and easily. In addition, you can purchase a base plate to transform the light fixture into a floor light to be used on the terrace, for instance.

*Danish design by Bonnelycke mdd*

**DESIGNED FOR  
SEASIDE USE**



Get more information about the Fuse series on p. 398



# Front series

FRONT is designed for the classical mansion as well as the modern home. The fixture is manufactured in cast aluminium, which supports the simple and clear design idiom. This means that FRONT blends naturally into the architecture of the home. It also means that FRONT fulfils the requirements of being a light source, and an atmospheric element, with the utmost ease. An up-to-date solution with energy-efficient LED technology.

Danish design by HolmbäckNordentoft & Sebastian Holmbäck



Get more information about the Front series on p. 342




# Polperro wall

NEW 19/20

Polperro is inspired by harsh coastal areas with roaring seas and tall waves. The maritime design makes Polperro a decorative and classic wall lamp that fits beautifully by the front door, the garage or on the fence. Furthermore, the Polperro can be connected in parallel, making the lamp extremely functional.

**DESIGNED FOR  
SEASIDE USE**



**Natural  
Durable  
Brass**

Get more information about the Polperro series on p. 353




# Helford wall

NEW 19/20


Helford is inspired by the harsh Nordic weather with rough nature and roaring seas.

The maritime design makes Helford a decorative wall lamp which fits beautifully at the front door, the garage or on the fence.


**DESIGNED FOR  
SEASIDE USE**



Natural  
Durable  
Brass with  
Nickel Surface



Get more information about the Helford series on p. 352



3 light effects include




Danish design by  
Bønnelycke mdd



## Canto 2 by Bønnelycke mdd

Wall

- No. 49701001 White
- No. 49701003 Black
- No. 49701010 Grey
- No. 49701031 Galvanized - 15 year anti corrosion guarantee
- No. 49701034 Stainless steel
- No. 49701035 Brass - 15 year anti corrosion guarantee




Master Box qty 3  
Material: Aluminium - Metal - Stainless steel - Brass  
IP44, Class 1  
Customize light effect with beam angle discs  
Fixed LED, Incl. 2x6W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 2x500, Kelvin 2.700,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable




## Canto Maxi 2 by Bønnelycke mdd

Wall

- No. 49721001 White
- No. 49721003 Black
- No. 49721010 Grey
- No. 49721031 Galvanized - 15 year anti corrosion guarantee
- No. 49721034 Stainless steel
- No. 49721035 Brass - 15 year anti corrosion guarantee



Master Box qty 3  
Material: Aluminium - Metal - Stainless steel - Brass  
IP44, Class 1  
GU10, Max. 2X28W, Excl. light source,  
Parallel connection possible



3 light effects include



Danish design by  
Bønnelycke mdd



## Canto Kubi 2 by Bønnelycke mdd

Wall

No. 49711001 White

No. 49711003 Black

No. 49711010 Grey

No. 49711031 Galvanized - 15 year anti corrosion guarantee

No. 49711034 Stainless steel

Master Box qty 3

Material: Aluminium - Metal - Stainless steel

IP44, Class 1

Customize light effect with beam angle discs


Fixed LED, Incl. 2x6W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 290, Kelvin 2.700,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

**NEW**



**Measurements**  
H: 10,4 cm, W: 8,7 cm,  
D: 10 cm



## Canto Maxi Kubi 2 by Bønnelycke mdd

Wall

No. 49731001 White

No. 49731003 Black

No. 49731010 Grey

No. 49731031 Galvanized - 15 year anti corrosion guarantee

Master Box qty 3


Material: Aluminium - Stainless steel

IP44, Class 1


GU10, Max. 2X28W, Excl. light source,

Parallel connection possible

**NEW**



**Measurements**  
H: 17 cm, W: 8,7 cm, D: 10 cm



3 light effects include



Danish design by  
Bønnelycke mdd



5  
YEAR LED  
GUARANTEE



GU10  
REPLACEABLE

## Canto by Bønnelycke mdd

### Wall

- No. 77571001 White
- No. 77571003 Black
- No. 77571010 Grey
- No. 77571031 Galvanized - 15 year anti corrosion guarantee
- No. 77571034 Stainless steel
- No. 77571035 Brass - 15 year anti corrosion guarantee



Master Box qty 3  
Material: Metal - Galvanized steel - Stainless steel - Brass  
IP44, Class 1  
Customize light effect with beam angle discs,  
Fixed LED, Incl. 2x6W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 350, Kelvin 3.000, Candela 150,  
Life hours 25.000, RA 80, Beam angle 110°, Not dimmable  
Fixture energy class A++ - A


## Canto Maxi by Bønnelycke mdd

### Wall

- No. 77561001 White
- No. 77561003 Black
- No. 77561010 Grey
- No. 77561031 Galvanized - 15 year anti corrosion guarantee
- No. 77561034 Stainless steel
- No. 77561035 Brass - 15 year anti corrosion guarantee



Master Box qty 3  
Material: Metal - Galvanized steel - Stainless steel - Brass  
IP44, Class 1,  
Customize light effect with beam angle discs,  
GU10, Max. 2X35W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



3 light effects include



Danish design by  
Bønnelycke mdd




## Canto Kubi by Bønnelycke mdd

Wall

No. 77521001 White  
No. 77521003 Black  
No. 77521010 Grey  
No. 77521031 Galvanized - 15 year anti corrosion guarantee  
No. 77521034 Stainless steel

Master Box qty 3  
Material: Metal - Galvanized steel - Stainless steel  
IP44, Class 1  
Customize light effect with beam angle discs  
Fixed LED, Incl. 2X5W COB,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 2X350, Kelvin 3.000, Candela 150,  
Life hours 25.000, RA 80, Beam angle 110°, Not dimmable  
Fixture energy class A++ - A




**Measurements**  
H: 10,6 cm, W: 8,8 cm, D:  
10 cm  
Base mount: 8 x 10 cm




## Canto Maxi Kubi by Bønnelycke mdd

Wall

No. 77531003 Black/Clear  
Master Box qty 3  
Material: Metal/Glass  
IP44, Class 1,  
Customize light effect with beam angle discs,  
GU10, Max. 2X35W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
H: 17 cm, W: 8,7 cm, D: 10 cm



3 light effects include



Danish design by  
Bønnelycke mdd



## Fold by Bønnelycke mdd

Wall

No. 45401001 White/Clear

No. 45401003 Black/Clear

No. 45401030 Copper/Clear - 15 year anti corrosion guarantee

No. 45401031 Galvanized/Clear - 15 year anti corrosion guarantee

No. 45401039 Brass/Clear - 15 year anti corrosion guarantee

Master Box qty 3

Material: Stainless steel - Copper - Galvanized steel - Metal

IP44, Class 1


Fixed LED, Incl. 2X5W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 2X135, Kelvin 3.000,

Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



## Arki outdoor by Bønnelycke mdd

Wall

No. 75181003 Black/Opal white

No. 75181031 Galvanized/Opal white - 15 year anti corrosion guarantee

Master Box qty 3


Material: Galvanized steel/Plastic

IP54, Class 1

E27, Max. 20W, Excl. light source,



Parallel connection possible,

Fixture energy class A++ - B





Danish design by  
Bønnelycke mdd




## Maze Straight by Bønnelycke mdd

Wall

No. 46871001 White/Opal white  
No. 46871003 Black/Opal white

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
Fixed LED, Incl. 10W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 700, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 18 cm, W: 18 cm, D: 4 cm




## Maze Bended by Bønnelycke mdd

Wall

No. 46881001 White/Opal white  
No. 46881003 Black/Opal white

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
Fixed LED, Incl. 10W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 700, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 18 cm, W: 18 cm, D: 4 cm



Danish design by  
Bjørn + Balle



## Hunt by Bjørn + Balle


### Garden

No. 45448001 White/Opal white  
No. 45448003 Black/Opal white  
No. 45448029 Aluminium/Opal white

Master Box qty 3  
Material: Aluminium/PCA  
IP44, Class 2  
E27, Max. 15W, Excl. light source,  
Parallel connection possible,  
Suitable for Base no. 22039931,  
Fixture energy class A++ - A



**Measurements**  
H: 78 cm, Shade Ø: 19 cm  
Pipe Ø: 9 cm  
Base Ø: 13 cm




## Hunt 19 by Bjørn + Balle

### Wall

No. 45451001 White/Opal white  
No. 45451003 Black/Opal white  
No. 45451029 Aluminium/Opal white

Master Box qty 3  
Material: Aluminium/PCA  
IP44, Class 2  
Cable: Excl. cable  
Fixed LED, Incl. 6W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 170, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 4,3 cm  
Ø: 19 cm




## Hunt 26 by Bjørn + Balle

### Wall

No. 45461001 White/Opal white  
No. 45461003 Black/Opal white  
No. 45461029 Aluminium/Opal white

Master Box qty 3  
Material: Aluminium/PCA  
IP44, Class 2  
Fixed LED, Incl. 10W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 360, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 5,8 cm  
Ø: 26 cm

Danish design by  
Sebastian Holmbäck




## Front Single

by Sebastian Holmbäck  
Wall

No. 46801001 White/Frosted glass  
No. 46801003 Black/Frosted glass

Master Box qty 3  
Material: Aluminium/Glass  
IP44, Class 1  
GU10, Max. 28W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
H: 15,6 cm, D: 17 cm  
Shade Ø: 11,8 cm  
Base mount Ø: 9,1 cm




## Front 26

by HolmbäckNordentoft  
Wall

No. 84081001 White/Opal white  
No. 84081003 Black/Opal white

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 1  
Fixed LED, Incl. 8W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 650, Kelvin 3.000,  
Life hours 25.000, RA 80, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 6,8 cm, W: 26 cm, D: 6,8 cm



## Front 36

by HolmbäckNordentoft  
Wall

No. 84091001 White/Opal white  
No. 84091003 Black/Opal white

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 1  
Fixed LED, Incl. 12W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 850, Kelvin 3.000,  
Life hours 25.000, RA 80, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 6,8 cm, W: 36 cm, D: 6,8 cm



## Akron 11

Wall

No. 46961003 Black/Opal white

Master Box qty 3

Material: Aluminium/Plastic


IP54, Class 1

Fixed LED, Incl. 2X3W LED, 5 year LED guarantee,

Light source: Lumen 2X244, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



### Measurements

H: 10,7 cm, W: 11,5 cm,  
D: 5,2 cm  
Base mount: 8,5 x 5,5 cm



## Artego

Wall

No. 46941003 Black/Opal white

Master Box qty 3

Material: Aluminium/Plastic

IP54, Class 1


Fixed LED, Incl. 8W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 468, Kelvin 3.000,

Life hours 20.000, RA 82, Beam angle 120°, Not dimmable

Fixture energy class A



**Measurements**  
D: 5 cm  
Shade Ø: 15 cm



## Akron 17

Wall

No. 46971003 Black/Opal white

Master Box qty 3

Material: Aluminium/Plastic


IP54, Class 1

Fixed LED, Incl. 2x6W LED, 5 year LED guarantee,

Light source: Lumen 460, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



### Measurements

H: 10,7 cm, W: 17,5 cm, D:  
5,2 cm  
Base mount: 14,5 x 5,5 cm

## Artego

Wall

No. 46951003 Black/Opal white

Master Box qty 3

Material: Aluminium/Plastic

IP54, Class 1


Fixed LED, Incl. 8W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 484, Kelvin 3.000,

Life hours 20.000, RA 81, Beam angle 120°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
H: 15 cm, W: 15 cm, D: 5 cm



## Nestor

Garden


No. 49041003 Black

Master Box qty 3  
Material: Aluminium/Plastic

IP44, Class 1

Fixed LED,

Parallel connection possible, 5 year LED guarantee,  
Light source: Kelvin, Not dimmable



NEW

**Measurements**  
H: 22,1 cm, W: 14,7 cm,  
D: 8,7 cm



## Nestor sensor

Garden


No. 49051503 Black

Master Box qty 3  
Material: Aluminium/Plastic

IP44, Class 1

Fixed LED,

Parallel connection possible, 5 year LED guarantee,  
Light source: Kelvin, Not dimmable



NEW

**Measurements**  
H: 22,1 cm, W: 14,7 cm,  
D: 8,7 cm

**Sensor:** Adjustable sensor  
Time 8 sec. - 12 min.  
Lux 0 - 1000  
Angle 120°  
Manual override mode 5 hours



When darkness falls, the light automatically comes on with a soft twilight lighting

When movement is detected, the full light is triggered




## Egon

Garden

No. 49061003 Black/White


Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
Fixed LED, 5 year LED guarantee  
Parallel connection possible,  
Light source: Kelvin, RA 80, Not dimmable

**NEW**



**Measurements**  
H: 17,5 cm, W: 13 cm,  
D: 5,6 cm

**Sensor:** Adjustable sensor  
Time 5 sec. - 15 min.  
Sens 0 m - 8 m  
Lux 10 - 2000  
Angle 110°  
Manual override mode min. 3 hours



## Concordia

Garden

No. 49018050 Anthracite/Clear

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
GU10, Max. 28W,  
Parallel connection possible,  
Suitable for Base no. 22039931

**NEW**



**Measurements**  
H: 100 cm, Ø: 15 cm



## Galvanization - designed for seaside use

Galvanizing is a chemical process, where acid cleaned steel is dipped into 460°C melted zinc. When the steel is dipped into the melted zinc, a chemical reaction between the metals occur, where the zinc in a way rusts and form a surface alloy that protects the steel against outside elements that normally would cause rust. This process makes Nordlux's galvanized products durable and a natural product as it is created of natural materials and metals.



Nature is beautiful - but it can also be rough. Crashing waves, wind, salt and especially sand can be a challenge for your home and your outdoor lighting. For Danish Nordlux, this beautiful but harsh nature and weather is part of everyday life.

We therefore strive to produce lamps created from natural materials which are also resistant and durable, year after year, in relentless weather and nature. Brass, copper, nickel and anel corten come together to create a beautiful symphony of products which can withstand the harsh weather and simultaneously age gracefully over time, without deteriorating.

You will also find galvanized steel in the series of resilient materials, which is a speciality of Nordlux's. Therefore, our range of outdoor lamps is broadest in this area. We appreciate the material's great potential, which allows us to offer better and more durable lamps to as many people as possible - in coastal areas and in cities.

Galvanized steel is one of the preferred materials for outdoor products at Nordlux. This is particularly due to the beautiful appearance the product takes on, but also due to it being one of the most robust materials we can use.

The quality of the galvanizing is a great priority at Nordlux and therefore, it is worth knowing what it means, when a lamp is galvanized.

At Nordlux we recommend galvanized lamps for most outdoor environments. Due to the chemical process, all our galvanized lamps are durable and resistant towards the elements, which means that galvanized lamps are advantageous near the shore. When you purchase a galvanized lamp, it will have a glossy surface. The surface will over time take on a beautifully flat and rustic appearance, as the natural and living material moves and changes continuously.

A galvanized lamp generally does not require any maintenance. Yet, it is recommended orldux, especially in areas near the coast, to frequently wash the lamp with warm water and a soft brush, to remove salt and in that way achieve the longest possible lifetime.

As the lamp is manually dipped in the melted zinc, there can be variations in the surface in the shape of an uneven surface or minor formations of drops that will be evened out after a few years of exposure. In addition, the galvanizing process can also leave thin 'zinc curtains' hanging from the edge of the shade.




## Helford

Wall

No. 49031035 Brass/Frosted glass  
No. 49031055 Nickel/Frosted glass

Master Box qty 3  
Material: Brass/Glass  
IP64, Class 1  
E27, Max. 12,5W, Excl. light source,  
15 year anti corrosion guarantee,

NEW



**Measurements**  
W: 12,5 cm, L: 19 cm  
D: 11 cm




## Polperro

Wall

No. 49021035 Brass/Frosted glass  
No. 49021055 Nickel/Frosted glass

Master Box qty 3  
Material: Brass/Glass  
IP64, Class 1  
E27, Max. 12,5W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,

NEW



**Measurements**  
D: 9,3 cm  
Ø: 19,5 cm, Shade Ø: 18 cm  
Base mount Ø: 12 cm




## Agger

Wall

No. 74481031 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Glass  
IP54, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
H: 20 cm, D: 29,5 cm  
Shade Ø: 25,5 cm  
Base mount Ø: 11 cm



## Agger


Garden

No. 74528031 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Glass  
IP54, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Suitable for Base no. 22039931,  
Fixture energy class A++ - D



**Measurements**  
H: 83 cm, Shade Ø: 26 cm  
Pipe Ø: 3,8 cm  
Base Ø: 15 cm




## Agger Sensor


Wall

No. 74501031 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Glass  
IP54, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
H: 20 cm, D: 29,5 cm  
Shade Ø: 25,5 cm  
Base mount Ø: 11 cm




## Virum

Wall

No. 24111031 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Glass  
IP44, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
H: 22 cm, D: 38 cm  
Shade Ø: 32 cm  
Base mount Ø: 10,5 cm




## Amalienborg

Wall

No. 10600219 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Glass  
IP54, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
H: 26 cm, D: 37,5 cm  
Shade Ø: 32,5 cm  
Base mount Ø: 11,5 cm




## Fredensborg

Wall

No. 10610119 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Plastic  
IP54, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
H: 25,5 cm, D: 27 cm  
Shade Ø: 24 cm  
Base mount Ø: 10 cm




## Amalienborg

Garden

No. 10600319 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Glass  
IP54, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Suitable for Base no. 22039931,  
Fixture energy class A++ - D



**Measurements**  
H: 92 cm, Shade Ø: 32,5 cm  
Pipe Ø: 5 cm  
Base Ø: 15 cm




## Fredensborg

Garden

No. 10620119 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Plastic  
IP54, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Suitable for Base no. 22039931,  
Fixture energy class A++ - D



**Measurements**  
H: 87 cm, Shade Ø: 24 cm  
Pipe Ø: 5 cm  
Base Ø: 15 cm





## Blokhus

### Garden

No. 25078030 Copper/Clear - 15 year anti corrosion guarantee  
No. 25078031 Galvanized/Clear - 15 year anti corrosion guarantee  
No. 25078034 Stainless steel/Clear

Master Box qty 3  
Material: Copper/Glass - Galvanized steel/Glass - Stainless steel/Glass  
IP54, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Suitable for Base no. 22039931,  
Fixture energy class A++ - D




## Blokhus Sensor

### Wall

No. 25031003 Black/Clear  
No. 25031030 Copper/Clear - 15 year anti corrosion guarantee  
No. 25031031 Galvanized/Clear - 15 year anti corrosion guarantee  
No. 25031034 Stainless steel/Clear

Master Box qty 3  
Material: Galvanized steel/Glass -  
Copper/Glass - Stainless steel/Glass  
IP54, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D




## Blokhus

### Wall

No. 25011003 Black/Clear  
No. 25011030 Copper/Clear - 15 year anti corrosion guarantee  
No. 25011031 Galvanized/Clear - 15 year anti corrosion guarantee  
No. 25011034 Stainless steel/Clear

Master Box qty 3  
Material: Galvanized steel/Glass - Copper/Glass - Stainless steel/Glass  
IP54, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D




## Blokhus

### Wall

No. 25051031 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Glass  
IP54, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D






## Vejers

Wall

No. 25091001 White/Clear  
No. 25091003 Black/Clear  
No. 25091031 Galvanized/Clear - 15 year anti corrosion guarantee  
No. 25091034 Stainless steel/Clear


Master Box qty 3  
Material: Galvanized steel/Glass - Stainless steel/Glass  
IP54, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



## Vejers Sensor

Wall

No. 25101003 Black/Clear  
No. 25101031 Galvanized/Clear - 15 year anti corrosion guarantee  
Master Box qty 3  
Material: Galvanized steel/Glass  
IP54, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D




## Vejers

Garden

No. 25118003 Black/Clear  
No. 25118031 Galvanized/Clear - 15 year anti corrosion guarantee  
No. 25118034 Stainless steel/Clear


Master Box qty 3  
Material: Galvanized steel/Glass - Stainless steel/Glass  
IP54, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Suitable for Base no. 22039931,  
Fixture energy class A++ - D



## Vejers 2M

Garden

No. 25168031 Galvanized/Clear  
Master Box qty 2  
Material: Galvanized steel/Glass  
IP54, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Suitable for Base no. 22039931,  
Fixture energy class A++ - D





## Vejers

Wall

No. 74461031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass


IP54, Class 1

E27, Max. 60W, Excl. light source,


Parallel connection possible,

15 year anti corrosion guarantee,

Fixture energy class A++ - D



**Measurements**  
H: 23 cm, D: 26 cm  
Shade Ø: 22 cm  
Base mount Ø: 9,5 cm



## Venø

Wall

No. 10600619 Galvanized/Clear

No. 10600625 Copper/Clear

Master Box qty 3

Material: Galvanized steel/Plastic - Copper/Plastic


IP54, Class 1

E27, Max. 60W, Excl. light source,

Parallel connection possible,

15 year anti corrosion guarantee,

Fixture energy class A++ - D



**Measurements**  
H: 26 cm, D: 40 cm  
Shade Ø: 35 cm  
Base mount Ø: 11,7 cm



## Venø

Garden

No. 10600719 Galvanized/Clear

No. 10600725 Copper/Clear

Master Box qty 3

Material: Galvanized steel/Plastic - Copper/Plastic

IP54, Class 2


E27, Max. 60W, Excl. light source,

Parallel connection possible,

15 year anti corrosion guarantee,

Suitable for Base no. 22039931,

Fixture energy class A++ - D



**Measurements**  
H: 93 cm, Shade Ø: 35 cm  
Pipe Ø: 5 cm  
Base Ø: 14,5 cm



## Vejers

Wall

No. 74471003 Black/Clear

Master Box qty 3


Material: Galvanized steel/Glass

IP54, Class 1

E27, Max. 60W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



**Measurements**  
H: 23 cm, D: 26 cm  
Shade Ø: 22 cm  
Base mount Ø: 9,5 cm




## Lønstrup 32

Wall

No. 71411001 White/Clear  
No. 71411003 Black/Clear  
No. 71411031 Galvanized/Clear - 15 year anti corrosion guarantee

Master Box qty 3  
Material: Galvanized steel/Glass  
IP44, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
H: 28,5 cm, D: 36 cm  
Shade Ø: 32 cm  
Pipe Ø: 1,9 cm  
Base mount Ø: 10,8 cm




## Lønstrup 22

Wall

No. 71431003 Black/Clear  
No. 71431031 Galvanized/Clear - 15 year anti corrosion guarantee

Master Box qty 3  
Material: Galvanized steel/Glass  
IP44, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
H: 26,5 cm, D: 26,5 cm  
Shade Ø: 22 cm  
Pipe Ø: 1,9 cm  
Base mount Ø: 9,4 cm




## Lønstrup 32 Sensor


Wall

No. 71412031 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Glass  
IP44, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
H: 28,5 cm, D: 36 cm  
Shade Ø: 32 cm  
Pipe Ø: 1,9 cm  
Base mount Ø: 10,8 cm  
**Sensor:** Pre-defined sensor mode  
100-110°, Lights for 1 minute  
Manual override mode: 5 hours




## Lønstrup 22 Sensor


Wall

No. 71432031 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Glass  
IP44, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
H: 26,5 cm, D: 26,5 cm  
Shade Ø: 22 cm  
Pipe Ø: 1,9 cm  
Base mount Ø: 9,4 cm






## Lønstrup 32

Garden

No. 71428001 White/Clear  
No. 71428003 Black/Clear  
No. 71428031 Galvanized/Clear - 15 year anti corrosion guarantee

Master Box qty 3  
Material: Galvanized steel/Glass  
IP44, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Suitable for Base no. 22039931,  
Fixture energy class A++ - D



**Measurements**  
H: 116 cm, Shade Ø: 32 cm  
Pipe Ø: 5 cm  
Base Ø: 15 cm




## Luxembourg

Wall

No. 22671003 Black/Clear  
No. 22671009 Rusty/Clear  
No. 22671030 Copper/Clear - 15 year anti corrosion guarantee  
No. 22671031 Galvanized/Clear - 15 year anti corrosion guarantee

Master Box qty 3  
Material: Galvanized steel/Glass - Copper/Glass  
IP54, Class 2  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
H: 27 cm, D: 39 cm  
Shade Ø: 26 cm  
Base mount Ø: 11,5 cm




## Luxembourg Sensor


Wall

No. 22661031 Galvanized/Clear

Master Box qty 3  
Material: Galvanized steel/Glass  
IP54, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
H: 27 cm, D: 47 cm  
Shade Ø: 26 cm  
Base mount Ø: 11,5 cm  
**Sensor:** Pre-defined sensor mode  
100-110°, Lights for 1 minute  
Manual override mode: 5 hours




## Luxembourg

Pendant

No. 72805009 Rusty/Clear - Black cable

Master Box qty 3  
Material: Galvanized steel/Glass  
IP23, Class 2  
Cable: 110 cm  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Canopy**  
Brown Galvanized Steel  
Ø: 10,9 cm  
H: 2,15 cm  
**Measurements**  
H: 24 cm, Shade Ø: 27,5 cm  
Base mount Ø: 11 cm




## Phoenix


Wall

No. 24381030 Copper/Satinated  
No. 24381031 Galvanized/Satinated

Master Box qty 2  
Material: Copper/Plastic - Galvanized steel/Plastic  
IP54, Class 2  
E27, Max. 16W,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
H: 22 cm, D: 42,5 cm  
Shade Ø: 39 cm  
Base mount Ø: 11,7 cm




## Phoenix Mini

Wall

No. 24421030 Copper/Satinated  
No. 24421031 Galvanized/Satinated

Master Box qty 3  
Material: Copper/Plastic - Galvanized steel/Plastic  
IP54, Class 2  
E27, Max. 16W, Incl. 14W E27,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Light source: Lumen 799, Kelvin 2.700,  
Life hours 10.000, RA 80, Beam angle 270°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - D



**Measurements**  
H: 24 cm, D: 34,5 cm  
Shade Ø: 30,5 cm  
Base mount Ø: 11,5 cm



## Phoenix Mini

Garden

No. 24448030 Copper/Satinated  
No. 24448031 Galvanized/Satinated

Master Box qty 3  
Material: Copper/Plastic - Galvanized steel/Plastic  
IP54, Class 2  
E27, Max. 16W, Incl. 14W E27,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Suitable for Base no. 22039931,  
Light source: Lumen 799, Kelvin 2.700,  
Life hours 10.000, RA 80, Beam angle 270°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - D



**Measurements**  
H: 113 cm, Shade Ø: 30,5 cm  
Pipe Ø: 5 cm  
Base Ø: 14,5 cm




## Nibe

Wall

No. 24981030 Copper/Clear  
No. 24981031 Galvanized/Clear

Master Box qty 6  
Material: Copper/Glass - Galvanized steel/Glass  
IP54, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
H: 24 cm, D: 34 cm  
Shade Ø: 27,5 cm  
Base mount Ø: 10,8 cm



## Bowler


Wall

No. 28601131 Galvanized/Satinated

Master Box qty 3

Material: Galvanized steel/Plastic  
IP44, Class 1

E27, Max. 60W, Incl. 14W E27,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Light source: Lumen 799, Kelvin 2.700,  
Life hours 10.000, RA 80, Beam angle 270°, Not dimmable  
Light source energy class A  
Fixture energy class A++ - B



**Measurements**  
H: 13 cm, W: 26 cm,  
D: 14,5 cm



## Scorpius

Wall

No. 21651001 White/Satinated

No. 21651003 Black/Satinated

No. 21651030 Copper/Satinated - 15 year anti corrosion guarantee

No. 21651031 Galvanized/Satinated - 15 year anti corrosion guarantee

Master Box qty 6


Material: Galvanized steel/Plastic - Copper/Plastic

IP23, Class 1

E14, Max. 40W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



**Measurements**  
H: 10 cm, W: 20 cm, D: 10 cm



## Scorpius Maxi

Wall

No. 21751001 White/Satinated

No. 21751003 Black/Satinated

No. 21751030 Copper/Satinated - 15 year anti corrosion guarantee

No. 21751031 Galvanized/Satinated - 15 year anti corrosion guarantee

Master Box qty 3


Material: Galvanized steel/Plastic - Copper/Plastic

IP23, Class 1

E27, Max. 60W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



**Measurements**  
H: 14 cm, W: 27 cm, D: 14,5 cm



## Scorpius Maxi

Garden

No. 21769931 Galvanized

Master Box qty 3

Material: Galvanized steel

Parallel connection possible,

15 year anti corrosion guarantee



**Measurements**  
H: 100 cm, W: 26 cm, Pipe Ø: 3,2 cm



## Tin

Wall

No. 21269903 Black/Clear

No. 21269930 Copper/Clear - 15 year anti corrosion guarantee


Master Box qty 3

Material: Metal/Glass - Copper/Glass

IP54, Class 1

GU10, Max. 35W, Excl. light source,

Fixture energy class A++ - D



### Measurements

H: 12 cm, D: 11,5 cm  
Ø: 6 cm, Base mount: 3,1 x 9,3 cm



## Tin Sensor

Wall

No. 21279934 Stainless steel/Clear


Master Box qty 3

Material: Stainless steel/Glass

IP54, Class 1


GU10, Max. 2X35W, Excl. light source,

Fixture energy class A++ - D



### Measurements

H: 22 cm, W: 6 cm, D: 10,5 cm  
Base mount: 5,9 x 15,2 cm



**Sensor:** Adjustable sensor  
Time: 10 sec. - 5 min.  
Lux: 10-2000 and sensitivity  
Angle 110°



## Tin

Wall

No. 21279134 Stainless steel/Clear

No. 21279903 Black/Clear

No. 21279930 Copper/Clear - 15 year anti corrosion guarantee


Master Box qty 3

Material: Stainless steel/Glass - Metal/Glass - Copper/Glass

IP54, Class 1

GU10, Max. 2X35W, Excl. light source,

Fixture energy class A++ - D



### Measurements

H: 17 cm, D: 10,5 cm  
Ø: 6 cm, Base mount: 3,6 x 9,8 cm



## Tin Maxi

Wall

No. 21509901 White/Clear

No. 21509903 Black/Clear

No. 21509929 Aluminium/Clear


Master Box qty 3

Material: Metal/Glass

IP54, Class 1

GU10, Max. 35W, Excl. light source,

Fixture energy class A++ - D



### Measurements

H: 10,5 cm, W: 7,6 cm, D: 12,5 cm  
Base mount: 4,3 x 7,4 cm




## Tin Maxi Sensor


Wall

No. 21509103 Black/Clear  
No. 21509129 Aluminium/Clear

Master Box qty 3  
Material: Metal/Glass  
IP54, Class 1  
GU10, Max. 35W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D




**Measurements**  
H: 16 cm, D: 12,5 cm  
Ø: 7,6 cm, Base mount: 6,6  
x 16 cm



## Tin Maxi

Wall

No. 21519901 White/Clear  
No. 21519903 Black/Clear  
No. 21519929 Aluminium/Clear  
No. 21519934 Stainless steel/Clear  
  
Master Box qty 3  
Material: Metal/Glass - Stainless steel/Glass  
IP54, Class 1  
GU10, Max. 2X35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 19 cm, D: 12,5 cm  
Ø: 7,6 cm, Base mount: 4 x  
7 cm




## Tin Maxi Sensor


Wall

No. 21519103 Black/Clear  
No. 21519129 Aluminium/Clear

Master Box qty 3  
Material: Aluminium/Glass  
IP54, Class 1  
GU10, Max. 2X35W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D




**Measurements**  
H: 22 cm, D: 12,5 cm  
Ø: 7,6 cm, Base mount: 7,3  
x 16 cm



## Can Maxi

Wall

No. 28819929 Aluminium/Clear  
  
Master Box qty 3  
Material: Aluminium/Glass  
IP54, Class 1  
GU10, Max. 2X35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 23 cm, D: 12,5 cm  
Ø: 7,5 cm, Base mount: 7,5X4,5  
cm



## Castor Maxi

Wall

No. 71371131 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 1


GU10, Max. 4,6W, Incl. 3W LED,  
Parallel connection possible,

15 year anti corrosion guarantee,  
Light source: Lumen 200, Kelvin 2.700, Candela 90,

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D



### Measurements

H: 12,5 cm, D: 12,5 cm  
Ø: 7,5 cm, Base mount: 8 x 4 cm



## Malte

Wall


No. 21861031 Galvanized/Satinated

Master Box qty 3

Material: Galvanized steel/Plastic

IP54, Class 1

E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
D: 9,5 cm  
Ø: 24 cm



## Castor Maxi

Wall

No. 71381131 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 1


GU10, Max. 2X4,6W, Incl. 2X3W LED,  
Parallel connection possible,

15 year anti corrosion guarantee,  
Light source: Lumen 2X200, Kelvin 2.700, Candela 90,

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D



### Measurements

H: 20,5 cm, D: 12,5 cm  
Ø: 7,5 cm, Base mount: 8 x 4 cm



## Malte

Wall


No. 21841031 Galvanized/Satinated

Master Box qty 3

Material: Galvanized steel/Plastic

IP54, Class 1

E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D



**Measurements**  
D: 9,5 cm  
Ø: 24 cm



## Avon

Wall

No. 84111003 Black

Master Box qty 3

Material: Metal

IP44, Class 1

Fixed LED, Incl. 5W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 210, Kelvin 3.000,

Life hours 25.000, RA 80, Beam angle 180°, Not dimmable

Fixture energy class A++ - A



### Measurements

H: 4 cm, W: 15 cm, D: 15 cm

Base mount: 3,7 x 14,7 cm



## Arn

Wall

No. 45471001 White/Clear

No. 45471003 Black/Clear

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 1

GU10, Max. 28W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



**Measurements**  
H: 17,5 cm, W: 10,5 cm,  
D: 11 cm  
Base mount: 9 x 12 cm



## Avon

Garden

No. 84128003 Black

Master Box qty 3

Material: Metal

IP44, Class 2

Fixed LED, Incl. 5W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 210, Kelvin 3.000,

Life hours 25.000, RA 80, Beam angle 180°, Not dimmable

Fixture energy class A++ - A



### Measurements

H: 45 cm, W: 4 cm, D: 15 cm



## Arn

Wall

No. 45481001 White/Clear

No. 45481003 Black/Clear

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 1

GU10, Max. 2X28W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



**Measurements**  
H: 22,5 cm, W: 10,5 cm, D:  
11 cm  
Base mount: 9 x 12 cm



## Birk

### Wall

No. 45521001 White/Clear

No. 45521003 Black/Clear

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 1

GU10, Max. 28W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



**Measurements**  
H: 17,2 cm, D: 15,5 cm  
Ø: 9 cm, Pipe Ø: 3 cm  
Base mount Ø: 11 cm



## Birk

### Garden

No. 45518001 White/Clear

No. 45518003 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic


IP44, Class 2

E27, Max. 40W, Excl. light source,

Parallel connection possible,

Suitable for Base no. 22039931,

Fixture energy class A++ - D



**Measurements**  
H: 23,5 cm, D: 15,5 cm  
Ø: 9 cm, Pipe Ø: 3 cm  
Base mount Ø: 11 cm

## Birk

### Wall

No. 45501001 White/Clear

No. 45501003 Black/Clear

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 1

GU10, Max. 2X28W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



**Measurements**  
H: 80 cm, Ø: 9 cm, Base Ø:  
13,2 cm



## Elm

### Wall

No. 45321003 Black/Clear

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 1

GU10, Max. 20W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



#### Measurements

H: 18 cm, W: 11 cm, D: 15,5 cm



## Elm

### Garden

No. 45348003 Black/Clear

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 2

E27, Max. 40W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



**Measurements**  
H: 80 cm, W: 13 cm



## Elm

### Wall

No. 45331003 Black/Clear

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 1

GU10, Max. 2X20W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



#### Measurements

H: 23,5 cm, W: 11 cm, D: 15,5 cm  
Pipe Ø: 2,9 cm




## Dalton

Wall

No. 46901003 Black/Clear

Master Box qty 3  
Material: Stainless steel/Glass  
IP44, Class 1  
E27, Max. 40W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
H: 29,6 cm, W: 20 cm,  
D: 24,8 cm




## Asbol

Wall

No. 84971003 Black/Clear

Master Box qty 6  
Material: Aluminium/Glass  
IP44, Class 1  
USB power outlet  
Fixed LED, Incl. 2X5W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 2X370, Kelvin 3.000, Candela 182,  
Life hours 15.000, RA 80, Beam angle 97°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 15 cm, W: 6,7 cm, D: 9,5 cm  
Base mount: 5,5 x 14 cm




## Bell

Wall

No. 76391003 Black/Satinated

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
E27, Max. 15W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
H: 15 cm, D: 24,5 cm  
Shade Ø: 20 cm  
Base mount: 9,5 x 6 cm




## Aspen

Wall

No. 46981003 Black/Opal white

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
Fixed LED, Incl. 6W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 300, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 170°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 20 cm, W: 11 cm, D: 6,3 cm



## Delta Mini

Wall

No. 873923 Black/Clear

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 1

E27, Max. 60W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



### Measurements

H: 16 cm, W: 16 cm, D: 16,6 cm

Base mount: 16 x 16 cm

\*Only for Scandinavia, Lihuania, Estonia and Latvia



## Delta

Wall

No. 873023 Black/Clear

No. 873031 White/Clear

No. 873063 Anthracite/Clear

Master Box qty 3


Material: Aluminium/Plastic

IP54, Class 1

E27, Max. 75W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



### Measurements

H: 21 cm, W: 21 cm, D: 21 cm

Base mount: 21 x 21 cm



## City

Wall

No. 881123 Black/Clear

No. 881163 Anthracite/Clear

Master Box qty 3

Material: Metal/Plastic

IP44, Class 2

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



### Measurements

H: 35 cm, W: 12 cm, D: 11 cm

\*Only for Scandinavia, Lihuania, Estonia and Latvia

\*Only for Scandinavia, Lihuania, Estonia and Latvia




## FOCUS

Wall

No. 874023 Black/Clear  
No. 874031 White/Clear  
No. 874063 Anthracite/Clear  
No. 874093 Aluminium/Clear

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 1  
GU10, Max. 2X35W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
H: 23,5 cm, W: 11 cm, D:  
11 cm  
Base mount: 15 x 11 cm

\*Only for Scandinavia, Lihuania, Estonia and Latvia




## FOCUS

Wall

No. 874123 Black/Clear  
No. 874131 White/Clear  
No. 874163 Anthracite/Clear  
No. 874193 Aluminium/Clear

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 1  
GU10, Max. 35W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
H: 15 cm, W: 11 cm, D: 11 cm  
Base mount: 15 x 11 cm

\*Only for Scandinavia, Lihuania, Estonia and Latvia




## FOCUS

Plafond

No. 874223 Black/Clear  
No. 874231 White/Clear  
No. 874263 Anthracite/Clear

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 1  
GU10, Max. 35W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
D: 10,5 cm  
Shade Ø: 10 cm

\*Only for Scandinavia, Lihuania, Estonia and Latvia



## Focus 37

Garden

No. 874523 Black/Clear

No. 874563 Anthracite/Clear


Master Box qty 2

Material: Metal/Plastic

IP44, Class 1

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



## Focus 65

Garden

No. 874823 Black/Clear

No. 874863 Anthracite/Clear


Master Box qty 2

Material: Metal/Plastic

IP44, Class 1

E27, Max. 60W, Excl. light source,

Fixture energy class A++ - D



\*Only for Scandinavia, Lihuania, Estonia and Latvia

\*Only for Scandinavia, Lihuania, Estonia and Latvia



## Darwin

Wall

No. 71971003 Black/Opal white

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 1

E27, Max. 18W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - B



### Measurements

H: 24 cm, W: 11 cm, D: 15 cm  
Ø: 9 cm, Base mount Ø: 11 cm



## Darwin Sensor

Wall

No. 71972003 Black/Opal white

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 1

E27, Max. 18W, Excl. light source,


Parallel connection possible,

Fixture energy class A++ - B



### Measurements

H: 24 cm, W: 11 cm, D: 15 cm  
Ø: 9 cm, Base mount Ø: 11 cm



**Sensor:** Adjustable sensor  
Time 10 sec. - 4 min.  
Angle 90°.  
Lights 1 min.  
Manual override mode min. 3 hours

## Darwin

Garden

No. 71988003 Black/Opal white

No. 71988031 Galvanized/Opal white - 15 year anti corrosion guarantee

Master Box qty 3

Material: Aluminium/Plastic - Galvanized steel/Plastic

IP44, Class 2

E27, Max. 18W, Excl. light source,

Parallel connection possible,

Suitable for Base no. 22039931,

Fixture energy class A++ - B



**Measurements**  
H: 80 cm, Ø: 9 cm, Base Ø:  
13 cm




## Norma

Wall

No. 77611010 Grey/Clear

Master Box qty 3  
Material: Metal/Glass  
IP54, Class 1  
Fixed LED, Incl. 2X3W LED, 5 year LED guarantee,  
Light source: Lumen 2X166, Kelvin 3.000,  
Life hours 20.000, RA 82, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 17,2 cm, W: 7,9 cm, D:  
10,8 cm  
Base mount: 16 x 6,5 cm




## Rold

Wall

No. 84151003 Black/Clear

Master Box qty 3  
Material: Metal/Glass  
IP44, Class 1  
Cable: Excl. cable  
Fixed LED, Incl. 2X5W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 2X375, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 125°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 16 cm, W: 9 cm, D: 5,5 cm  
Base mount: 8 x 14,3 cm



## Tamar Clips


Wall

No. 872223 Black  
No. 872263 Anthracite

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 1  
Fixed LED, Incl. 12W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 500, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 320°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 23 cm, W: 21 cm, D: 5,2 cm



**Measurements**  
H: 16 cm, W: 9 cm, D: 5,5 cm  
Base mount: 8 x 14,3 cm

## Rold

Wall

No. 84141003 Black/Clear

Master Box qty 3  
Material: Metal/Glass  
IP44, Class 1  
Fixed LED, Incl. 2X5W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 2X375, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 125°, Not dimmable  
Fixture energy class A++ - A



Danish design by  
Børnelycke mdd



## **Helix** by Børnelycke mdd

Wall

No. 77471031 Galvanized/Clear - 15 year anti corrosion guarantee

No. 77471038 Corten/Clear - 15 year anti corrosion guarantee

Master Box qty 3

Material: Galvanized steel/Plastic - Corten/Plastic

IP44, Class 1

GU10, Max. 8W SMD LED, Incl. 5W LED SMD,


Parallel connection possible,

Light source: Lumen 390, Kelvin 2.700, Candela 650,

Life hours 15.000, RA 80, Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A



## **Helix** by Børnelycke mdd

Garden

No. 77498031 Galvanized/Clear - 15 year anti corrosion guarantee

No. 77498038 Corten/Clear - 15 year anti corrosion guarantee

Master Box qty 2

Material: Galvanized steel/Plastic - Corten/Plastic

IP44, Class 2

GU10, Max. 8W SMD LED, Incl. 5W LED SMD,

Parallel connection possible,


Suitable for Base no. 22039931,

Light source: Lumen 390, Kelvin 2.700, Candela 650,

Life hours 15.000, RA 80, Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A





## Fuse by Bønnelycke mdd Garden

No. 77518031 Galvanized - Black cable

Master Box qty 1  
Material: Galvanized steel/Glass  
IP44, Class 2  
Cable: 500 cm  
E27, Max. 60W, Excl. light source,  
15 year anti corrosion guarantee,  
Fixture energy class A++ - D




**Measurements**  
H: 165 cm, Shade Ø: 35 cm  
Pipe Ø: 2,5 cm



## Fuse Base by Bønnelycke mdd Garden

No. 77509931 Galvanized

Master Box qty 3  
Material: Galvanized steel  
15 year anti corrosion guarantee



**Measurements**  
H: 35 cm, Pipe Ø: 2 cm  
Base Ø: 35 cm



Danish design by  
Bønnelycke mdd




## Marina Flatline

Wall

No. 46831001 White/Opal white  
No. 46831003 Black/Opal white

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
Fixed LED, Incl. 10W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 750, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 20 cm, W: 13,5 cm,  
D: 18 cm  
Base mount: 8,8 x 8,9 cm  
**Sensor:** Adjustable sensor  
Time 5 sec. - 14 min.  
Angle 120  
Manual override  
mode min. 3 hours




## Marina Flatline

Wall

No. 46821001 White/Opal white  
No. 46821003 Black/Opal white

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
Fixed LED, Incl. 10W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 750, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 20 cm, W: 13,5 cm,  
D: 18 cm  
Base mount: 8,8 x 8,9 cm




## Marina Flatline Twilight

Wall

No. 46841001 White/Opal white  
No. 46841003 Black/Opal white

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
Fixed LED, Incl. 10W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 750, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 20 cm, W: 13,5 cm,  
D: 18 cm  
Base mount: 8,8 x 8,9 cm  
**Twilight switch**  
Turn on light Level:  
<60 Lux  
Turn off light Level:  
<110 Lux




## Kinver

Wall

No. 84181001 White  
No. 84181003 Black

Master Box qty 3  
Material: Metal  
IP54, Class 1  
Fixed LED, Incl. 2x6W LED, 5 year LED guarantee,  
Light source: Lumen 570, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 9 cm, W: 17,5 cm, D: 3 cm  
Base mount: 14,5 x 5,5 cm



## Mino

Wall

No. 879623 Black

Master Box qty 2

Material: Aluminium

IP54, Class 1


Fixed LED, Incl. 7W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 650, Kelvin 3.000, Candela 326,

Life hours 30.000, RA 80, Beam angle 27°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 16 cm  
Ø: 9 cm, Base mount Ø: 8,7 cm



## Mino 45

Garden

No. 879723 Black

Master Box qty 2

Material: Aluminium

IP54, Class 1

Incl. Base

Fixed LED, Incl. 7W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 650, Kelvin 3.000, Candela 326,

Life hours 30.000, RA 80, Beam angle 27°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
H: 45 cm, Ø: 9 cm



**Measurements**  
H: 70 cm, Ø: 9 cm

## Mino 70

Garden

No. 879823 Black

Master Box qty 2

Material: Aluminium

IP54, Class 1

Incl. Base

Fixed LED, Incl. 7W LED,

Parallel connection possible, 5 year LED guarantee,

Light source: Lumen 650, Kelvin 3.000, Candela 326,

Life hours 30.000, RA 80, Beam angle 27°, Not dimmable

Fixture energy class A++ - A



## Momento

Wall

No. 871123 Black/Clear

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 1

GU10, Max. 6W SMD LED, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - A



**Measurements**

H: 15,5 cm, W: 29,5 cm, D:  
9,5 cm



## Momento

Wall

No. 871023 Black/Clear

Master Box qty 3


Material: Aluminium/Plastic

IP44, Class 1

GU10, Max. 6W SMD LED, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - A



**Measurements**

H: 21,5 cm, W: 15 cm, D:  
8,2 cm

## Momento

Garden

No. 871423 Black/Clear

Master Box qty 2


Material: Aluminium/Plastic

IP44, Class 1

GU10, Max. 6W SMD LED, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - A



**Measurements**

H: 70,8 cm, Ø: 13,8 cm, Base  
Ø: 22 cm



## Moon

Wall

No. 83571001 White/Opal white

Master Box qty 3

Material: Plastic


IP65, Class 2

Fixed LED, Incl. 20W LED, 5 year LED guarantee,

Light source: Lumen 1.600, Kelvin 2.700, Candela 500,

Life hours 25.000, RA 80, Beam angle 100°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
D: 8 cm  
Shade Ø: 22,1 cm  
Base mount Ø: 21,1 cm



## Moon

Wall

No. 83581001 White/Opal white

Master Box qty 3

Material: Plastic


IP65, Class 2

Fixed LED, Incl. 20W LED, 5 year LED guarantee,

Light source: Lumen 1.600, Kelvin 2.700, Candela 500,

Life hours 25.000, RA 80, Beam angle 100°, Not dimmable

Fixture energy class A++ - A



**Measurements**  
H: 17,6 cm, W: 27,1 cm, D:  
8 cm  
Base mount: 26,1 x 16,6 cm



## Skot

WALL

No. 17051001 White

No. 17051003 Black

Master Box qty 4


Material: Plastic/Glass

IP44, Class 2

E27, Max. 60W, Excl. light source,

Parallel connection possible,

Fixture energy class A++ - D



**Canopy**  
Brown

**Measurements**  
W: 10 cm, L: 18 cm  
D: 11 cm



## Cardiff

Wall

No. 74381003 Black/Clear

Master Box qty 3  
Material: Aluminium/Glass  
IP44, Class 1  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 40 cm, W: 21 cm, D: 27 cm  
Base mount: 12,5 x 20 cm



## Cardiff

Wall

No. 74371003 Black/Clear

Master Box qty 3  
Material: Aluminium/Glass  
IP44, Class 1  
E27, Max. 60W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 40 cm, W: 22,5 cm, D:  
27 cm  
Base mount: 12,5 x 20 cm



## Cardiff

Garden

No. 74398003 Black/Clear

Master Box qty 3  
Material: Aluminium/Glass  
IP44, Class 1  
E27, Max. 60W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
H: 100 cm, W: 21 cm, Shade  
Ø: 22 cm  
Pipe Ø: 4 cm  
Base Ø: 15 cm




## Desi 22

Plafond

No. 77636003 Black/Opal white

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
E27, Max. 12W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - B



**Measurements**  
D: 7 cm  
Shade Ø: 22,3 cm




## Desi 28

Plafond

No. 77646003 Black/Sandblasted

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
E27, Max. 2X12W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - B



**Measurements**  
D: 7,5 cm  
Shade Ø: 27,5 cm




## Teton

Plafond

No. 84136003 Black/Opal white

Master Box qty 3  
Material: Metal/Plastic  
IP54, Class 1  
Fixed LED, Incl. 12W LED,  
Parallel connection possible, 5 year LED guarantee,  
Light source: Lumen 440, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 160°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
D: 4,5 cm  
Shade Ø: 20,2 cm




## Pato

Ground

No. 83830034 Stainless steel/Clear

Master Box qty 3  
Material: Metal/Glass  
IP65, Class 1  
GU10, Max. 35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 12 cm, Ø: 11 cm, H: 12 cm,  
Ø: 11 cm, Cut-out Ø: 9 cm



## Tilos Effect 1-Kit

Ground

No. 96400034 Stainless steel/Clear

Master Box qty 3  
Material: Stainless steel/Glass  
IP67, Class 2  
GU10, Max. 5W, Incl. 1.1W GU10,  
Parallel connection possible,  
Light source: Lumen 90, Kelvin 3.200, Candela 25,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A



**Measurements**  
H: 14,5 cm, Ø: 9,5 cm,  
Pipe Ø: 8,7 cm  
Cut-out Ø: 9,5 cm




## Pato

Ground

No. 83840034 Stainless steel/Clear

Master Box qty 3  
Material: Metal/Glass  
IP65, Class 1  
GU10, Max. 35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 12 cm, W: 11 cm, L: 11 cm  
H: 12 cm, Cut-out Ø: 9 cm




## Tilos Round 3-Kit

Ground

No. 96430034 Stainless steel/Clear

Master Box qty 3  
Material: Stainless steel/Glass  
IP67, Class 2  
GU10, Max. 5W, Incl. 1.1W GU10,  
Parallel connection possible,  
Light source: Lumen 90, Kelvin 3.200, Candela 25,  
Life hours 25.000, RA 80, Beam angle 120°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - A



**Measurements**  
H: 13,6 cm, Ø: 9,5 cm,  
Pipe Ø: 7,6 cm  
Cut-out Ø: 9,5 cm




## Une 1-Kit

Ground

No. 45410034 Stainless steel - Black cable

Master Box qty 6  
Material: Plastic/Stainless Steel

IP67, Class 3  
Fixed LED, Incl. 0.6W LED, 5 year LED guarantee,  
Light source: Lumen 20, Kelvin 3.000,  
Life hours 30.000, RA 65, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 2,5 cm, Ø: 3,7 cm,  
Mounting min. height: 3 cm  
Cut-out Ø: 2,5 cm



## Focus

Ground

No. 874317 Brushed steel/Clear

Master Box qty 3  
Material: Metal/Glass

IP67, Class 1  
GU10, Max. 7W, Excl. light source,  
Parallel connection possible,  
Fixture energy class A++ - D



**Measurements**  
H: 14,5 cm, Ø: 11 cm,  
Cut-out Ø: 10,1 cm




## Une 6-Kit

Ground

No. 45420034 Stainless steel - Black cable

Master Box qty 3  
Material: Plastic/Stainless Steel

IP67, Class 3  
Fixed LED, Incl. 6X0.6W LED, 5 year LED guarantee,  
Light source: Lumen 6X20, Kelvin 3.000,  
Life hours 30.000, RA 65, Beam angle 120°, Not dimmable  
Fixture energy class A++ - A



**Measurements**  
H: 2,5 cm, Ø: 3,7 cm,  
Mounting min. height: 3 cm  
Cut-out Ø: 2,5 cm




## Mono

Spot

No. 83698003 Black - Black cable

Master Box qty 3  
Material: Aluminium

IP44, Class 1  
Cable: 190 cm replaceable  
GU10, Max. 35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 57,7 cm, Shade Ø: 7 cm



## Spotlight LED

### Spot

No. 20788303 Black/Clear - Black cable

Master Box qty 3  
Material: Aluminium/Glass  
IP54, Class 1  
Cable: 200 cm non replaceable  
GU10, Max. 35W, Incl. 3W LED SMD,  
Light source: Lumen 200, Kelvin 2.700, Candela 90,  
Life hours 25.000, RA 80, Beam angle 110°, Not dimmable  
Light source energy class A+  
Fixture energy class A++ - D



**Measurements**  
H: 40 cm, D: 14 cm  
Ø: 10 cm



## Taurus

### Spot

No. 77029934 Stainless steel/Clear - Black cable

Master Box qty 3  
Material: Stainless steel  
IP54, Class 1  
Cable: 150 cm non replaceable  
GU10, Max. 28W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 31 cm, Ø: 10 cm




## Spotlight

### Spot

No. 20789903 Black/Clear - Black cable

Master Box qty 3  
Material: Aluminium/Glass  
IP54, Class 1  
Cable: 150 cm non replaceable  
GU10, Max. 35W, Excl. light source,  
Fixture energy class A++ - D



**Measurements**  
H: 38 cm, D: 14 cm  
Ø: 10 cm



## Base

### Accessories

No. 22039931 Galvanized

Master Box qty 3  
Material: Galvanized steel  
H: 50 cm, Ø: 15 cm, Pipe Ø: 5 cm  
15 year anti corrosion guarantee



Nordlux is one of Scandinavia's leading suppliers of lighting. We design and manufacture lighting with great knowledge of, and consideration for, how light affects us humans and our wellbeing. It is an essential part of our product development. With manufacturing and product development also comes responsibility – a responsibility to protect the resources we have available, and the people we work with.

At the immediate level, this mainly concerns investing in continuous improvement, including via our product development. By focusing on low prices, we commit ourselves to looking at new, simple solutions and processes that use less material, as well as long-life technology. Basically, this means that we take into account many more elements than just that a design should be nice to look at. We assess whether a design can be made more appropriate and less costly through small adjustments. For example, it makes sense for the installation of our lamps to be as simple as possible, ensuring that no additional resources are required for installation. That is why we have more than 60 dedicated engineers, each with more than 10 years of experience in lighting technology, in our development department, all constantly working with this focus.

We are at the forefront when it comes to the development of energy-saving LED technology. You no longer need to compromise between the desire for a warm, pleasant light, innovative design, and the desire to keep power consumption down. Development in this area moves quickly, and new solutions and processes are constantly emerging, making it possible to combine aesthetics with greener technology.

We see sustainability as a task involving everyone associated with Nordlux – from the owners, board and management to employees and suppliers.

**In a gentle  
way we can  
shake the world**

# IP

Første ciffer  
First number  
Erste Nummer  
Premier chiffre  
Första ciffer

Andet ciffer  
Andra ciffer  
Zweite Nummer  
Second number  
Deuxième chiffre

IP kapsekklasser  
IP kapsekklasser  
Degree and protection  
Degré de protection  
Schutzgrad

**0** Ikke beskyttet  
Ej beskyddad  
Nicht geschützt  
Not protected  
Non protégé

Beskyttet mod  
Beskyddad mot  
Geschützt gegen  
Protected against  
Protégé contre

**1** Faste genstande større end 50 mm  
Fast föremål större än 50 mm  
Eindringen von Fremdkörpern grösser als 50 mm  
Solid objects larger than 50 mm  
Les corps solides de plus de 50 mm

Beskyttet mod  
Beskyddad mot  
Geschützt gegen  
Protected against  
Protégé contre

**2** Faste genstande større end 12 mm  
Fast föremål större än 12 mm  
Eindringen von Fremdkörpern grösser als 12 mm  
Solid objects larger than 12 mm  
Les corps solides de plus de 12 mm

Beskyttet mod  
Beskyddad mot  
Geschützt gegen  
Protected against  
Protégé contre

**3** Faste genstande større end 2,5 mm  
Fast föremål större än 2,5 mm  
Eindringen von Fremdkörpern grösser als 2,5 mm  
Solid objects larger than 2,5 mm  
Les corps solides de plus de 2,5 mm

Beskyttet mod  
Beskyddad mot  
Geschützt gegen  
Protected against  
Protégé contre

**4** Faste genstande større end 1,0 mm  
Fast föremål större än 1,0 mm  
Eindringen von Fremdkörpern grösser als 1,0 mm  
Solid objects larger than 1,0 mm  
Les corps solides de plus de 1,0 mm

**5** Støvskærmet  
Avskärmad mot damm  
Staubgeschützt  
Dust protected  
Protégé contre la poussière

**6** Støvtæt  
Dammtät  
Staubdicht  
Dust-proof  
Etanche à la poussière

**0** Ikke beskyttet  
Ej beskyddad  
Nicht geschützt  
Not protected  
Non protégé

**1** Lodret dryppende vand  
Lodrätt droppande vatten  
Senkrecht tropfendes Wasser  
Vertically dripping water  
Les chutes verticales de gouttes d'eau

**2** Dryppende vand ved en hældning på intil 15° grader  
Droppande vatten, vid en lutning på upp till 15° grader  
Tropfendes Wasser bei einer Neigung bis zu 15° Grad  
Vertically dripping water at an inclination of 15° degrees  
Les chutes d'eau avec inclinaison maximale de 15°

**3** Vandsprøjt i en vinkel på intil 60° grader  
Vattenstänkt i en vinkel på upp till 60° grader  
Spritzwasser in einem Winkel bis zu 60° Grad  
Splashes of water at an angle of up to 60° degrees  
Les chutes d'eau avec inclinaison maximale de 60°

**4** Oversprøjtning  
Nedstänktning  
Übersprühen  
Sprinkling of water  
Les projections d'eau

**5** Beskyttet mod vandstråler  
Beskyddad mot vattenstrålar  
Geschützt gegen Wasserstrahlen  
Protected against water jets  
Protégé contre les jets d'eau

**6** Beskyttet mod kraftige bølger  
Beskyddad mot kraftiga vågor  
Geschützt gegen kräftigen Wellen  
Protected against strong waves  
Protégé contre les paquets de mer

**7** Beskyttet mod følgerne af forbigående nedsænkning i vand  
Beskyddad mot följderna av kortvarig nedsänkning i vatten  
Geschützt gegen Folgen durch zeitweises Unterwassertauchen  
Protected against the effects of temporary immersion in water  
Protégé contre les suites d'un plongement occasionnel dans l'eau



## LUMEN

(lm) is the measurement unit for luminous flux. Luminous flux is the total amount of light that the light source submits.



## KELVIN

(K) is the colour temperature of the light source- the higher number the colder light.  
3000 K = warm white  
4000 K = neutral white  
6500 K = daylight white



## CANDELA

(cd) is the measurement amount for brightness per angle that is submitted from a light source.

**GB** - The LED technology is constantly undergoing major development which contributes to continuous arrival of new and better LED bulbs on the market. Nordlux always strives to deliver the latest LED technology to our customers, which is why when purchasing lighting or bulbs, the new bulbs can seem different, with improved colour/light output/design.  
\*For additional bulb info please go to [www.nordlux.com](http://www.nordlux.com).

**SE** - LED är fortfarande under en betydande utvecklingsprocess, som bidrar till att det i snabbt kommer nya och bättre LED lampor på marknaden. Nordlux strävar efter att leverera den senaste LED-tekniken till sina kunder, därför kan man vid återköp eller vid köp av nya lampor uppleva att de nya lamporna har en annorlunda och förbättrad färg/ljusflöde/utformning.  
\*Für ytterligare information angående ljuskälla vänligen gå till [www.nordlux.com](http://www.nordlux.com).

**DE** - LED unterliegt ständig einem bedeutenden Entwicklungsprozess, durch den mit großer Geschwindigkeit neue und bessere LED-Lampen auf den Markt kommen. Nordlux ist bestrebt, Ihren Kunden immer die neueste LED-Technik anzubieten, wodurch man beim Neukauf von Leuchten und Nachkauf von Leuchtmitteln erleben kann, dass die neuen Leuchtmittel eine andere und verbesserte Farbe, Lichtausbeute und Form haben.  
\*Für weitere Informationen gehen Sie bitte zu Leuchtmittel [www.nordlux.com](http://www.nordlux.com).

**FR** - LED est constamment en développement important, ce qui a pour effet d'amener très fréquemment de nouvelles ampoules LED améliorées sur le marché. Nordlux s'efforce de toujours fournir la dernière technologie LED à nos clients ; c'est pourquoi, lorsque vous achetez des lampes et acquérez des ampoules, vous pouvez trouver que les nouvelles ampoules ont une couleur/une sortie de lumière/un design différents et améliorés.  
\*Pour plus d'informations concernant l'ampoule merci de visiter [www.nordlux.com](http://www.nordlux.com).

# VEDLIGEHOLDELSE MAINTENANCE PFLEGE UNDERHÅLL ENTRETIEN

**Galvaniseret stål** | Meget vejrbestandig. Kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring. Nordlux giver 15 års garanti på alle udendørslamper i galvaniseret stål. Denne garanti gælder rustangreb med gennemtæring og er gældende mod fremvisning af købskwittering. Der ydes ingen garanti på dele som er beskadiget ved slidstøje eller på fejlbehandling af lamperne.

**Kobber** | Meget vejrbestandig. Kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring. Nordlux giver 15 års garanti på alle udendørslamper i kobber. Denne garanti gælder rustangreb med gennemtæring og er gældende mod fremvisning af købskwittering. Der ydes ingen garanti på dele som er beskadiget ved slidstøje eller på fejlbehandling af lamperne.

**Plast** | Meget vejrbestandig. Kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring.

**Rustfrit stål** | Velegnet til udendørs brug, når undtages aggressive miljøer. Vedligeholdelse: Behandles med syrefri olie inden opsætning med efterfølgende aftørring med blød klud. Denne behandling gentages 3-4 gange om året.

**Aluminium** | Aluminiumsprodukterne kan opdeles i følgende: Ekstruderet og anodiseret aluminium er meget vejrbestandig og kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring. Støbt aluminium i øvrigt er velegnet til udendørs brug, når undtages aggressive miljøer. Vedligeholdelse: Behandles med syrefri olie inden opsætning med efterfølgende aftørring med blød klud. Denne behandling gentages 3-4 gange om året.

**Corten** | Corten stål er en ståltypen der er konstrueret med et indhold af kobber, fosfor, nikkel og chrom i et forhold der gør stålet rusttægt på en måde, hvor den "færdige" rustne overflade beskytter stålet mod tæring 6-8 gange bedre end ved "normalt" rustent stål. Vær opmærksom på eventuel rustafsmidning i hærdeperioden. Hvis stålet nedgraves vil korrosionshastigheden være den samme som for almindeligt stål. Ordet Corten stål kommer af eng. "CORrosion resistant high TENSile steel".

**Galvanized steel** | Very resistant to weather. Can be placed in any environment. Maintenance: wipe off at regular intervals. Nordlux offers up to 15 year anti-corrosion warranty on lights in galvanized steel. This guarantee applies to extensive corrosion in the form of holes in the metal caused by rust. The guarantee is subject to presentation of receipt. There is no guarantee on components which have been affected by wear and tear or mistreatment of the lights.

**Copper** | Very resistant to weather. Can be placed in any environment. Maintenance: wipe off at regular intervals. Nordlux offers up to 15 year warranty on lights in copper. This guarantee applies to extensive corrosion in the form of holes in the metal caused by rust. The guarantee is subject to presentation of receipt. There is no guarantee on components which have been affected by wear and tear or mistreatment of the lights.

**Kunststoff** | Sehr wetterbeständig. Überall einsetzbar. Pflege: Normales Reinigen.

**Plastic** | Very resistant to weather. Can be placed in any environment. Maintenance: wipe off at regular intervals.

**Stainless steel** | Suitable for outdoor use, except for aggressive environments. Must be treated with acid-free oil prior to mounting. After mounting wipe off the fitting with a dry and soft cloth. This treatment should be repeated 3-4 times a year.

**Aluminium** | The aluminium products can be divided into two groups: Extruded and anodized aluminium is very resistant to weather and can be placed in any environment. Maintenance: wipe off at regular intervals. Cast aluminium is suitable for outdoor use, except for aggressive environments. Maintenance: must be treated with acid-free oil prior to mounting. After mounting wipe-off the fitting with a dry and soft cloth. This treatment should be repeated 3-4 times a year.

**Corten** | Corten stahl ist ein Stahltyp, der mit Anteilen an Kupfer, Phosphor, Nickel und Chrom in einem Verhältnis hergestellt wird, das den Stahl auf eine Weise rostfrei macht, durch die die „fertige“ rostige Oberfläche den Stahl 6 bis 8 mal so gut vor Korrosion schützt als bei normalem rostigen Stahl. Bitte beachten Sie, dass es im Härtungsprozess zu Rostabfärbungen kommen kann. Wenn der Stahl vergraben wird, ist die Korrosionsgeschwindigkeit genau so wie bei normalem Stahl. Das Wort Cortenstahl ist aus dem englischen „CORrosion resistant high TENSile steel“ abgeleitet.

**Verzinkte Leuchten** | Sehr wetterbeständig. Überall einsetzbar. Pflege: Normales Reinigen. Nordlux leistet bis zu 15 Jahre Garantie für alle Außenleuchten in feuerverzinkter Ausführung. Diese Garantie gilt für Rostbildung in Form von Angriff der Metal und gilt nur gegen Quittungsleistung. Nordlux leistet keine Garantie für Ersatzteile, die beschädigt sind durch Abnutzung oder Fehlbehandlung der Leuchten.

**Kupfer** | Sehr wetterbeständig. Überall einsetzbar. Pflege: Normales Reinigen. Nordlux leistet bis zu 15 Jahre Garantie für alle Außenleuchten in kupfer. Diese Garantie gilt für Rostbildung in Form von Angriff der Metal und gilt nur gegen Quittungsleistung. Nordlux leistet keine Garantie für Ersatzteile, die beschädigt sind durch Abnutzung oder Fehlbehandlung der Leuchten.

**Kunststoff** | Sehr wetterbeständig. Überall einsetzbar. Pflege: Normales Reinigen.

**Edelstahl** | Geeignet für den Außenbereich – jedoch nicht in aggressiver Umgebung. Pflege: Vor Montage muss die Leuchte mit säurefreiem Öl behandelt und mit einem weichen Tuch getrocknet werden. Dieses sollte 3-4 Mal im Jahr wiederholt werden.

**Stainless steel** | Suitable for outdoor use, except for aggressive environments. Must be treated with acid-free oil prior to mounting. After mounting wipe off the fitting with a dry and soft cloth. This treatment should be repeated 3-4 times a year.

**Aluminium** | Aluminiumleuchten unterscheiden sich wie folgt: Extrudiertes und eloxiertes Aluminium ist sehr wetterbeständig und ist überall einsetzbar. Pflege: Normales Reinigen. Gegossenes Aluminium ist ebenfalls für den Außenbereich geeignet – jedoch nicht in aggressiver Umgebung. Pflege: Vor Montage muss die Leuchte mit säurefreiem Öl behandelt und mit einem weichen Tuch getrocknet werden. Dieses sollte 3-4 Mal im Jahr wiederholt werden.

**Corten** | Corten Stahl ist ein Stahltyp, der mit Anteilen an Kupfer, Phosphor, Nickel und Chrom in einem Verhältnis hergestellt wird, das den Stahl auf eine Weise rostfrei macht, durch die die „fertige“ rostige Oberfläche den Stahl 6 bis 8 mal so gut vor Korrosion schützt als bei normalem rostigen Stahl. Bitte beachten Sie, dass es im Härtungsprozess zu Rostabfärbungen kommen kann. Wenn der Stahl vergraben wird, ist die Korrosionsgeschwindigkeit genau so wie bei normalem Stahl. Das Wort Cortenstahl ist aus dem englischen „CORrosion resistant high TENSile steel“ abgeleitet.

**Galvaniserat stål** | Mycket väderbeständigt. Kan användas i alla miljöer. Underhåll: Normal avtorkning. Nordlux ger 15 års garanti på alla utomhuslamper i galvaniserat stål. Denna garanti gäller rostangrepp som har genomtränt och gäller mot uppvisande av inköpskvitto. Det lämnas ingen garanti på delar som har skadats vid slitage eller av felbehandling av lamporna.

**Koppar** | Mycket väderbeständigt. Kan användas i alla miljöer. Underhåll: Normal avtorkning.

**Plast** | Mycket väderbeständigt. Kan användas i alla miljöer. Underhåll: Normal avtorkning.

**Rostfritt stål** | Lämpligt för utomhusbruk, utom i aggressiva miljöer. Underhåll: Behandlas med syrafri olja och torkas av med en mjuk trasa före uppsättning. Behandlingen upprepas 3-4 gånger om året.

**Aluminium** | Aluminiumprodukterna kan delas upp i följande typer: Extruderad och anodiserad aluminium är mycket väderbeständig och kan användas i alla miljöer. Underhåll: Normal avtorkning. Övrig gjuten aluminium är lämplig för utomhusbruk, utom i aggressiva miljöer. Underhåll: Behandlas med syrafri olja och torkas av med en mjuk trasa före uppsättning. Behandlingen upprepas 3-4 gånger om året.

**Corten** | Cortenstål är en ståltyp som är framställd med ett innehåll av koppar, fosfor, nickel och krom i ett förhållande som gör att stålet rostar långsammare och på ett sätt där den "färdfrostade" ytan skyddar stålet mot mod frätning 6-8 gånger bättre än "vanligt" rostigt stål. Var uppmärksam på eventuell rostavfärgning under härningsperioden. Om stålet grävs ner kommer korrosionshastigheten att vara densamma som för vanligt stål. Ordet Cortenstål kommer av engelskans "CORrosion resistant high TENSile steel".

**Corten** | Cortenstål är en ståltyp som är framställd med ett innehåll av koppar, fosfor, nickel och krom i ett förhållande som gör att stålet rostar långsammare och på ett sätt där den "färdfrostade" ytan skyddar stålet mot mod frätning 6-8 gånger bättre än "vanligt" rostigt stål. Var uppmärksam på eventuell rostavfärgning under härningsperioden. Om stålet grävs ner kommer korrosionshastigheten att vara densamma som för vanligt stål. Ordet Cortenstål kommer av engelskans "CORrosion resistant high TENSile steel".

**Aluminium** | Les produits en aluminium peuvent être subdivisés comme suit: L'aluminium extrudé et anodisé est très résistant aux intempéries et peut être utilisé dans tous les environnements. Entretien: séchage général. La fonte d'aluminium convient également pour une utilisation en plein air, mais à l'abri des environnements agressifs. Entretien : à traiter avec de l'huile exempte d'acides avant l'installation, puis séchage avec un chiffon doux. Ce traitement est répété 3 à 4 fois par an.

**Aluminium** | Les produits en aluminium peuvent être subdivisés comme suit: L'aluminium extrudé et anodisé est très résistant aux intempéries et peut être utilisé dans tous les environnements. Entretien: séchage général. La fonte d'aluminium convient également pour une utilisation en plein air, mais à l'abri des environnements agressifs. Entretien : à traiter avec de l'huile exempte d'acides avant l'installation, puis séchage avec un chiffon doux. Ce traitement est répété 3 à 4 fois par an.

**Corten** | L'acier Corten est un acier conçu avec une teneur en cuivre, phosphore, nickel et chrome, dans une proportion qui rend l'acier résistant à la corrosion, d'une façon où la surface « fine » rouillée protège l'acier contre la corrosion 6 à 8 fois mieux que l'acier rouillé « normal ». Merci de faire attention aux tâches rouillées dans la période du trempe! Si l'acier est enfoui, le taux de corrosion doit être le même que pour l'acier ordinaire.

Le mot « acier Corten » vient de l'anglais « CORrosion resistant high TENSile steel » (acier résistant à la corrosion à haute résistance).

**Acier galvanisé** | Très résistant aux intempéries. Peut être utilisé dans tous les environnements. Entretien: séchage général. Les lampes Nordlux en galvanisation bénéficient d'une garantie de 15 ANS à compter de la date d'achat sur le bon d'achat. La garantie couvre formation de rouille (la surface est entamée) et n'est que si la date d'achat figure sur le bon d'achat. La garantie ne couvre pas les composants, endommagés par l'usure normale ou un emploi abusif.

**Cuivre** | Très résistant aux intempéries. Peut être utilisé dans tous les environnements. Entretien: séchage général. Les lampes Nordlux en cuivre d'une garantie de 15 ANS à compter de la date d'achat sur le bon d'achat. La garantie couvre formation de rouille (la surface est entamée) et n'est que si la date d'achat figure sur le bon d'achat. La garantie ne couvre pas les composants, endommagés par l'usure normale ou un emploi abusif.

**Plast** | Mycket väderbeständigt. Kan användas i alla miljöer. Underhåll: Normal avtorkning.

**Acier inoxydable** | Convient parfaitement pour l'utilisation en plein air, mais à l'abri des environnements agressifs. Entretien : à traiter avec de l'huile exempte d'acides avant l'installation, puis séchage avec un chiffon doux. Ce traitement est répété 3 à 4 fois par an.

**Matière plastique** | Très résistant aux intempéries. Peut être utilisé dans tous les environnements. Entretien : séchage général.

**Acier inoxydable** | Convient parfaitement pour l'utilisation en plein air, mais à l'abri des environnements agressifs. Entretien : à traiter avec de l'huile exempte d'acides avant l'installation, puis séchage avec un chiffon doux. Ce traitement est répété 3 à 4 fois par an.

**Aluminium** | Les produits en aluminium peuvent être subdivisés comme suit: L'aluminium extrudé et anodisé est très résistant aux intempéries et peut être utilisé dans tous les environnements. Entretien: séchage général. La fonte d'aluminium convient également pour une utilisation en plein air, mais à l'abri des environnements agressifs. Entretien : à traiter avec de l'huile exempte d'acides avant l'installation, puis séchage avec un chiffon doux. Ce traitement est répété 3 à 4 fois par an.

**Aluminium** | Les produits en aluminium peuvent être subdivisés comme suit: L'aluminium extrudé et anodisé est très résistant aux intempéries et peut être utilisé dans tous les environnements. Entretien: séchage général. La fonte d'aluminium convient également pour une utilisation en plein air, mais à l'abri des environnements agressifs. Entretien : à traiter avec de l'huile exempte d'acides avant l'installation, puis séchage avec un chiffon doux. Ce traitement est répété 3 à 4 fois par an.

**Corten** | L'acier Corten est un acier conçu avec une teneur en cuivre, phosphore, nickel et chrome, dans une proportion qui rend l'acier résistant à la corrosion, d'une façon où la surface « fine » rouillée protège l'acier contre la corrosion 6 à 8 fois mieux que l'acier rouillé « normal ». Merci de faire attention aux tâches rouillées dans la période du trempe! Si l'acier est enfoui, le taux de corrosion doit être le même que pour l'acier ordinaire.

Le mot « acier Corten » vient de l'anglais « CORrosion resistant high TENSile steel » (acier résistant à la corrosion à haute résistance).

## MANAGEMENT

---



**Peter G. Terkelsen**  
CEO  
T +45 96 34 54 08  
pt@nordlux.com



**Kasper Granat**  
CPMO  
T +45 60 63 60 63  
kg@nordlux.com



**Niels S. Jakobsen**  
CFO  
T +45 40 82 07 00  
nj@nordlux.com



**Summer Gao**  
CSO  
T +45 31 40 08 08  
sg@nordlux.com



**Kurt Kristensen**  
Team Leader Merchandiser  
Sales operation | Denmark  
M +45 20 66 16 11  
kk@nordlux.com



**Jesper Bach-Kristensen**  
Sales Merchandiser  
Sales operation | Denmark  
M +45 42 56 16 11  
jbk@nordlux.com



**Peter Nielsen**  
Sales Merchandiser  
Sales operation | Jutland  
M +45 21 22 36 11  
pn@nordlux.com



**Jannik Jessen**  
Sales Merchandiser  
Sales operation | Jutland  
M +45 22 72 16 11  
jaje@nordlux.com

## MARKETING

---



**Julie Kindberg**  
Marketing Manager  
Product Marketing  
T + 45 20 97 20 17  
jki@nordlux.com



**Anna-Mette H. Rasmussen**  
Graphic Designer  
Product Marketing  
T +45 96 34 54 01  
ar@nordlux.com



**Andreas From Bock**  
Graphic Designer  
Product Marketing  
T +45 96 34 54 11  
af@nordlux.com



**Ticho Lohmann**  
Sales Merchandiser  
Sales operation | Seeland  
M +45 40 82 61 11  
tl@nordlux.com



**Jesper Staalgard**  
Sales Merchandiser  
Sales operation | Seeland  
M +45 40 70 16 11  
jps@nordlux.com

## SEGMENT SALES

---



**Lene Egelund Hanghøj**  
Key Account Manager  
Discounter  
T + 45 42 42 23 18  
leh@nordlux.com



**Jean-Louis Cornu**  
Export Manager  
M + 45 29 92 13 05  
jlc@nordlux.com

## SALES SWEDEN

---



**Anna Broberg**  
Country Manager  
Sales operation | Sweden  
M +46 73 578 58 08  
ab@nordlux.com



**Stefan Peterson**  
Sales Consultant  
Sales operation | Sweden  
M +46 70 37 95 182  
spe@nordlux.com



**Mari Berg**  
Sales Consultant  
Sales operation | Sweden  
M +46 70 937 26 37  
mb@nordlux.com

## SALES DENMARK

---



**Jan Madsen**  
Nordic Sales Manager  
M +45 31 50 16 11  
jm@nordlux.com



**Jan Bo Jensen**  
Key Account Manager  
Sales operation | Jutland  
M +45 27 11 60 48  
jb@nordlux.com



**Jan Peter Rantzau-Bartens**  
Key Account Manager  
Sales operation | Seeland  
M +45 81 77 10 82  
jrb@nordlux.com



**Carsten Johnsen**  
Sales Consultant  
Sales operation | Seeland  
M +45 20 71 16 11  
cj@nordlux.com



**Hans Aamand Nielsen**  
Sales Consultant  
Sales operation | Jutland  
M +45 22 71 66 11  
haa@nordlux.com



**Henning Mjåtveit**  
Team & Key Account Manager  
Sales operation | Norway  
M +47 91 39 54 31  
hmt@nordlux.com




**Jan Olav Gjelsnes**  
Sales Consultant  
Sales operation | Norway  
M +47 92 89 91 23  
jog@nordlux.com



**Leif Christian Olsen**  
Sales Consultant  
Sales operation | Norway  
M +47 91 90 13 20  
lco@nordlux.com



**Odd-Ivar Jenskaug**  
Sales Consultant  
Sales operation | Norway  
M +47 400 11 491  
oij@nordlux.com

**SALES UK**

**John Griffiths**  
Managing Director UK

T + 01200 422777  
jg@nordlux.com



**Phil Edwards**  
Account Manager UK

T + 44 7921 47 76 46  
pe@nordlux.com



**Emma Carter**  
Sales Admin

T + 01200 422777  
ec@nordlux.com



**Adam Thornber**  
Sales Admin

T + 01200 422777  
at@nordlux.com

**SALES GERMANY**

**Udo Koch**  
Sales Agent  
Western Germany  
M +49 174 89 94 502  
F +49 321 21 191 755  
info@koch-lichtdesign.de



**Jan Schwuchow**  
Sales Agent  
Eastern Germany  
M +49 178 52 91 173  
jan.schwuchow@online.de



**Roland Pichl**  
Sales Agent  
Southern Germany,  
Austria, South Tyrol  
M +49 171 54 76 999  
pi-rol@t-online.de



**Jørg Serup**  
Global Pricing Manager

**GLOBAL PRICING MANAGER****SALES FRANCE, HOLLAND & BELGIUM**

**Axel Hamelink**  
Country Manager FR & BL  
Sales operation | France,  
Holland & Belgium  
T +32 497 45 1202  
ah@nordlux.com

**Gildas Juestz de Mire**  
Country Director France

Sales operation | France

T + 33 6 26 25 18 10  
gjm@nordlux.com

**Nicolas Warin**  
Sales Manager France

Sales operation | France

T + 33 6 87 55 74 42  
nw@nordlux.com

**Sébastien Foubert Bloch**  
Sales Consultant

Sales operation | France

T + 33  
sfb@nordlux.com

**Agnès Prévoté**  
Sales Coordinator France

Sales operation | France

T + 33 1 30 71 76 39  
ap@nordlux.com

**BACK OFFICE**

**Betina Kowalski**  
Global Back Office  
Manager

T +45 22 21 16 11  
bk@nordlux.com

**Dorthe G. Jørgensen**  
Team & Sales Coordinator

Sales operation |  
SE, NO & FI

T +45 96 34 54 06  
dgj@nordlux.com

**Jette Jensen**  
Team & Sales Coordinator

Sales operation | Denmark

T +45 96 34 54 27  
jj@nordlux.com

**Sussi Buchholdt Steen**  
Key Account Supporter

Sales operation |  
Scandinavia

T +45 96 34 54 13  
sbs@nordlux.com

**Hanne M. Jensen**  
Sales Assistant

Sales operation | Denmark,  
Greenland, Faroe Islands

T +45 96 34 54 02  
hmj@nordlux.com



**Ronald Mulder**  
Sales Manager NL

Sales operation | NL

T + 31 630 74 51 03  
rm@nordlux.com



**Ruben Langhorst**  
Account Manager NL

Sales operation | NL

T + 31 6 20 53 61 82  
rl@nordlux.com



**Fabian Dermaut**  
Sales Manager BELUX

Sales operation | BELUX

T + 32 497 41 03 73  
fd@nordlux.com



**Ilse Vanschoonbeek**  
Sales Assistant

Sales operation | BELUX

T + 32 15 25 76 43  
customerservice@energeticlighting.eu



**Sarah Verheyden**  
Sales Assistant

Sales operation | BELUX

T + 32 15 25 76 44  
customersupport@energeticlighting.eu



**Helle Iversen**  
Sales Assistant

Sales operation | Denmark,  
Greenland, Faroe Islands

T +45 96 34 54 10  
hi@nordlux.com



**Gitte Visse**  
Sales Assistant

Sales operation | Denmark

T +45 96 34 54 03  
gv@nordlux.com



**Allan Carol Nicolajsen**  
Sales Trainee

Sales operation | Denmark

T +45 96 34 54 30  
acn@nordlux.com



**Berit Støve**  
Sales Assistant

Sales operation  
SE, NO & FI

T +45 96 34 54 33  
bst@nordlux.com



**Michelle Kalisch**  
Sales Assistant

Sales operation  
SE, NO & FI

T +45 96 34 54 31  
mik@nordlux.com

**SALES GERMANY**

**Martin Klasterka**  
Managing Director DACH

Sales operation | Germany

M +49 170 453 3344  
mk@nordlux.com



**Sonja Treumann**  
Sales Assistant

Sales operation | Germany

M +49 21 52 89 87 37  
st@nordlux.com



**Franz Kiefer**  
Key Account Manager

Sales operation | Germany

M +49 175 567 56 04  
fk@nordlux.com



**Matthias Kasparek**  
Sales Agent

Northern Germany

M +49 172 53 34 780  
m.kasparek1@yahoo.de



**Katrin Løkke**  
Sales Assistant

Sales operation | Germany

T +45 96 34 54 36  
kl@nordlux.com



**Lene K. Kristensen**  
Sales Assistant

Sales operation | Germany

T +45 96 34 54 05  
lkk@nordlux.com



**Rikke Giese**  
Sales Assistant

Sales operation | Export

T +45 96 34 54 12  
rg@nordlux.com



**Sahra Vistisen Rahal**  
Sales Assistant

Sales operation | Export

T +45 96 34 54 28  
sra@nordlux.com

## PRODUCT MANAGEMENT

---



**Gert Blommaert**  
Product Management  
Nordlux Indoor

T +32 486 83 63 55  
[gb@nordlux.com](mailto:gb@nordlux.com)

**Lone Bødker**  
Product Management  
Design For The People

T +45 96 34 54 23  
[lb@nordlux.com](mailto:lb@nordlux.com)

**Mia Rasmussen**  
Product Management  
Nordlux Decorative

T + 45 24 57 37 97  
[mir@nordlux.com](mailto:mir@nordlux.com)



**Marcus Lehr**  
Product Management  
Nordlux Functional

T +45 98 18 16 11  
[ml@nordlux.com](mailto:ml@nordlux.com)

**Kenny Van Den Bosch**  
Product Management  
Bulbs

T ++32 15 25 76 56  
[kvb@nordlux.com](mailto:kvb@nordlux.com)

**Anouck Granjé**  
Product Management  
Bulbs

T +32 15 25 76 57  
[ag@nordlux.com](mailto:ag@nordlux.com)

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Adrian	Wall	Metal, Plastic	Black	48801003	5701581462182	2042362	3	Switch on cable	42
Adrian	Wall	Metal, Plastic	Grey	48801011	5701581462281	2042363	3	Switch on cable	42
Adrian	Table	Metal, Plastic	Black	48815003	5701581462380	2042364	3	Switch on cable	42
Adrian	Table	Metal, Plastic	Grey	48815011	5701581462489	2042365	3	Switch on cable	42
Adrian	Floor	Metal, Plastic	Black	48824003	5701581462588	2042366	2	Switch on cable	43
Adrian	Floor	Metal, Plastic	Grey	48824011	5701581462687	2042367	2	Switch on cable	43
Adrian 16	Pendant	Metal, Plastic	Black	48783003	5701581461789	2042358	6		40
Adrian 16	Pendant	Metal, Plastic	Grey	48783011	5701581461888	2042359	6		40
Adrian 25	Pendant	Metal, Plastic	Black	48793003	5701581461987	2042360	3		41
Adrian 25	Pendant	Metal, Plastic	Grey	48793011	5701581462083	2042361	3		41
Agger	Wall	Galvanized steel, Glass	Galvanized	74481031	5701581210776	5353049	3		354
Agger	Garden	Galvanized steel, Glass	Galvanized	74528031	5701581211179	5353053	3		355
Agger Sensor	Wall	Galvanized steel, Glass	Galvanized	74501031	5701581210974	5353051	3		354
Agnes	Wall	Metal, Plastic	White	49881001	5701581477681	2050245	6	Switch on cable	136
Agnes	Spot	Metal, Plastic	White	49890101	5701581477780	2050252	3		136
Agnes	Spot	Metal, Plastic	White	49910101	5701581477988	2050255	3		137
Agnes	Spot	Metal, Plastic	White	49920101	5701581478084	2050256	3		137
Aire	Pendant	Metal	Black	84873003	5701581346680	1850671	3		116
Akron 11	Wall	Aluminium, Plastic	Black	46961003	5701581410381	1975356	3		344
Akron 17	Wall	Aluminium, Plastic	Black	46971003	5701581410480	1975357	3		344
Alexander	Wall	Metal, Plastic	White	48621001	5701581459281	2042333	2	On wall base	45
Alexander	Wall	Metal, Plastic	Black	48621003	5701581459380	2042334	2	On wall base	45
Alexander	Table	Metal, Plastic	White	48635001	5701581459489	2042335	2	Switch on the base	44
Alexander	Table	Metal, Plastic	Black	48635003	5701581459588	2042336	2	Switch on the base	44
Alexander	Floor	Metal, Plastic	White	48654001	5701581459687	2042337	2	Switch on fixture	44
Alexander	Floor	Metal, Plastic	Black	48654003	5701581459786	2042338	2	Switch on fixture	44
Alexander	Pendant	Metal, Plastic	White	48673001	5701581459885	2042339	3		45
Alexander	Pendant	Metal, Plastic	Black	48673003	5701581459984	2042340	3		45
Alfred	Wall	Metal, Plastic	Black	49831003	5701581477384	2050242	6	Switch on cable	130
Alfred	Spot	Metal, Plastic	Black	49840103	5701581477483	2050249	3		130
Alfred	Spot	Metal, Plastic	Black	49850103	5701581477582	2050251	3		131
Alrun	Pendant	Glass	Clear	45263000	5701581366985	1902334	2		100
Alrun	Pendant	Glass	Amber	45263027	5701581367081	1902335	2		100
Alrun	Pendant	Glass	Smoke	45263047	5701581367180	1902336	2		100
Alton	Table	Glass, Metal	Brass	47645001	5701581416987	1975427	3	Switch on cable	47
Alton	Table	Glass, Metal	Black	47645047	5701581452886	2042269	3	Switch on cable	49
Alton 23	Pendant	Glass, Metal	Black/brass	47303001	5701581413788	1975393	3		46
Alton 23	Pendant	Glass, Metal	Black	47303047	5701581452589	2042266	3		48
Alton 25	Pendant	Glass, Metal	Black/brass	47313001	5701581413887	1975394	3		46
Alton 25	Pendant	Glass, Metal	Black	47313047	5701581452688	2042267	3		48
Alton 35	Pendant	Glass, Metal	Black	48973047	5701581488588	2059748	3		47
Alton 40	Pendant	Glass, Metal	Black/brass	47323001	5701581413986	1975395	3		47
Altus 2700K	Plafond	Plastic, Metal	White	47206001	5701581412682	1975380	3		225
Altus 2700K	Plafond	Plastic, Metal	Grey	47206010	5701581412781	1975381	3		225
Altus 4000K	Plafond	Plastic, Metal	White	47906001	5701581420786	1984114	3		225
Altus 4000K	Plafond	Plastic, Metal	Grey	47906010	5701581420687	1984104	3		225
Amalienborg	Wall	Galvanized steel, Glass	Galvanized	10600219	5702376002194	5137895	3		356
Amalienborg	Garden	Galvanized steel, Glass	Galvanized	10600319	5702376003191	5137893	3		356
Ames	Pendant	Metal	White	46533001	5701581406186	1975320	2		104
Ames	Pendant	Metal	Black	46533003	5701581406285	1975321	2		104
Ancona LED	Plafond	Metal, Glass	White	25216101	5701581253087	1629147	3		226
Ancona LED	Plafond	Metal, Glass	Brushed steel	25216132	5701581253186	1629148	3		226
Ancona Maxi E27	Plafond	Metal, Glass	White	25316101	5701581278479	1483326	3		227
Ancona Maxi E27	Plafond	Metal, Glass	Brushed steel	25316132	5701581277274	1456141	3		227
Ancona Maxi LED	Plafond	Metal, Glass	White	25246101	5701581253285	1629149	3		226

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Ancona Maxi LED	Plafond	Metal, Glass	Brushed steel	25246132	5701581253384	1629150	3		226
Andy	Table	Metal, Plastic	Brown	48485009	5701581457881	2042319	3	Switch on cable	51
Andy	Wall	Metal, Plastic	Brown	48491009	5701581457980	2042320	3	Switch on cable	51
Andy 30	Pendant	Metal, Plastic	Brown	48473009	5701581457782	2042318	3		50
Ankaa 2700K	Built in	Metal	White	49590101	5701581475182	2049776	3		193
Ankaa 2700K	Built in	Metal	Nickel	49590155	5701581475281	2049777	3		193
Anniversary	Pendant	Metal	White	76633001	5701581231986	1557531	3		99
Anniversary	Pendant	Metal	Black	76633003	5701581232082	1557532	3		99
Arki outdoor	Wall	Galvanized steel, Plastic	Black	75181003	5701581280175	1484024	3		337
Arki outdoor	Wall	Galvanized steel, Plastic	Galvanized	75181031	5701581280274	1484026	3		337
Arlington 120	Fixture	Plastic	White	47836101	5701581418387	1975441	6		244
Arlington 150	Fixture	Plastic	White	47846101	5701581418486	1975442	6		245
Arlington 60	Fixture	Plastic	White	47826101	5701581418288	1975440	6		244
Arn	Wall	Aluminium, Plastic	White	45471001	5701581388581	1920428	3		379
Arn	Wall	Aluminium, Plastic	Black	45471003	5701581363687	1896577	3		379
Arn	Wall	Aluminium, Plastic	White	45481001	5701581388680	1920429	3		379
Arn	Wall	Aluminium, Plastic	Black	45481003	5701581363786	1896578	3		379
Artego	Wall	Aluminium, Plastic	Black	46941003	5701581410183	1975354	3		345
Artego	Wall	Aluminium, Plastic	Black	46951003	5701581410282	1975355	3		345
Asbol	Wall	Aluminium, Glass	Black	84971003	5701581401389	1976			

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Birk	Wall	Aluminium, Plastic	White	45501001	5701581383081	1920430	3		380
Birk	Wall	Aluminium, Plastic	Black	45501003	5701581363885	1896579	3		380
Birk	Garden	Aluminium, Plastic	White	45518001	5701581383180	1920529	3		381
Birk	Garden	Aluminium, Plastic	Black	45518003	5701581363984	1896580	3		381
Birk	Wall	Aluminium, Plastic	White	45521001	5701581383289	1920431	3		380
Birk	Wall	Aluminium, Plastic	Black	45521003	5701581383388	1920527	3		380
Birla	Built in	Plastic	White	84950001	5701581373082	1902491	6		208
Blokhus	Wall	Galvanized steel, Glass	Black	25011003	5701581204072	5303901	3		358
Blokhus	Wall	Copper, Glass	Copper	25011030	5701581115040	5061468	3		358
Blokhus	Wall	Galvanized steel, Glass	Galvanized	25011031	5701581116047	5061442	3		358
Blokhus	Wall	Stainless steel, Glass	Stainless steel	25011034	5701581117044	5061469	3		358
Blokhus	Wall	Galvanized steel, Glass	Galvanized	25051031	5701581122048	5061467	3		359
Blokhus	Garden	Copper, Glass	Copper	25078030	5701581123045	5061465	3		358
Blokhus	Garden	Galvanized steel, Glass	Galvanized	25078031	5701581124042	5061464	3		358
Blokhus	Garden	Stainless steel, Glass	Stainless steel	25078034	5701581125049	5061466	3		358
Blokhus Sensor	Wall	Galvanized steel, Glass	Black	25031003	5701581219274	5383816	3		359
Blokhus Sensor	Wall	Copper, Glass	Copper	25031030	5701581118041	5061471	3		359
Blokhus Sensor	Wall	Galvanized steel, Glass	Galvanized	25031031	5701581119048	5061470	3		359
Blokhus Sensor	Wall	Stainless steel, Glass	Stainless steel	25031034	5701581120044	5061472	3		359
Bowler	Wall	Galvanized steel, Plastic	Galvanized	28601131	5701581215061	5208844	3		370
Boxline 13W	Fixture	Plastic	White	27496101	5701581200371	5273430	3	Switch on fixture	245
Break	Wall	Metal, Plastic	Black	19861003	5701581226180	1544196	3	Switch on fixture	91
Break	Floor	Metal, Plastic	Black	19874003	5701581226289	1544197	2	Switch on cable	91
Bretagne	Pendant	Metal	White	39489901	5701581330788	1836698	3		99
Cable 25m	Accessories	Textile	White	73049901	5701581235779	1304438	1		144
Cable 25m	Accessories	Textile	Red	73049902	5701581235878	1304352	1		144
Cable 25m	Accessories	Textile	Black	73049903	5701581234079	1304457	1		144
Cable 25m	Accessories	Textile	Black/White	73049913	5701581234475	1304442	1		144
Cable 4m	Accessories	Textile	White	73059901	5701581204270	5303897	6		144
Cable 4m	Accessories	Textile	Red	73059902	5701581204379	5303898	6		144
Cable 4m	Accessories	Textile	Black	73059903	5701581204478	5303899	6		144
Cafe 15	Pendant	Glass, Metal	Opal white	39553001	5701581101012	5927002	3		102
Cafe 20	Pendant	Glass, Metal	Opal white	39563001	5701581102019	5927039	3		102
Cafe 25	Pendant	Glass, Metal	Opal white	39573001	5701581103016	5927037	3		103
Cafe 30	Pendant	Glass, Metal	Opal white	39583001	5701581104013	5926935	3		103
Cambio 2W	Built in	Plastic, Metal	Aluminium	79470029	5701581293984	1702296	6		204
Cambio 2W 3-Kit	Built in	Plastic, Metal	Aluminium	79440029	5701581341784	1850682	3	Switch on cable	204
Can Maxi	Wall	Aluminium, Glass	Aluminium	28819929	5701581323889	1824815	3		375
Canis 2700K 1-Kit Dim Tilt	Built in	Metal	White	49320101	5701581469280		3		183
Canis 2700K 1-Kit Dim Tilt	Built in	Metal	Nickel	49320155	5701581469389		3		183
Canis 2700K 3-Kit Dim Tilt	Built in	Metal	White	49330101	5701581469488		3		183
Canis 2700K 3-Kit Dim Tilt	Built in	Metal	Nickel	49330155	5701581469587		3		183
Canis 2700K 3-Kit Tilt	Built in	Metal	White	49300101	5701581468887		3		182
Canis 2700K 3-Kit Tilt	Built in	Metal	Nickel	49300155	5701581468986		3		182
Canis 2700K 5-Kit Tilt	Built in	Metal	White	49310101	5701581469082		3		182
Canis 2700K 5-Kit Tilt	Built in	Metal	Nickel	49310155	5701581469181		3		182
Canis 4000K 1-Kit Dim Tilt	Built in	Metal	White	49360101	5701581470088		3		184
Canis 4000K 1-Kit Dim Tilt	Built in	Metal	Nickel	49360155	5701581470187		3		184
Canis 4000K 3-Kit Dim Tilt	Built in	Metal	White	49370101	5701581470286		3		184
Canis 4000K 3-Kit Dim Tilt	Built in	Metal	Nickel	49370155	5701581470385		3		184
Canis 4000K 1-Kit Dim Tilt	Built in	Metal	White	49380101	5701581470484		3		185
Canis 6500K 1-Kit Dim Tilt	Built in	Metal	Nickel	49380155	5701581470583		3		185
Canis 6500K 3-Kit Dim Tilt	Built in	Metal	White	49390101	5701581470682		3		185
Canis 6500K 3-Kit Dim Tilt	Built in	Metal	Nickel	49390155	5701581481183		3		185
Canto	Wall	Metal, Glass	White	77571001	5701581254985	1629915	3		332

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Canto	Wall	Metal, Glass	Black	77571003	5701581249684	1621989	3		332
Canto	Wall	Metal, Glass	Grey	77571010	5701581249783	1621990	3		332
Canto	Wall	Galvanized steel, Glass	Galvanized	77571031	5701581250185	1624433	3		332
Canto	Wall	Stainless steel, Glass	Stainless steel	77571034	5701581279889	1694106	3		332
Canto	Wall	Brass, Glass	Brass	77571035	5701581386785	1921524	3		332
Canto 2	Wall	Aluminium	White	49701001	5701581482388	2050182	3		328
Canto 2	Wall	Aluminium	Black	49701003	5701581482487	2050183	3		328
Canto 2	Wall	Aluminium	Grey	49701010	5701581482586	2050184	3		328
Canto 2	Wall	Metal	Galvanized	49701031	5701581482685	2050186	3		328
Canto 2	Wall	Stainless steel	Stainless steel	49701034	5701581482784	2050187	3		328
Canto 2	Wall	Brass	Brass	49701035	5701581482883	2050188	3		328
Canto Kubi	Wall	Metal, Glass	White	77521001	5701581324282	1825062	3		334
Canto Kubi	Wall	Metal, Glass	Black	77521003	5701581324381	1825063	3		334
Canto Kubi	Wall	Metal, Glass	Grey	77521010	5701581324480	1825064	3		334
Canto Kubi	Wall	Galvanized steel, Glass	Galvanized	77521031	5701581324589	1825065	3		334
Canto Kubi	Wall	Stainless steel, Glass	Stainless steel	77521034	5701581324688	1825066	3		334
Canto Kubi 2	Wall	Aluminium	White	49711001	5701581482982	2050190	3		330
Canto Kubi 2	Wall	Aluminium	Black	49711003	5701581483088	2050191	3		330
Canto Kubi 2	Wall	Aluminium	Grey	49711010	5701581483187	2050192	3		330
Canto Kubi 2	Wall	Metal	Galvanized	49711031	5701581483286				

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Chicago	Spot	Metal	Brushed steel	47460032	5701581414587	1975401	3		143
Chino 25	Pendant	Wood	Nature (brown)	84823014	5701581346284	1850667	3		106
Chino 30	Pendant	Wood	Nature (brown)	84833014	5701581346383	1850668	3		106
Chino 40	Pendant	Wood	Nature (brown)	84843014	5701581346482	1850669	3		107
Christina	Table	Concrete, Glass	Black	48905003	5701581463585	2042376	3	Switch on cable	72
Christina	Table	Concrete, Glass	Light gray	48905011	5701581463684	2042377	3	Switch on cable	72
Chrystie 17	Pendant	Glass, Wood	Smoke	46493047	5701581405684	1975317	3		112
Chrystie 20	Pendant	Glass, Wood	Smoke	46503047	5701581405783	1975318	3		112
Chrystie 24	Pendant	Glass, Wood	Smoke	46513047	5701581405882	1975319	3		113
Circus 21	Pendant	Metal	White	46403001	5701581403888	1973660	3		114
Circus 21	Pendant	Metal	Black	46403003	5701581403987	1973661	3		114
Circus 21	Pendant	Metal	Blue	46403006	5701581404083	1973663	3		114
Circus 21	Pendant	Metal	Rose	46403057	5701581404182	1973665	3		114
Circus 27	Pendant	Metal	White	46413001	5701581404281	1973666	3		114
Circus 27	Pendant	Metal	Black	46413003	5701581404380	1973667	3		114
Circus 27	Pendant	Metal	Blue	46413006	5701581404489	1973668	3		114
Circus 27	Pendant	Metal	Rose	46413057	5701581404588	1973669	3		114
City	Wall	Metal, Plastic	Black	881123	7057388811233	1935307	3		387
City	Wall	Metal, Plastic	Anthracite	881163	7057388811639	1913042	3		387
Clarkson 2700K 3-Kit	Built in	Plastic, Metal	White	47590101	5701581416086	1975417	3		198
Clarkson 2700K 3-Kit	Built in	Plastic, Metal	Brushed steel	47590132	5701581416185	1975418	3		198
Clarkson 2700K 3-Kit	Built in	Plastic, Metal	White	47600101	5701581416284	1975419	3		198
Clarkson 2700K 3-Kit	Built in	Plastic, Metal	Brushed steel	47600132	5701581416383	1975420	3		198
Clarkson Round 3-Kit 4000K	Built in	Plastic, Metal	White	47880101	5701581421684	1984820	3		199
Clarkson Round 3-Kit 4000K	Built in	Plastic, Metal	Brushed steel	47880132	5701581421585	1984817	3		199
Clarkson Square 3-Kit 4000K	Built in	Plastic, Metal	White	47890101	5701581421882	1984823	3		199
Clarkson Square 3-Kit 4000K	Built in	Plastic, Metal	Brushed steel	47890132	5701581421783	1984821	3		199
Clyde 15	Built in	Plastic	White	47510101	5701581414785	1975403	3		175
Clyde 15 4000K	Built in	Plastic	White	47660101	5701581421981	1984827	3		173
Clyde 8	Built in	Plastic	White	47500101	5701581414686	1975402	3		173
Clyde 8 4000K	Built in	Plastic	White	47650101	5701581422087	1984829	3		176
Concordia	Garden	Aluminium, Plastic	Anthracite	49018050	5701581464384	2042384	3		349
Cyclone	Wall	Metal	White	72991001	5701581259775	1392800	6	Switch on fixture	84
Cyclone	Wall	Metal	Black	72991003	5701581259973	1392802	6	Switch on fixture	84
Cyclone	Table	Metal	White	73065001	5701581220379	5387137	3	Switch on cable	84
Cyclone	Table	Metal	Black	73065003	5701581220478	5387140	3	Switch on cable	84
Cyclone	Clamp SPOT	Metal	White	73072001	5701581220676	5387142	3	Switch on cable	85
Cyclone	Clamp SPOT	Metal	Black	73072003	5701581220775	5387145	3	Switch on cable	85
Dalton	Wall	Stainless steel, Glass	Black	46901003	5701581410084	1975353	3		384
Darwin	Wall	Aluminium, Plastic	Black	71971003	5701581260870	1392811	3		392
Darwin	Garden	Aluminium, Plastic	Black	71988003	5701581260771	1392810	3		393
Darwin	Garden	Galvanized steel, Plastic	Galvanized	71988031	5701581277571	1483333	3		393
Darwin Sensor	Wall	Aluminium, Plastic	Black	71972003	5701581276079	1450411	3		392
Dean	Pendant	Metal	Black	46523003	5701581405981	1973674	3		72
Dean	Table	Metal	Black	46605003	5701581407282	1973685	3	Switch on cable	73
Dean	Table	Metal	Brass	46605025	5701581407381	1973684	3	Switch on cable	73
Dean Halo	Table	Metal	Black	46615003	5701581407480	1973683	3	Switch on cable	73
Dean Halo	Table	Metal	Brass	46615025	5701581407589	1973682	3	Switch on cable	73
Delta	Wall	Aluminium, Plastic	Black	873023	7057388730237	1630075	3		386
Delta	Wall	Aluminium, Plastic	White	873031	7057388730312	1630076	3		386
Delta	Wall	Aluminium, Plastic	Anthracite	873063	7057388730633	1630077	3		386
Delta Mini	Wall	Aluminium, Plastic	Black	873923	7057388739230	1417091	3		386
Desi 22	Plafond	Aluminium, Plastic	Black	77636003	5701581250888	1624387	3		410
Desi 28	Plafond	Aluminium, Plastic	Black	77646003	5701581250987	1624388	3		410
Dillon	Pendant	Glass		46473047	5701581405288	1973672	3		101

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Dimmer 35-500W	Accessories	Plastic	White	531556	7057385315567	1911907	12		145
Disa	Pendant	Glass		45823000	5701581370487	1902353	3		100
Disa	Pendant	Glass		45823027	5701581370586	1902354	3		100
Dorado 2700K 1-Kit Dim	Built in	Plastic, Metal	White	49430101	5701581471580	2049762	3		189
Dorado 2700K 1-Kit Dim	Built in	Plastic, Metal	Chrome	49430133	5701581471689	2049763	3		189
Dorado 2700K 1-Kit Dim	Built in	Plastic, Metal	Nickel	49430155	5701581471788	2049764	3		189
Dorado 2700K 3-Kit Dim	Built in	Plastic, Metal	White	49410101	5701581471085	2049754	3		188
Dorado 2700K 3-Kit Dim	Built in	Plastic, Metal	Nickel	49410155	5701581471283	2049785	3		188
Dorado 2700K 3-Kit Dim Tilt	Built in	Plastic, Metal	White	49400101	5701581470781	2049751	3		188
Dorado 2700K 3-Kit Dim Tilt	Built in	Plastic, Metal	Nickel	49400155	5701581470989	2049753	3		188
Dorado 2700K 3-Kit Dim Tilt	Built in	Plastic, Metal	White	49420101	5701581471382	2049760	3		189
Dorado 2700K 3-Kit Dim Tilt	Built in	Plastic, Metal	Nickel	49420155	5701581471481	2049761	3		189
Douglas 31 3000K	Plafond	Plastic, Metal	White	47226001	5701581413085	1975385	3		212
Douglas 31 4000K	Plafond	Plastic, Metal	White	47926001	5701581422186	1984834	3		213
Douglas 43 3000K	Plafond	Plastic, Metal	White	47236001	5701581413184	1975386	3		212
Douglas 43 4000K	Plafond	Plastic, Metal	White	47936001	5701581422285	1984836	3		213
Dove	Table	Plastic, Metal	Black	84593103	5701581343085	1850680	3	Switch on fixture	128
Drop	Wall	Aluminium	Black	320130	7057383201305	1617070	3	Switch on fixture</td	

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
E27 6W Dim	Bulb			1504470	5701581478886	2049491	12		289
E27 7,7W Dim	Bulb	Glass		1503870	5701581394483	1952827	6		283
E27 7,7W Dim	Bulb	Glass		1503970	5701581394582	1952826	6		284
E27 7W	Bulb			1505770	5701581480186	2049505	12		278
E27 7W	Bulb			1505870	5701581480285	2049507	12		285
E27 8,3W Dim	Bulb	Glass		1501370	5701581391987	1952830	12		278
E27 8,3W Dim	Bulb	Glass		1501570	5701581392182	1952829	12		285
E27 8,3W Dim	Bulb	Glass		1501670	5701581392281	1952832	12		279
E27 8,3W Dim	Bulb	Glass		1503770	5701581394384	1952831	6		283
E27 8,6W Dim	Bulb			1504270	5701581478688	2049489	6		287
E27 8,6W Dim	Bulb			1504370	5701581478787	2049490	6		287
E27 9,2W	Bulb			1505270	5701581479685	2049499	12		276
E27 9,8W Dim	Bulb	Plastic		1500270	5701581390881	1952833	12		288
E27 Avra Air 4W Dim	Bulb	Glass		1433070	5701581366589	1902322	6		296
E27 Avra Air 4W Dim	Bulb	Glass		1434070	5701581366688	1902323	6		296
E27 Avra Bamboo 2W	Bulb	Glass		1427070	5701581365988	1902315	6		295
E27 Avra Basic Line Dent 1,5W	Bulb	Glass		1439070	5701581439986	1991508	6		297
E27 Avra Basic Line Nut 1,5W	Bulb	Glass		1440070	5701581440081	1991509	6		295
E27 Avra Basic Line Stripes 1,5W	Bulb	Glass		1438070	5701581439887	1991510	6		297
E27 Avra Basic Line Stripes 1,5W	Bulb	Glass		1441070	5701581440180	1991511	6		297
E27 Avra Common 4W Dim	Bulb	Glass		1435070	5701581366787	1902324	6		296
E27 Avra Common 4W Dim	Bulb	Glass		1436070	5701581366886	1902325	6		296
E27 Avra Dent 2W	Bulb	Glass		1429070	5701581366183	1902317	6		295
E27 Avra Diamond 2W	Bulb	Glass		1423070	5701581344785	1850715	6		294
E27 Avra Nut 2W	Bulb	Glass		1430070	5701581366282	1902319	6		295
E27 Avra Square 2W	Bulb	Glass		1428070	5701581366084	1902316	6		297
E27 Avra Stripes 2W Amber	Bulb	Glass		1422070	5701581344686	1850713	6		294
E27 Avra Stripes 2W Clear	Bulb	Glass	Clear	1421070	5701581344587	1850711	6		294
E27 Avra Stripes 2W Smoke	Bulb	Glass		1426070	5701581365889	1902314	6		294
E27 Avra Top Brass 2W	Bulb	Glass		1431070	5701581366381	1902320	6		295
E27 Avra Top Silver 2W	Bulb	Glass		1432070	5701581366480	1902321	6		298
Egon	Garden	Aluminium, Plastic	Black	49061003	5701581465084	2042391	3		348
Eik	Wall	Metal	White	45761001	5701581369481	1902422	3	Switch on cable	76
Eik	Wall	Metal	Grey	45761010	5701581369580	1902425	3	Switch on cable	76
Eik	Spot	Metal	White	45770101	5701581369689	1902466	3		76
Eik	Spot	Metal	Grey	45770110	5701581369788	1902469	3		76
Eik	Spot	Metal	White	45780101	5701581369887	1902473	3		77
Eik	Spot	Metal	Grey	45780110	5701581369986	1902477	3		77
Eik	Pendant	Metal	White	46563001	5701581406780	1975326	3		77
Eik	Pendant	Metal	Grey	46563010	5701581406889	1975327	3		77
Eik	Table	Metal	White	46695001	5701581409088	1975343	3	Switch on cable	78
Eik	Table	Metal	Grey	46695010	5701581409187	1975344	3	Switch on cable	78
Eik	Floor	Metal, Plastic	White	46734001	5701581409880	1975351	3	Switch on cable	79
Eik	Floor	Metal, Plastic	Grey	46734010	5701581409989	1975352	3	Switch on cable	79
Elkton 14	Built in	Plastic	White	47530101	5701581414983	1975405	3		179
Elkton 8	Built in	Plastic	White	47520101	5701581414884	1975404	3		178
Ella 24	Pendant	Metal, Plastic	White	48703001	5701581460089	2042341	3		52
Ella 24	Pendant	Metal, Plastic	Black	48703003	5701581460188	2042342	3		52
Ella 24	Pendant	Metal, Plastic	Grey	48703011	5701581460287	2042343	3		52
Ella 24	Pendant	Metal, Plastic	White	48713001	5701581460386	2042344	3		52
Ella 30	Pendant	Metal, Plastic	Black	48713003	5701581460485	2042345	3		52
Ella 30	Pendant	Metal, Plastic	Grey	48713011	5701581460584	2042346	3		52
Ella 40	Pendant	Metal, Plastic	White	48723001	5701581460683	2042347	2		53
Ella 40	Pendant	Metal, Plastic	Black	48723003	5701581460782	2042348	2		53
Ella 40	Pendant	Metal, Plastic	Grey	48723011	5701581460881	2042349	2		53

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Ellen	Table	Metal, Plastic	White	48555001	5701581458086	2042321	3	Switch on cable	54
Ellen	Table	Metal, Plastic	Black	48555003	5701581458185	2042322	3	Switch on cable	54
Ellen	Table	Metal, Plastic	Green	48555023	5701581458284	2042323	3	Switch on cable	54
Ellen	Floor	Metal, Plastic	White	48584001	5701581458789	2042328	2	Switch on fixture	54
Ellen	Floor	Metal, Plastic	Black	48584003	5701581458888	2042329	2	Switch on fixture	54
Ellen 30	Pendant	Metal, Plastic	White	48563001	5701581463066	2042324	3		55
Ellen 30	Pendant	Metal, Plastic	Black	48563003	5701581458482	2042325	3		55
Ellen 40	Pendant	Metal, Plastic	White	48573001	5701581458581	2042326	2		55
Ellen 40	Pendant	Metal, Plastic	Black	48573003	5701581458680	2042327	2		55
Elm	Wall	Aluminium, Plastic	Black	45321003	5701581382589	1975309	3		382
Elm	Wall	Aluminium, Plastic	Black	45331003	5701581382787	1975310	3		382
Elm	Garden	Aluminium, Plastic	Black	45348003	5701581382985	1975311	3		383
Embla	Pendant	Glass		45703001	5701581368286	1902340	3		101
Embla	Pendant	Glass		45703047	5701581368385	1902344	3		101
Emma 18	Pendant	Glass, Metal	White	48843001	5701581462786	2042368	3		62
Emma 18	Pendant	Glass, Metal	Black	48843003	5701581462885	2042369	3		62
Emma 25	Pendant	Glass, Metal	White	48853001	5701581462984	2042370	3		62
Emma 25	Pendant	Glass, Metal	Black	48853003	5701581463080	2042371	3		62
Esk	Pendant	Metal	Black	84883003	5701581346789	1850672	3		116
Explore	Wall	Metal	White	72091001	5701581246577	1305148	6	Switch on fixture	138
Explore	Wall	Metal	Black	72091003	5701581246775	1305150			

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Fredensborg	Garden	Galvanized steel, Plastic	Galvanized	10620119	5702376201191	5137923	3		357
Fremont 2700K 1-Kit	Built in	Plastic, Metal	White	47570101	5701581415584	1975411	3		200
Fremont 2700K 1-Kit	Built in	Plastic, Metal	Black	47570103	5701581415683	1975412	3		200
Fremont 2700K 1-Kit	Built in	Plastic, Metal	Brushed steel	47570132	5701581415782	1975413	3		200
Fremont 2700K 3-Kit	Built in	Plastic, Metal	White	47580101	5701581420489	1976423	3		201
Fremont 2700K 3-Kit	Built in	Plastic, Metal	Black	47580103	5701581415881	1975414	3		201
Fremont 2700K 3-Kit	Built in	Plastic, Metal	Brushed steel	47580132	5701581415980	1975415	3		201
Frida	Wall	Metal, Plastic	White	49801001	5701581477087	2050241	6	Switch on cable	132
Frida	Spot	Metal, Plastic	White	49810101	5701581477186	2050247	3		132
Frida	Spot	Metal, Plastic	White	49820101	5701581477285	2050248	3		133
Frisbee	Plafond	Glass, Aluminium	White	25266001	5701581186989	5855325	6		233
Frisbee	Plafond	Glass, Aluminium	Aluminium	25266029	5701581187986	5855324	6		233
Front 26	Wall	Metal, Plastic	White	84081001	5701581341180	1848128	3		343
Front 26	Wall	Metal, Plastic	Black	84081003	5701581341289	1848129	3		343
Front 36	Wall	Metal, Plastic	White	84091001	5701581341388	1848132	3		343
Front 36	Wall	Metal, Plastic	Black	84091003	5701581341487	1848133	3		343
Front Single	Wall	Aluminium, Glass	White	46801001	5701581398986	1958103	3		342
Front Single	Wall	Aluminium, Glass	Black	46801003	5701581399082	1958104	3		342
Funk Base	Accessories	Galvanized steel	Galvanized	77509931	5701581257689	1634689	3		399
Fuse	Garden	Galvanized steel, Glass	Galvanized	77518031	5701581249288	1621985	1		398
G4 1,8W	Bulb			1504770	5701581479180	2049497	12		293
G4 2,1W	Bulb			1504870	5701581479289	2049498	12		293
G9 3,3W	Bulb	Plastic		15046470	5701581480889	2049584	12		293
G9 3,5W Dim	Bulb			1504670	5701581479081	2049496	12		293
Grant	Table	Metal, Glass	Black	46635003	5701581407886	1975331	3	Switch on cable	74
Grant	Table	Metal, Glass	Brass	46635025	5701581407985	1975332	3	Switch on cable	74
Grant	Wall	Metal, Glass	Black	47091003	5701581411685	1975370	3	Switch on cable	74
Grant	Wall	Metal, Glass	Brass	47091025	5701581411784	1975371	3	Switch on cable	74
Groa 30	Pendant	Wood	Nature (brown)	45683014	5701581368088	1902338	3		105
Groa 40	Pendant	Wood	Nature (brown)	45693014	5701581368187	1902339	3		105
GU10 2,3W	Bulb			1506570	5701581480988	2049585	12		291
GU10 4,8 2-Step Dim	Bulb			1505470	5701581479883	2049501	12		276
GU10 4,9W Dim	Bulb	Plastic		1500870	5701581391482	1952836	12		292
GU10 4W	Bulb	Glass, Plastic		1500670	5701581391284	1952837	12		291
GU10 5,5W Dim	Bulb	Glass, Plastic		1500770	5701581391383	1952838	12		291
GU10 6,7W Dim	Bulb	Plastic		1500970	5701581391581	1952839	12		292
Halifax	Table	Plastic	White	47635001	5701581416888	1975426	3		129
Helford	Wall	Brass, Glass	Brass	49031035	5701581464681	2042387	3		352
Helford	Wall	Brass, Glass	Nickel	49031055	5701581464780	2042388	3		352
Helix	Wall	Galvanized steel, Plastic	Galvanized	77471031	5701581248687	1621979	3		396
Helix	Wall	Corten, Plastic	Corten	77471038	5701581250482	1624431	3		396
Helix	Garden	Galvanized steel, Plastic	Galvanized	77498031	5701581248786	1621980	2		397
Helix	Garden	Corten, Plastic	Corten	77498038	5701581250581	1624432	2		397
Hollywood	Pendant	Glass, Metal		46483000	5701581405387	1975314	3		75
Hollywood	Pendant	Glass, Metal		46483027	5701581405486	1975315	3		75
Hollywood	Pendant	Glass, Metal		46483047	5701581405585	1975316	3		75
Hollywood	Table	Glass, Plastic		46645000	5701581408081	1975333	3	Switch on cable	75
Hollywood	Table	Glass		46645027	5701581408180	1975334	3	Switch on cable	75
Hollywood	Table	Glass, Plastic		46645047	5701581408289	1975335	3	Switch on cable	75
Houston 18	Pendant	Metal	Black	46453003	5701581405189	1973671	3		108
Houston 30	Pendant	Metal	Black	46443003	5701581405080	1973670	3		108
Hunt	Garden	Aluminium, PCA	White	45448001	5701581395084	1958121	3		340
Hunt	Garden	Aluminium, PCA	Black	45448003	5701581395183	1958122	3		340
Hunt	Garden	Aluminium, PCA	Aluminium	45448029	5701581395282	1958120	3		340
Hunt 19	Wall	Aluminium, PCA	White	45451001	5701581363083	1896568	3		341

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Hunt 19	Wall	Aluminium, PCA	Black	45451003	5701581363182	1896569	3		341
Hunt 19	Wall	Aluminium, PCA	Aluminium	45451029	5701581363281	1896570	3		341
Hunt 26	Wall	Aluminium, PCA	White	45461001	5701581363380	1896571	3		341
Hunt 26	Wall	Aluminium, PCA	Black	45461003	5701581363489	1896572	3		341
Hunt 26	Wall	Aluminium, PCA	Aluminium	45461029	5701581363588	1896574	3		341
IP S10	Bathroom	Metal, Glass	White	78471001	5701581267688	1694029	3	Switch on fixture	167
IP S12	Bathroom	Metal, Plastic	White	83051001	5701581300484	1761071	3		167
IP S12	Bathroom	Metal, Plastic	Chrome	83051033	5701581300583	1761072	3		167
IP S13	Bathroom	Metal, Plastic	White	83061001	5701581300682	1761073	3		168
IP S13	Bathroom	Metal, Plastic	Brushed steel	83061032	5701581300781	1761074	3		168
IP S13	Bathroom	Metal, Plastic	White	83071001	5701581300880	1761075	3		168
IP S13	Bathroom	Metal, Plastic	Brushed steel	83071032	5701581300989	1761076	3		168
IP S16	Bathroom	Metal, Plastic	White	84531001	5701581340985	1845305	3		169
IP S16	Bathroom	Metal, Plastic	Chrome	84531033	5701581341081	1845306	3		169
IP S4	Spot	Metal, Plastic	White	78511001	5701581268388	1694030	3		165
IP S4	Bathroom	Metal, Plastic	Brushed steel	78511032	5701581268487	1694038	3		165
IP S5	Bathroom	Metal, Plastic	White	78521001	5701581268685	1694040	3		165
IP S6	Bathroom	Metal, Plastic	White	78531001	5701581274983	1694077	3		166
IP S6	Bathroom	Metal, Plastic	Brushed steel	78531032	5701581275089	1694080	3		166
IP S9	Bathroom	Plastic, Metal	White	78946001	5701581277				

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Leroy 2700K	Plafond	Plastic	White	47560101	5701581415485	1975410	3		232
Leroy 4000K	Plafond	Plastic	White	47680101	5701581422988	1984858	3		232
Lilly	Pendant	Metal, Glass	Black	48603003	5701581458987	2042330	2		60
Lilly	Pendant	Metal, Glass	Brass	48603035	5701581459083	2042331	2		60
Lilly	Floor	Metal, Glass	Black	48613003	5701581459182	2042332	2	Switch on cable	60
Lilly	Table	Glass, Metal	Black	48885003	5701581463387	2042374	6	Switch on cable	61
Lilly	Wall	Glass, Metal	Black	48891003	5701581463486	2042375	6	Switch on cable	61
Link 1M	Rail	Metal	White	79079901	5701581273382	1684520	3		268
Link 1M	Rail	Metal	Black	79079903	5701581356382	1883555	3		268
Link 2M	Rail	Metal	White	79089901	5701581273481	1684523	3		268
Link 2M	Rail	Metal	Black	79089903	5701581356580	1883557	3		268
Link Adaptor	Rail	Plastic	White	79069901	5701581273283	1684515	6		267
Link Adaptor	Rail	Plastic	Black	79069903	5701581356986	1883561	6		267
Link Bendy	Rail	Silicone, Metal	White	86179901	5701581358287	1884977	3		272
Link Connect	Rail	Plastic	White	79059901	5701581273184	1684514	6		265
Link Connect	Rail	Plastic	Black	79059903	5701581356788	1883559	6		265
Link Connect Turnable	Rail	Plastic	White	79029901	5701581357082	1883562	6		265
Link Connect Turnable	Rail	Plastic	Black	79029903	5701581357181	1883563	6		265
Link Double Adaptor	Rail	Plastic	White	79049901	5701581357488	1883566	3		264
Link Double Adaptor	Rail	Plastic	Black	79049903	5701581357587	1883567	3		264
Link Explore	Rail	Metal, Plastic	White	86189901	5701581373587	1902367	6		272
Link Explore	Rail	Metal, Plastic	Black	86189903	5701581373686	1902368	6		272
Link Fez	Rail	Aluminium, Metal	White	86169901	5701581358089	1884975	3		269
Link Frøya	Rail	Metal, Plastic	White	86119901	5701581373389	1902479	3		270
Link Frøya 3-Kit + 1M Rail	Rail	Metal, Plastic	White	359131	7057383591314	1922174	3		271
Link Munin	Rail	Metal, Plastic	White	86129901	5701581373488	1902480	3		270
Link Munin 3-Kit + 1M Rail	Rail	Metal, Plastic	White	359531	7057383595312	1922176	3		271
Link Opposite Adaptor	Rail	Plastic	White	79039901	5701581357280	1883564	3		264
Link Opposite Adaptor	Rail	Plastic	Black	79039903	5701581357389	1883565	3		264
Link Single	Rail	Metal, Plastic	White	86109901	5701581357688	1883568	6		273
Link Single	Rail	Metal, Plastic	Black	86109903	5701581373280	1902478	6		273
Link Sleeky	Rail	Aluminium, Plastic	White	86159901	5701581357884	1884973	3		269
Link T-Connector Left	Rail	Plastic, Metal	White	86069901	5701581402287	1963941	6		266
Link T-Connector Left	Rail	Plastic, Metal	Black	86069903	5701581402386	1963943	6		266
Link T-Connector Right	Rail	Plastic, Metal	White	86059901	5701581402089	1963935	6		266
Link T-Connector Right	Rail	Plastic, Metal	Black	86059903	5701581402188	1963937	6		266
Link X-Connector	Rail	Plastic, Metal	White	86079901	5701581402485	1963944	6		267
Link X-Connector	Rail	Plastic, Metal	Black	86079903	5701581402584	1963945	6		267
Lismore 4-kit	Built in	Plastic	Chrome	76730001	5701581210684	1543943	3	Switch on cable	205
Lotus	Wall	Metal, Plastic	Black/brass	50101003	5701581478183	2050243	6	Switch on cable	134
Lotus	Spot	Metal, Plastic	Black/brass	50110103	5701581478282	2050257	3		134
Lotus	Spot	Metal, Plastic	Black/brass	50120103	5701581478381	2050259	3		135
Lotus	Spot	Metal, Plastic	Black/brass	50130103	5701581478480	2050260	3		135
Luxembourg	Wall	Galvanized steel, Glass	Black	22671003	5701581004047	5062672	3		367
Luxembourg	Wall	Galvanized steel, Glass	Rusty	22671009	5701581233171	1246804	3		367
Luxembourg	Wall	Copper, Glass	Copper	22671030	5701581083011	5659290	3		367
Luxembourg	Wall	Galvanized steel, Glass	Galvanized	22671031	5701581035010	5927026	3		367
Luxembourg	Pendant	Galvanized steel, Glass	Rusty	72805009	5701581233270	1246811	3		367
Luxembourg Sensor	Wall	Galvanized steel, Glass	Galvanized	22661031	5701581020054	5133097	3		366
Lyne	Pendant	Metal	Black	84813003	5701581346086	1850664	3		122
Lønstrup 22	Wall	Galvanized steel, Glass	Black	71431003	5701581232389	1557519	3		365
Lønstrup 22	Wall	Galvanized steel, Glass	Galvanized	71431031	5701581232181	1557520	3		365
Lønstrup 22 Sensor	Wall	Galvanized steel, Glass	Galvanized	71432031	5701581232280	1557521	3		365
Lønstrup 32	Wall	Galvanized steel, Glass	White	71411001	5701581277878	1475181	3		364
Lønstrup 32	Wall	Galvanized steel, Glass	Black	71411003	5701581277977	1475183	3		364

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Lønstrup 32	Wall	Galvanized steel, Glass	Galvanized	71411031	5701581253773	1361813	3		364
Lønstrup 32	Garden	Galvanized steel, Glass	White	71428001	5701581278172	1475199	3		366
Lønstrup 32	Garden	Galvanized steel, Glass	Black	71428003	5701581278271	1475200	3		366
Lønstrup 32	Garden	Galvanized steel, Glass	Galvanized	71428031	5701581253674	1362133	3		366
Lønstrup 32 Sensor	Wall	Galvanized steel, Glass	Galvanized	71412031	5701581278073	1469105	3		364
Malte	Wall	Galvanized steel, Plastic	Galvanized	21841031	5701581099043	5061479	3		377
Malte	Wall	Galvanized steel, Plastic	Galvanized	21861031	5701581100046	5061480	3		377
Mani 25	Plafond	Metal, Plastic		45606001	5701581367784	1902401	6		235
Mani 32	Plafond	Metal, Plastic		45616001	5701581367883	1902403	6		234
Marina Flatline	Wall	Aluminium, Plastic	White	46821001	5701581399181	1958105	3		401
Marina Flatline	Wall	Aluminium, Plastic	Black	46821003	5701581399280	1958106	3		401
Marina Flatline Pir Sensor	Wall	Aluminium, Plastic	White	46831001	5701581399389	1958107	3		400
Marina Flatline Pir Sensor	Wall	Aluminium, Plastic	Black	46831003	5701581399488	1958108	3		400
Marina Flatline TwilightSensor	Wall	Aluminium, Plastic	White	46841001	5701581399587	1958109	3		400
Marina Flatline TwilightSensor	Wall	Aluminium, Plastic	Black	46841003	5701581399686	1958110	3		400
Mason	Wall	Plastic	White	47131001	5701581412187	1975375	3	Switch on fixture	129
Mason	Wall	Plastic	Black	47131003	5701581412286	1975376	3	Switch on fixture	129
Maze Bended	Wall	Aluminium, Plastic	White	46881001	5701581399983	1958113	3		339
Maze Bended	Wall	Aluminium, Plastic	Black	46881003	5701581400085	1958114	3		339
Maze Straight	Wall	Aluminium, Plastic	White	46871					

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Montone 30 4000K	Plafond	Metal, Plastic	White	50016101	5701581484887	3			224
Moon Oval	Wall	Plastic	White	83581001	5701581305885	1761181	3		406
Moon Round	Wall	Plastic	White	83571001	5701581305786	1761176	3		406
Nestor	Garden	Aluminium, Plastic	Black	49041003	5701581464889	2042389	3		346
Nestor sensor	Garden	Aluminium, Plastic	Black	49051503	5701581464988	2042390	3		347
Nibe	Wall	Copper, Glass	Copper	24981030	5701581121010	5672386	6		369
Nibe	Wall	Galvanized steel, Glass	Galvanized	24981031	5701581122017	5672385	6		369
Nimba 3M RGB incl. remote	Built in	Metal, Rubber	White	79560000	5701581294387	1702300	3	Switch on cable	263
Nimba 5M	Built in	Metal, Rubber	White	79570000	5701581294486	1702301	3	Switch on cable	263
Norma	Wall	Metal, Glass	Grey	77611010	5701581250680	1624385	3		394
Oakland 120 22W	Fixture	Plastic	White	47736101	5701581417380	1975431	6		251
Oakland 120 43W	Fixture	Plastic	White	47746101	5701581417489	1975432	6		251
Oakland 150 30W	Fixture	Plastic	White	47756101	5701581417588	1975433	6		252
Oakland 150 60W	Fixture	Plastic	White	47766101	5701581417687	1975434	6		252
Oakland 60 11W	Fixture	Plastic	White	47716101	5701581417182	1975429	6		250
Oakland 60 22W	Fixture	Plastic	White	47726101	5701581417281	1975430	6		250
Octans 2700K 3-kit	Built in	Plastic	White	49250101	5701581481084	2049724	3		194
Octans 2700K 3-kit	Built in	Plastic	Chrome	49250133	5701581467989		3		194
Octans 2700K 3-kit	Built in	Plastic	Nickel	49250155	5701581468085	2049726	3		194
Octans 2700K 3-Kit Step Tilt	Built in	Plastic	White	49240101	5701581486980	2054994	3		194
Octans 2700K 3-Kit Step Tilt	Built in	Plastic	Nickel	49240155	5701581487086	2054996	3		194
Octans 2700K 5-Kit	Built in	Plastic	White	49260101	5701581468184	2049730	3		195
Octans 2700K 5-Kit	Built in	Plastic	Nickel	49260155	5701581468283	2049732	3		195
Octans 4000K 3-Kit	Built in	Plastic	White	49270101	5701581468382		3		196
Octans 4000K 3-Kit	Built in	Plastic	Nickel	49270155	5701581468580		3		196
Octans 4000K 3-Kit	Built in	Plastic	Nickel	49280155	5701581468788		3		197
Octans 4000K 5-Kit	Built in	Plastic	White	49280101	5701581468689		3		197
Oja 29 IP54 2700K	Plafond	Plastic	White	50036101	5701581485082	2049780	3		217
Oja 29 IP54 2700K Dim	Plafond	Plastic	White	50046101	5701581485181	2049781	3		217
Oja 42 IP54 2700K Dim	Plafond	Plastic	White	50056101	5701581485280	2049782	3		218
Oja 24 2700K	Plafond	Plastic	White	47246001	5701581413283	1975387	3		216
Oja 24 4000K	Plafond	Plastic	White	47946001	5701581421080	1984142	3		220
Oja 29 2700K	Plafond	Plastic	White	47256001	5701581413382	1975388	3		216
Oja 29 4000K	Plafond	Plastic	White	47956001	5701581421288	1984151	3		220
Oja 42 2700K	Plafond	Plastic	White	47266001	5701581413481	1975389	3		218
Oja 42 4000K	Plafond	Plastic	White	47966001	5701581421486	1984161	3		221
Oja 2700K 18W 3-step Dim	Plafond	Plastic	White	47276001	5701581443181	1991444	3		214
Oja 2700K 22W 3-step Dim	Plafond	Plastic	White	47286001	5701581443280	1991446	3		214
Oja 4000K 18W	Plafond	Plastic	White	47156001	5701581442986	1991440	3		215
Oja 4000K 22W	Plafond	Plastic	White	47166001	5701581443082	1991442	3		215
Palma 18	Built in	Metal, Plastic	White	83520001	5701581305182	1761156	3		203
Palma 12	Built in	Metal, Plastic	White	83500001	5701581304987	1761154	3		202
Palma 14	Built in	Metal, Plastic	White	83510001	5701581305083	1761155	3		202
Parson	Wall	Glass, Metal	Black	47101003	5701581411883	1975372	3	Switch on cable	124
Parson	Spot	Glass, Metal	Black	47110003	5701581411982	1975373	3		124
Parson	Spot	Glass, Metal	Black	47120003	5701581412088	1975374	3		125
Pato Round	NGR	Metal, Glass	Stainless steel	83830034	5701581307780	1761408	3		412
Pato Square	NGR	Metal, Glass	Stainless steel	83840034	5701581307889	1761410	3		412
Pavonis 2700K Dim Tilt	Built in	Metal	White	49620101	5701581481381	2049783	3		192
Pavonis 2700K Dim Tilt	Built in	Metal	Nickel	49620155	5701581481480	2049784	3		192
Pendant Suspension	Accessories	Plastic	White	0100001	5701581168886	3451606	12		144
Petri 30	Plafond	Glass, Metal	White	92746001	5708839013332	5692985	3		241
Phoenix	Wall	Copper, Plastic	Copper	24381030	5701581033030	5788056	2		368
Phoenix	Wall	Galvanized steel, Plastic	Galvanized	24381031	5701581034037	5788055	2		368
Phoenix Mini	Wall	Copper, Plastic	Copper	24421030	5701581146044	5061487	3		368

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Phoenix Mini	Wall	Galvanized steel, Plastic	Galvanized	24421031	5701581092044	5058925	3		368
Phoenix Mini	Garden	Copper, Plastic	Copper	24448030	5701581147041	5061485	3		369
Phoenix Mini	Garden	Galvanized steel, Plastic	Galvanized	24448031	5701581093041	5058924	3		369
Photo	Spot	Metal	Aluminium	59372029	5701581123014	5686212	6	Switch on cable	85
Polperro	Wall	Brass, Glass	Brass	49021035	5701581464483	2042385	3		353
Polperro	Wall	Brass, Glass	Nickel	49021055	5701581464582	2042386	3		353
Pop	Pendant	Metal	White	45833001	5701581370685	1902355	3		86
Pop	Pendant	Metal	Black	45833003	5701581370784	1902356	3		86
Pop	Pendant	Metal	Light blue	45833006	5701581370883	1902357	3		86
Pop	Pendant	Metal	Green	45833023	5701581370982	1902358	3		86
Pop	Pendant	Metal	Anthracite	45833050	5701581371088	1902359	3		86
Pop	Wall	Metal	White	45841001	5701581371286	1902427	3	Switch on cable	86
Pop	Wall	Metal	Black	45841003	5701581371385	1902431	3	Switch on cable	86
Pop	Wall	Metal	Light blue	45841006	5701581371484	1902434	3	Switch on cable	86
Pop	Wall	Metal	Green	45841023	5701581371583	1902436	3	Switch on cable	86
Pop	Wall	Metal	Anthracite	45841050	5701581371682	1902439	3	Switch on cable	86
Pop Maxi	Pendant	Metal	White	45983001	5701581390485	1943150	2		87
Pop Maxi	Pendant	Metal	Black	45983003	5701581390584	1943151	2		87
Pop Rough	Pendant	Metal, Plastic	White						

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Salsa 34	Plafond	Plastic, Metal	White	77696001	5701581253780	1629154	3		238
Scorpius	Wall	Galvanized steel, Plastic	White	21651001	5701581301979	5746797	6		370
Scorpius	Wall	Galvanized steel, Plastic	Black	21651003	5701581011021	5715378	6		370
Scorpius	Wall	Copper, Plastic	Copper	21651030	5701581916951	8574857	6		370
Scorpius	Wall	Galvanized steel, Plastic	Galvanized	21651031	5701581917958	8574865	6		370
Scorpius Maxi	Wall	Galvanized steel, Plastic	White	21751001	5701581303973	5746813	3		371
Scorpius Maxi	Wall	Galvanized steel, Plastic	Black	21751003	5701581012028	5715379	3		371
Scorpius Maxi	Wall	Copper, Plastic	Copper	21751030	5701581240964	7767296	3		371
Scorpius Maxi	Wall	Galvanized steel, Plastic	Galvanized	21751031	5701581241961	7767288	3		371
Scorpius Maxi	Garden	Galvanized steel	Galvanized	21769931	5701581228375	5387478	3		371
Siv	Table	Marble	White	45875001	5701581371880	1902481	3	Switch on cable	83
Siv	Table	Marble	Black	45875003	5701581371989	1902482	3	Switch on cable	83
Siv	Pendant	Marble	White	45883001	5701581372184	1902361	3		83
Siv	Pendant	Marble	Black	45883003	5701581372283	1902362	3		83
Skip 35	Pendant	Metal, Acrylic	White	46333001	5701581398283	1953171	3		115
Skip 35	Pendant	Metal, Acrylic	Black	46333003	5701581398382	1953174	3		115
Skip 57	Pendant	Metal, Acrylic	White	46343001	5701581398481	1953175	1		115
Skip 57	Pendant	Metal, Acrylic	Black	46343003	5701581398580	1953176	1		115
Skot	Wall	Plastic, Glass	White	17051001	4017506013324	5909318	4		407
Skot	Wall	Plastic, Glass	Black	17051003	4017506013331	5909319	4		407
Spinner	Plafond	Metal, Glass	White	25416001	5701581972957	8578130	3		239
Spinner	Plafond	Metal, Glass	Brushed steel	25416032	5701581251472	1337868	3		239
Spiral Suspension	Accessories	Plastic	White	0140001	5701581197886	3485323	1		144
Spot box 19x19 cm	Accessories	Plastic	Grey	76859999	5701581229884	1554126	12		145
Spotlight	Spot	Aluminium, Glass	Black	20789903	5701581326781	1827304	3		416
Spotlight LED	Spot	Aluminium, Glass	Black	20788303	5701581278370	1475396	3		416
Standard	Plafond	Glass, Metal	White	25326001	5701581027039	5788103	3		241
Step 17	Pendant	Metal	Black	46353003	5701581398689	1953177	3		110
Step 27	Pendant	Metal	Black	46363003	5701581398788	1953179	3		110
Step 36	Pendant	Metal	Black	46373003	5701581398887	1953180	3		111
T8 18W	Bulb	Glass	White	1270070	5701581208773	5342122	12		294
Tamar Clips	Wall	Metal, Plastic	Black	872223	7057388722232	1935373	3		395
Tamar Clips	Wall	Metal, Plastic	Anthracite	872263	7057388722638	1935372	3		395
Tangens	Bathroom	Glass, Metal	Brushed steel	17131032	5701581119055	5157240	3		170
Tangens	Bathroom	Glass, Metal	Chrome	17141029	5701581006072	5240433	3		170
Tangens	Bathroom	Glass, Metal	Brushed steel	17141032	5701581120051	5157239	3		170
Taurus	Spot	Stainless steel	Stainless steel	77029934	5701581324183	1824818	3		417
Tees	Pendant	Metal	Black	84863003	5701581346581	1850670	3		117
Teton	Plafond	Metal, Plastic	Black	84136003	5701581342286	1850701	3		411
Texas	Wall	Metal	White	47141001	5701581412385	1975377	3	Switch on fixture	90
Texas	Wall	Metal	Black	47141003	5701581412484	1975378	3	Switch on fixture	90
Texas	Table	Metal	White	47615001	5701581416482	1975421	3	Switch on cable	90
Texas	Table	Metal	Black	47615003	5701581416581	1975422	3	Switch on cable	90
Tiaki 2700K / 4000K	Built in	Plastic, Metal	White	49570101	5701581474789	2049774	3		173
Tiaki 2700K / 4000K	Built in	Plastic, Metal	Nickel	49570155	5701581474888	2049775	3		173
Tilos Effect 1-Kit	NGR	Stainless steel, Glass	Stainless steel	96400034	5701581214972	5384907	3		413
Tilos Round 3-Kit	NGR	Stainless steel, Glass	Stainless steel	96430034	5701581002074	5237371	3		413
Tin	Wall	Metal, Glass	Black	21269903	5701581322684	1824803	3		372
Tin	Wall	Copper, Glass	Copper	21269930	5701581327481	1839544	3		372
Tin	Wall	Stainless steel, Glass	Stainless steel	21279134	5701581327986	1833824	3		372
Tin	Wall	Metal, Glass	Black	21279903	5701581327788	1827977	3		372
Tin	Wall	Copper, Glass	Copper	21279930	5701581327887	1827279	3		372
Tin Maxi	Wall	Metal, Glass	White	21509901	5701581322882	1824805	3		373
Tin Maxi	Wall	Metal, Glass	Black	21509903	5701581322981	1824807	3		373
Tin Maxi	Wall	Metal, Glass	Aluminium	21509929	5701581323087	1824806	3		373

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Tin Maxi	Wall	Metal, Glass	White	21519901	5701581328884	1836665	3		374
Tin Maxi	Wall	Metal, Glass	Black	21519903	5701581323186	1824808	3		374
Tin Maxi	Wall	Metal, Glass	Aluminium	21519929	5701581329089	1828018	3		374
Tin Maxi	Wall	Stainless steel, Glass	Stainless steel	21519934	5701581329188	1828007	3		374
Tin Maxi Sensor	Wall	Metal, Glass	Black	21509103	5701581328686	1840880	3		374
Tin Maxi Sensor	Wall	Metal, Glass	Aluminium	21509129	5701581328785	1827284	3		374
Tin Maxi Sensor	Wall	Aluminium, Glass	Black	21519103	5701581329287	1828002	3		375
Tin Maxi Sensor	Wall	Aluminium, Glass	Aluminium	21519129	5701581329386	1828004	3		375
Tin Sensor	Wall	Stainless steel, Glass	Stainless steel	21279934	5701581322783	1824804	3		373
Tip	Built in	Metal	Galvanized	20299931	5701581326682	1827935	3		211
Trenton 23W	Fixture	Plastic, Metal	White	47856101	5701581418585	1975443	3		254
Trenton 48W	Fixture	Plastic, Metal	White	47476101	5701581446083	2018618	3		254
Trenton 56W	Fixture	Plastic, Metal	White	47486101	5701581446182	2018619	3		255
Tribeca 24	Pendant	Wood	Black	46423003	5701581404687	1973650	3		109
Tribeca 38	Pendant	Wood	Black	46433003	5701581404885	1973653	3		109
Trio 45	Plafond	Plastic	White	3001601	5701581149885	3791571	6	Switch on cable	239
Triton 3-kit	Built in	Metal	White	54540101	5701581319486	1817608	6		207
Triton 3-Kit	Built in	Metal	Brushed steel	54540132	5701581319684	1817610	6		207
Triton 3-Kit LED SMD	Built in	Metal	White	54360101	5701581243286	1618654	6		206
Triton 3-Kit LED SMD	Built in	Metal	Brushed steel	54360132	5701581243385</td				

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
William 27	Pendant	Metal	White	48453001	5701581457188	2042312	3		66
William 27	Pendant	Metal	Black	48453003	5701581457287	2042313	3		66
William 32	Pendant	Metal	White	48463001	5701581457485	2042315	2		67
William 32	Pendant	Metal	Black	48463003	5701581457584	2042316	2		67
Works 18W LED	Fixture	Metal, Plastic	White	27196101	5701581339682	1850768	3		260
Works 9W LED	Fixture	Metal, Plastic	White	27186101	5701581339583	1850767	3		260
Works IP65 1x18W	Fixture	Plastic	Grey	27306101	5701581194076	5273220	6		256
Works IP65 1X18W LED	Fixture	Plastic, Metal	Grey	27396101	5701581322585	1824329	6		258
Works IP65 1x36W	Fixture	Plastic	Grey	27316101	5701581195073	5273221	6		256
Works IP65 1X9W LED	Fixture	Plastic, Metal	Grey	27386101	5701581322486	1824326	6		258
Works IP65 2x18W	Fixture	Plastic	Grey	27326101	5701581196070	5273222	3		257
Works IP65 2x18W LED	Fixture	Plastic	White	27596101	5701581340084	1853176	6		259
Works IP65 2x36W	Fixture	Plastic	Grey	27336101	5701581197077	5273223	3		257
Works IP65 2x9W LED	Fixture	Plastic	Grey	27586101	5701581339989	1853172	6		259
Works Standard 18W	Fixture	Metal, Plastic	Grey	27266101	5701581192072	5273218	6		261
Works Standard 36W	Fixture	Metal, Plastic	Grey	27276101	5701581193079	5273219	6		261

- Der tages forbehold for ændringer m.h.t. tekniske specifikationer, design og collistørrelser.
- Vi förbehåller oss för ändring med hänsyn till tekniske specifikationer, design och collistorlek.
- We reserve the right to changes as to technical specifications, design and number of packages.
- Wir nehmen Vorbehalt für Änderungen bezgl. technischer Spezifikationen, Design und Verpackungseinheiten.
- Nous nous réservons le droit de modifier toute documentation technique, design et colisage.

v. 1  
090519  
AFB

**Nordlux Group Headoffice**

Østre Havnegade 34  
DK 9000 Aalborg  
T + 45 98 18 16 11  
[nordlux@nordlux.com](mailto:nordlux@nordlux.com)  
[nordlux.com](http://nordlux.com)

**Germany**

T +49 (0) 21 52 89 87 37  
F +49 (0) 21 52 14 85 54  
[germany@nordlux.com](mailto:germany@nordlux.com)

**Sweden**

T +46 (0) 20 14 00 054  
[sweden@nordlux.com](mailto:sweden@nordlux.com)

**Norway**

T +47 51 88 63 18  
[norway@nordlux.com](mailto:norway@nordlux.com)

**UK & Eire**

T +44 (0) 12 00 42 27 77  
[uk@nordlux.com](mailto:uk@nordlux.com)

**France**

[france@nordlux.com](mailto:france@nordlux.com)

**Benelux**

T +32 (0) 15 25 76 41  
[benelux@nordlux.com](mailto:benelux@nordlux.com)

