

# **ENTERTAINMENT INDEX**

Some products included into this pricelist can be available according with the following terms:

# MOQ "xx" pcs

These are the products or versions for which You should at least order the MOQ (minimum order quantity) where declared on this pricelist.

# **ON DEMAND**

These are the products or versions for which You have to contact DTS for verifying lead time and commercial terms.

# **AVAILABLE UNTIL STOCKS ARE EXHAUSTED**

These are the products or versions that once their stock will be completely sold they will be discontinued.

# **CUSTOMIZED FINISHING**

Different RAL finishing are available with an increase on the standard price as follow:

+20% for CONVENTIONAL PROJECTORS LEDs

Pag. **8** Pag. **8** 

+10% for all other product ranges.

MOVING HEADS PROFILE	
SYNERGY 5 PROFILE	Pag. <b>5</b>
MOVING HEADS SPOT / BEAM	
SYNERGY SPOT	Pag. <b>5</b>
EVO	Pag. <b>5</b>
CORE	Pag. <b>5</b>
RAPTOR	Pag. <b>5</b>
	J
MOVING HEADS WASH	
ALCHEMY 5	Pag. <b>6</b>
ALCHEMY 3 **NEW**	Pag. <b>6</b>
WONDER.D	Pag. <b>6</b>
NICK NRG 1201	Pag. <b>6</b>
NICK NRG 1401	Pag. <b>6</b>
EUPHONY 3 **NEW**	Pag. <b>6</b>
LED BARS	
KATANA	Pag. <b>6</b>
FOS 100 SOLO DYNAMIC FC	Pag. <b>7</b>
FOS 100 POWER SOLO FC	Pag. <b>7</b>
ARCHITAINMENT PROJECTORS LEDs	
X-BRICK	Pag. <b>8</b>
V-DIVICK	Pag. O

BRICK

MINI BRICK

CONVENTIONAL PROJECTORS LEDs	
SCENA LED 200	Pag. <b>9</b>
SCENA LED 200 MZ	Pag. <b>9</b>
SCENA LED 120	Pag. <b>10</b>
SCENA LED 80	Pag. <b>10</b>
PROFILO LED 200	Pag. <b>11</b>
PROFILO LED 120	Pag. <b>11</b>
PROFILO LED 80	Pag. <b>11</b>
CONVENTIONAL PROJECTORS Lamps	
FLASH Blinders	Pag. <b>12</b>
SCENA S Theater projectors	Pag. <b>12</b>
PROFILO Beam shapers	Pag. <b>12</b>
CONTROLLER / DEVICES	
MASTER SOFTWARE 4	Pag. <b>13</b>
DIMMERS / SPLITTERS	
DIMMER DPU1213	Pag. <b>13</b>
SPLITTER 6CH	Pag. <b>13</b>
GENERAL ACCESSORIES	
Powercon cable	Pag. <b>13</b>
DMX Cables	Pag. <b>13</b>
Tripod	Pag. <b>14</b>
Floor Stands	Pag. <b>14</b>
Clamps	Pag. <b>14</b>
Safety wires	Pag. <b>14</b>
Firmware Uploader	Pag. <b>14</b>
GENERAL SALES CONDITIONS	Pag. <b>15</b>

MOVING HEADS PROFILE					
Picture	Code	Description	Price		
	03.MP001	SYNERGY 5 PROFILE  • LED Technology 420 W pure white LED source 7000K; CRI >90 or CRI >75 • 4-blade rotating framing system • Power supply:  • Full-range 100-240 Vac 50 / 60 Hz • Power Consumption: 550 W max • Pan 540° Tilt 240° • Weight: 35 Kg • Accessories included: Synergy EZ-Shell x 1, PowerCON TRUE1 Female x 1, XLR 5-pin Male x 1, XLR 5-pin Female x 1, OMEGA fixing bracket x 2; CLAMPS for truss fixing are not included • BLACK finishing • Box Size: N.A.	€ 3.650,00		

ACCESSORIES	Code	Description				Price
Flightcase	0521C073 0512K146.1	2 Units FLIGHTCASE for SYNERGY 5 *Dimensions: 118 x 60 x 105 cm / 47 Kg  *Without EZ-SHELL (0512K146.1 x 2 pcs needed)  *EZ-SHELL for SYNERGY 5 *Already included in the SYNERGY 5 carton box.		€	430,00	
Frost Filters	02SK0410 02SK0428 02SK0430	*LINEAR SOFT FROST FILTER for SYNERGY *Already included in the SYNERGY 5 carton box LINEAR MEDIUM FROST FILTER for SYNERGY To buy apart LINEAR HEAVY FROST FILTER for SYNERGY To buy apart		ON DEMAND ON DEMAND	€ €	13,00 13,00 13,00
Customized Gobos	0516R007.58	Customized GOBO for SYNERGY 5 PROFILE + Gobo holder FORMAT IMAGE REQUIRED: DXF, EPS (.eps), Corel Draw (.cdr), Adobe Illustrator (.AI); FILE RASTER 300 dpi minimum, TIF, JPG, PSD, for Windows	• SYNERGY 5 PROFILE (Rotating wheel)	ON DEMAND	Con	itact DTS

**MOVING HEADS SPOT / BEAM** 

Picture	Code	Description	Description		Price	
	03.MS022	SYNERGY 5 SPOT  • LED Technology 420 W pure white LED source 7000K; CRI >90 or CRI >75 • Hz • Power Consumption: 530 W max • Pan 540° Tilt 240° • Weight: 34,5 Kg PowerCON TRUE1 Female x 1, XLR 5-pin Male x 1, XLR 5-pin Female x 1, OMI are not included • BLACK finishing • Box Size: N.A.	• Accessories included: Synergy EZ-S	Shell x 1,	€	3.200,00
ACCESSORIES	Code	Description				Price
Flightcase	0521C073 0512K146.1	2 Units FLIGHTCASE for SYNERGY 5  *Dimensions: 118 x 60 x 105 cm / 47 Kg *Without EZ-SHELL (0512K146.1 x 2 pcs needed)  *EZ-SHELL for SYNERGY 5 *Already included in the SYNERGY 5 carton box.			€	430,00
Frost Filters	02SK0410 02SK0428 02SK0430	*EZ-SHELL FOR SYNERGY 5 *Aiready included in the SYNERGY 5 carton box.  *LINEAR SOFT FROST FILTER for SYNERGY *Aiready included in the SYNERGY 5 PROFILE carton box  LINEAR MEDIUM FROST FILTER for SYNERGY To buy apart  LINEAR HEAVY FROST FILTER for SYNERGY To buy apart  ON DEMAND			€ €	13,00 13,00 13,00
Customized Gobos	0516R007.58	Customized GOBO for SYNERGY 5 SPOT + Gobo holder FORMAT IMAGE REQUIRED: DXF, EPS (.eps), Corel Draw (.cdr), Adobe Illustrator (.Al); FILE RASTER 300 dpi minimum, TIF, JPG, PSD, for Windows	• SYNERGY 5 SPOT (Rotating wheel)	ON DEMAND	Со	ontact DTS

Picture	Code	Description			Price
	03.MS016.LFP	With Lamp: Osram Sirius HRI 440W (24,000 Lumens) • LINEAR CMY+CTO • Power supply: Electronic ballast: 100-240 V 50 / D Hz • Power Consumption: 580 W with PFC • Pan 540° Tilt 244° • Weight: 24,4 Kg • Accessories included: PowerCON emale x 1, XLR 5-pin Male x 1, XLR 5-pin Female x 1, OMEGA fixing bracket x 2; CLAMPS for truss fixing are not included • LACK finishing • Box Size: N.A.			2.500,00
	03.MS018.L	• With Lamp: Osram Sirius HRI 440W (24,000 Lumens) • Power supply: Electron Consumption: 580 W with PFC • Pan 540° Tilt 244° • Weight: 24,3 Kg • Access pin Male x 1, XLR 5-pin Female x 1, OMEGA fixing bracket x 2; CLAMPS for transport to the Box Size: N.A.	ories included: PowerCON Female x 1, XLR 5-	€	1.700,00
	03.MB005.EB.LFP	RAPTOR  • With Lamp: Osram Sirius HRI 330W (16,500 Lumens; 7.500K) • Power supply Power Consumption: 450 W with PFC • with FPR (Free pan rotation system) • PowerCON Female x 1, XLR 5-pin Male x 1, XLR 5-pin Female x 1, OMEGA fixing included • BLACK finishing • Box Size: N.A.	Weight: 16,9 Kg • Accessories included:		1.500,00
ACCESSORIES	Code	Description	For:		Price
Lamps	0505S039 0505S037	Lamp 440W SIRIUS HRI 7400K Life: 1500 h Lamp 330W SIRIUS HRI 7000K Life: 1500 h	CORE     RAPTOR     ON DEMAND	€	195,00 135,00
Flightcase	0521C065.2 0521C059.1	2 Units FLIGHTCASE for CORE / EVO *Dimensions: 86 x 64 x 85 cm / 43 Kg 4 Units FLIGHTCASE for RAPTOR *Dimensions: 86 x 73 x 80 cm / 42 Kg	• CORE • RAPTOR	€	475,00 460,00
Customized Gobos	0516R001.58	Customized GOBO for CORE / MAX-L + Gobo holder  *FORMAT IMAGE REQUIRED: DXF, EPS (.eps), Corel Draw (.cdr), Adobe Illustrator (.AI); FILE RASTER 300 dpi minimum, TIF, JPG, PSD, for Windows	CORE (Rotating wheel)     ON DEMANE		Contact DTS

MOVING HEADS WASH					
Picture	Code	Description	Price		
	03.MW009	ALCHEMY 5  • LED Technology: 6-color chip LED source; 10,800 Lm • Power supply: Electronic ballast: 100-240 V 50 / 60 Hz • Power Consumption: 450 W max • Pan 540° Tilt 220° • Weight: 26,7 Kg • Accessories included: • Alchemy 5 EZ Sheel x 1, Cable with PowerCON TRUE1 IP65 Female connector x 1, OMEGA fixing bracket x 2; CLAMPS for truss fixing are not included • BLACK finishing • Box Size: N.A.	€ 2.400,00		
*NEW*	03.MW010	<b>ALCHEMY 3</b> • LED Technology: 6-color chip LED source; 6,600 Lm • Power supply: Electronic ballast: 100-240 V 50 / 60 Hz • Power Consumption: 300 W max • Pan 540° Tilt 220° • Weight: 15,5 Kg • Accessories included: Cable with PowerCON TRUE1 IP65 Female connector x 1, OMEGA fixing bracket x 1; <b>CLAMPS for truss fixing are not included</b> • BLACK finishing • Box Size: N.A.	€ 1.900,00		



03.LDR013.FFP

### WONDER.D

• LED Technology: 49 Full Color LEDs (RGBW) • DOUBLE ZOOM • Power supply: Electronic ballast: 100-240 V 50 / 60 Hz; • Power consumption: 850 W • with FPR (Free pan rotation system) • Weight: 23,4 Kg • Accessories included: PowerCON Female x 1, XLR 5-pin Male x 1, XLR 5-pin Female x 1, OMEGA fixing bracket x 2; CLAMPS for truss fixing are not included • BLACK Finishing • Box Size: N.A.

AVAILABLE
UNTIL STOCKS
ARE
EXHAUSTED

€ 2.300,00



03.LDR015.FFP

### **NICK NRG 1401**

- LED Technology: 23 x 20W Full Color LEDs (RGBW); 11,500 lm Pixel to Pixel control
- Power supply: Electronic full-range AC 100-240 V 50 / 60 Hz Power consumption: 390 W with FPR (Free pan rotation system) Weight: 13 Kg Accessories included: 1 x PowerCON Female cable connector; 1 x XLR 5 Pins male cable connector; 1 x XLR 5 Pins female cable connector; OMEGA fixing bracket x 1; CLAMPS for truss fixing are not included BLACK Finishing

€ 1.700,00



03.LDR006.FFP

### **NICK NRG 1201**

• Box Size: N.A.

• LED Technology: 30 Full Color LEDs (RGBW) • Power supply: Electronic full-range AC 100-240 V 50 / 60 Hz • Power consumption: 340 W • with FPR (Free pan rotation system) • Weight: 12,1 Kg • Accessories included: PowerCON Female x 1, XLR 5-pin Male x 1, XLR 5-pin Female x 1, OMEGA fixing bracket x 1; CLAMPS for truss fixing are not included • BLACK Finishing

AVAILABLE
UNTIL STOCKS
ARE
EXHAUSTED

€ 1.500,00



03.LDR020.F

# **EUPHONY 3**

• 7 x 60W Full Color (RGBW) LEDs; 7,500 lm • Power supply: Electronic ballast: 100-240 V 50 / 60 Hz • Power Consumption: 420 W max • Pan 540° Tilt 215° • Weight: 14 Kg • Accessories included: Soft frost filter x 1, Cable with PowerCON TRUE1 IP65 Female connector x 1, OMEGA fixing bracket x 1, CLAMPS for truss fixing are not included • BLACK finishing • Box Size: N.A.

€ 1.350,00

ACCESSORIES	Code	Description	For:		F	Price
	0521C078	2 Units FLIGHTCASE for ALCHEMY 5 *Dimensions: 120 x 60 x 83 cm / 50 Kg	• ALCHEMY 5		£	410.00
	*Without EZ-SHELL (0512K152.1 x 1 pcs necessary)	*Without EZ-SHELL (0512K152.1 x 1 pcs necessary)	/ LEGITETIVIT 3		Č	410,00
Flightcase	0512K152.1	*EZ-SHELL for ALCHEMY 5 *Already included in the ALCHEMY 5 carton box.	ALCHEMY 5			-
Fiigiitcase						
	0521C061.1	2 Units FLIGHTCASE for WONDER *Dimensions: 104 x 59 x 80 cm / 38 Kg	• WONDER D	ON DEMAND	€	600,00
	0521C059.1	4 Units FLIGHTCASE for NICK NRG 1401 / 1201 *Dimensions: 86 x 73 x 80 cm / 42 Kg	• NICK NRG 1401/1201		€	460,00

LED BARS			
Picture	Code	Description	Price
	03.LDR016.F	<ul> <li>KATANA</li> <li>LED Technology: 12x20W Full Colour LEDs (RGBW) • Pixel to Pixel control</li> <li>Power supply: Electronic full-range AC 100-240 V 50 / 60 Hz • Power consumption: 300 W • Motorized Tilt +/- 95° • Weight: 19,5 Kg • Accessories included: PowerCON TRUE1 Female x 1; PowerCON TRUE1 Male x 1; XLR 5-pin Male x 1; XLR 5-pin Female x 1; OMEGA fixing bracket x 2 • BLACK finishing • Box Size: N.A.</li> </ul>	€ 1.300,00

	ACCESSORIES	Code	Description	ļ	Price
ſ	Flightcase	0521C066	3 Units FLIGHTCASE for KATANA *Dimensions: 86 x 85 x 63 cm / 43 Kg	€	450,00

LED BARS							
Picture	Code	Description	Beam opening			Price	
	03.DYN008S.F10	FOS 100 DYNAMIC SOLO FC IP20	SP-10° (Spot / Narrow)		€	780,00	
00000	03.DYN008S.F25	<b>Weight:</b> 7,1 Kg • <b>Lumens:</b> 4,608 @ 500mA • <b>Consumption:</b> 150 W Max •	MF-25° (Medium Flood)	ON DEMAND	€	805,00	
	03.DYN008S.F40		WF-40° (Wide Flood)	ON DEMAND	€	805,00	

ACCESSORIES	Code	Description			ı	Price
Flightcase	0521C069	4 Units FLIGHTCASE for FOS 100 SOLO *Dimensions: 124 x 58 x 40 cm / 33 Kg		ON DEMAND	€	390,00
Barndoor	03.LA.142	BARNDOOR for FOS 100 SOLO *Black *With Holografic Filter holder included	• 3 Kits needed	ON DEMAND	Con	tact DTS
	03.LK.060.N	Kit Lens 5 LEDs for FOS 100 DYNAMIC SP 10°			€	24,00
<b>Kit Lenses</b>	03.LK.061.N	Kit Lens 5 LEDs for FOS 100 DYNAMIC MF 25°	• 3 Kits needed		€	24,00
	03.LK.062.N	Kit Lens 5 LEDs for FOS 100 DYNAMIC WF 40°			€	24,00
Mounting	03.LA.024	WALL MOUNTING FOS FAST-LOCK KIT BRACKET	• 2 pcs needed	ON DEMAND	€	24,00
•	03.LA.025	WALL MOUNTING FOS BRACKET ONLY	• 2 pcs needed	ON DEMAND	€	5,00
Brackets	02SK0382	FOS 100 LINE JOINTING/TRUSS KIT *For fixing FOS on trusses and jointing units in line.	• 1 pcs needed	ON DEMAND	€	12,00

Picture	Code	Description	Beam opening			Price
0.0000000	03.LBB015S11FC10	FOS 100 POWER SOLO FC IP20	SP-10° (Spot / Narrow)	ON DEMAND	€	700,00
	03.LBB015S11FC25	W/ Power supply and DMX control on board. IP20 Indoor. • 24 Full Colour RGBW Leds (POWER FC). • Lumens: 8,864 @ 500mA •	MF-25° (Medium Flood)		€	680,00
	03.LBB015S11FC40	<b>Weight:</b> 7,3 Kg • <b>Consumption:</b> 200 W Max • BLACK finishing • Box Size: N.A.	<b>WF-40°</b> (Wide Flood)	ON DEMAND	€	700,00

ACCESSORIES	S Code Description			l	Price	
Flightcase	e 0521C069 4 Units FLIGHTCASE for FOS 100 POWER SOLO *Dimensions: 124 x 58 x 40 cm / 33 Kg		ON DEMAND	€	390,00	
Barndoor	03.LA.142	BARNDOOR for FOS 100 POWER SOLO *Black *With Holografic Filter holder included	• 3 Kits needed	ON DEMAND	Con	tact DTS
	03.LK.107.N	Kit Lens 12 LEDs for FOS 100 POWER FC SP 10°			€	41,00
Kit Lenses	03.LK.108.N	Kit Lens 12 LEDs for FOS 100 POWER FC MF 25°	• 2 Kits needed		€	41,00
	03.LK.109.N	Kit Lens 12 LEDs for FOS 100 POWER FC WF 40°			€	41,00
	0506A092.D2	Holographic filter FOS 100 POWER ◆ 60° H x 10° V *If combined with SP-10° Lens	• (2 pcs needed)	ON DEMAND	€	12,00
Holographic Filters	0506A093.D2	Holographic filter FOS 100 POWER ◆ 40° H x 10° V *If combined with SP-10° Lens	FOS 100 POWER beam opening changes depending on which Holographic filter and Lens set is	ON DEMAND	€	12,00
To be mounted on FOS Barndoor 03.LA.142	0506A103.D2	Holographic filter FOS 100 POWER • 60° *If combined with <b>SP-10°</b> Lens	combined.	ON DEMAND	€	12,00
	0506A104.D2	Holographic filter FOS 100 POWER • 80° *If combined with <b>SP-10°</b> Lens	SP-10° Lens is advised for the best result.	ON DEMAND	€	12,00
	03.LA.024	WALL MOUNTING FOS FAST-LOCK KIT BRACKET	• 2 pcs needed	ON DEMAND	€	24,00
Mounting	03.LA.025	WALL MOUNTING FOS BRACKET <u>ONLY</u>	• 2 pcs needed	ON DEMAND	€	5,00
Brackets	02SK0382	FOS 100 POWER LINE JOINTING/TRUSS KIT *For fixing FOS on trusses and jointing units in line.	• 1 pcs needed	ON DEMAND	€	12,00

ARCHITAINMENT PROJECTORS LEDs						
Picture	Code	Description	Price			
	03.LDB130S11FC	<ul> <li>X-BRICK</li> <li>On Board: Controller IP65 for indoor / outdoor use.</li> <li>32 Osram Ostar Stage N Full Colour (RGBW) LEDs • Sector Control • HI-Q Dimming technology • Power consumption: 650 W</li> <li>Built-in full-range PSU 100-240 Vac 50-60 Hz. • Connection: PowecCon TRUE 1 In/Out panel connectors • Weight: 14 Kg</li> <li>• Accessories included: Quick mounting Holographic filters 20° x 1, 40° x 1, 60°H x 10°V x 1, Cable with PowerCON TRUE1</li> <li>IP65 Female connector x 1; XLR IP65 5-Pin Male connector x 1; XLR IP65 5-Pin Female connector x 1; Display UV Protection x 1, OMEGA fixing bracket x 1 • BLACK finishing • Box Size: N.A.</li> </ul>	€ 1.500,00			

ACCESSORIES	Code	Description		Price
Flightcase	0521C076	4 Units FLIGHTCASE for X-BRICK *Dimensions: 85 x 56 x 76 cm / 38 Kg	€	420,00
Barndoor	03.LA.237.11	BARNDOOR for X-BRICK *Black	€	50,00
Visor	03.LA.236.11	VISOR for X-BRICK *Black ON DEMAND	€	25,00
	0506A043.D18	Holographic filter X-BRICK 20° Included in the carton box.	€	20,00
	0506A045.D18	Holographic filter X-BRICK 40° Included in the carton box.	€	20,00
Holographic	0506A092.D18	Holographic filter X-BRICK 60° H x 10° V Included in the carton box.	€	20,00
Filters	0506A101.D18	Holographic filter X-BRICK 10° To buy apart  ON DEMAND	€	20,00
i iitei s	0506A103.D18	Holographic filter X-BRICK 60° To buy apart  ON DEMAND	€	20,00
	0506A121.D18	Holographic filter X-BRICK 80° To buy apart  ON DEMAND	€	20,00
	0506A119.D18	Holographic filter X-BRICK 60° H x 30° V To buy apart  ON DEMAND	€	20,00

Picture	Code	Description			P	rice	
	03.LDB100S11FC	BRICK FC  • On Board: Controller IP65 for indoor / outdoor use.  • 24 Osram Ostar Stage N Full Colour (RGBW) LEDs • Power consumption: 400 W • Built-in full-range PSU 100-240 Vac 50-60 Hz. • Connection: End Stripped power cable + 2x DMX cables with Neutrik XLR 5-pole In / Out IP65 Connectors. • Weight: 10,7 Kg • Accessories included: Quick mounting Holographic filters 20° x 1, 40° x 1, 60°H x 10°V x 1, PowerCON TRUE1 IP65 Male x 1; PowerCON TRUE1 IP65 Female x 1; Display UV Protection x 1, OMEGA fixing bracket x 1 • BLACK finishing • Box Size: N.A.					
CUSTOMIZED LED		BRICK with customized LED configurations  ON DEMAND			Conta	act DTS	
ACCESSORIES	Code	Description	Description				
Flightcase	0521C068	6 Units FLIGHTCASE for BRICK *Dimensions: 118 x 76 x 54 cm / 47 Kg	5 Units FLIGHTCASE for BRICK *Dimensions: 118 x 76 x 54 cm / 47 Kg				
Barndoor	03.LA.210	BARNDOOR for BRICK *Black			€	45,00	
Floor Stand	03.LA.213	FLOOR STAND for BRICK and MINI BRICK *Black			€	28,00	
	03.LK.274.46	Kit Lens 24 LEDs for BRICK SP 12°			€	82,00	
Kit Lenses	03.LK.275.46 03.LK.276.46	Kit Lens 24 LEDs for BRICK MF 28°  Kit Lens 24 LEDs for BRICK WF 38°			€	95,00 95,00	
Holographic Filters	0506A043.D11 0506A045.D11 0506A092.D11 0506A101.D11 0506A103.D11 0506A121.D11	Holographic filter BRICK 20° Included in the carton box.  Holographic filter BRICK 40° Included in the carton box.  Holographic filter BRICK 60° H x 10° V Included in the carton box.  Holographic filter BRICK 10° To buy apart  Holographic filter BRICK 60° To buy apart  Holographic filter BRICK 80° To buy apart  Holographic filter BRICK 60° H x 30° V To buy apart	To be mounted on  UN (ULTRANARROW) lens	ON DEMAND ON DEMAND ON DEMAND ON DEMAND	€ € € €	16,00 16,00 16,00 16,00 16,00 16,00	
IP68 KIT	03.LA.214	ermanent Installation KIT BRICK IP68 (1 Kit needed) vith 1 x POWER IP68 Cable connector; 2 x DMX IN IP68 Connectors; 2 x DMX OUT IP68 Connectors			€	28,00	

Picture	Code	Description				Price
	03.LDB120S11FC	<ul> <li>MINI BRICK FC</li> <li>On Board: Controller IP65 for indoor / outdoor use.</li> <li>12 Osram Ostar Stage N Full Colour (RGBW) LEDs • Power consumption: 200 W</li> <li>Built-in full-range PSU 100-240 Vac 50-60 Hz. • Connection: End Stripped power cable + 2x DMX cables with Neutrik XLR 5-pole In / Out IP65 Connectors. • Weight: 7,5 Kg • Accessories included: Quick mounting Holographic filters 20° x 1, 40° x 1, 60°H x 10°V x 1, PowerCON TRUE1 IP65 Male x 1; PowerCON TRUE1 IP65 Female x 1 Display UV Protection x 1, OMEGA fixing bracket x 1 • BLACK finishing • Box Size: N.A.</li> </ul>				700,00
CUSTOMIZED LED		MINI BRICK with customized LED configurations  ON DEMAND				ntact DTS
ACCESSORIES	Code	Description				Price
Barndoor	03.LA.211	BARNDOOR for MINI BRICK *Black			€	42,00
Floor Stand	03.LA.213	FLOOR STAND for BRICK and MINI BRICK *Black			€	28,00
	03.LK.270.46	Kit Lens 12 LEDs for MINIBRICK SP 12°			€	52,00
Kit Lenses	03.LK.271.46	Kit Lens 12 LEDs for MINIBRICK MF 28°			€	58,00
	03.LK.272.46	Kit Lens 12 LEDs for MINIBRICK WF 38°			€	58,00
	0506A043.D12	Holographic filter MINI BRICK 20° Included in the carton box.			€	8,00
	0506A045.D12	Holographic filter MINI BRICK 40° Included in the carton box.			€	8,00
Holographic	0506A092.D12	Holographic filter MINI BRICK 60°Hx10°V Included in the carton box.	To be mounted on		€	8,00
• .	0506A101.D12	Holographic filter MINI BRICK 10° To buy apart		ON DEMAND	€	8,00
Filters	0506A103.D12	Holographic filter MINI BRICK 60° To buy apart	UN (ULTRANARROW) lens	ON DEMAND	€	8,00
	0506A121.D12	Holographic filter MINI BRICK 80° To buy apart		ON DEMAND	€	8,00
	0300/(121.D12	0 1				
	0506A119.D12	Holographic filter MINI BRICK 60° H x 30° V To buy apart		ON DEMAND	€	8,00

CONVEN	CONVENTIONAL PROJECTORS LEDs									
SCENA LED 200										
Picture	Code	Description	Led Technology		Price					
	03.TS046.46.F	SCENA LED 200 ● FR Fresnel  • High power 3200K LED; CRI>95 • 29,400 Lux / 2 m	• 3200K	€	560,00					
	03.TS048.46.F	• Ø 150 mm Fresnel lens • Linear Zoom 6.5° - 70° • Also available 4000K and 5600K • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 200 W • Weight 8,5 Kg • Accessories Included: 1 x	• 4000K	€	580,00					
	03.TS064.46.F	PowerCON TRUE1 female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 1 x Filterframe • BLACK Finishing • Box Size: N.A.	• 5600K	€	580,00					
	03.TS046.46.A	SCENA LED 200 ● PC Antihalo	• 3200K	€	595,00					
ST	03.TS048.46.A	• High power 3200K LED; CRI>95 • 29,400 Lux / 2 m • Ø 150 mm PC Antihalo lens • Linear Zoom 6.4° - 64° •  Also available 4000K and 5600K • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption:  300 W • Weight 0.5 Kg • Assessories Included: 1 x Power CON TRUE 1 females: 1 x XLR 5 pins females: 1 x XLR 5	• 4000K	€	615,00					
1		200 W • Weight 9,5 Kg • Accessories Included: 1 x PowerCON TRUE1 female; 1 x XLR 5 pins female; 1 x XLR 5								

pins male; 1 x Filterframe • BLACK Finishing • Box Size: N.A.

03.TS064.46.A

• 5600K

€ 615,00

03.TS051.46.F	SCENA LED 200 CT ● FR Fresnel  • High power tunable WHITE LED (2700K <> 6500K); CRI>90 • 25,000 Lux / 2 m • Ø 150 mm Fresnel lens  • Linear Zoom 6.5° - 70° • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 200 W  • Weight 8,5 Kg • Accessories Included: 1 x PowerCON TRUE1 female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 1 x Filterframe • BLACK Finishing • Box Size: N.A.	• CT Tunable White	€	580,00
03.TS051.46.A	SCENA LED 200 CT • PC Antihalo  • High power tunable WHITE LED (2700K <> 6500K); CRI>90 • 25,000 Lux / 2 m • Ø 150 mm PC Antihalo lens  • Linear Zoom 6.4° - 64° • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 200 W  • Weight 9,5 Kg • Accessories Included: 1 x PowerCON TRUE1 female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 1 x Filterframe • BLACK Finishing • Box Size: N.A.	• CT Tunable White	€	635,00

03.TS054.4	• High Power RGBW LED; • 15,800 Lux / 2 m • Linear Zoom 14° - 60° • Power supply: Electronic full-range 100- 240 Vac 50/60 Hz • Consumption: 200 W • Weight 9,4 Kg • Accessories Included: 1 x PowerCON TRUE1 female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 1 x Filterframe • BLACK Finishing • Box Size: N.A.	<b>FC</b> RGBW	€ 770	0,00
------------	---	-------------------	-------	------

ACCESSORIES	Code	Description		Price
Flightcase	0521C075	6 Units FLIGHTCASE for SCENA LED 200 / SCENA LED 200 MZ *Packing: 120 x 73 x 60 cm / Kg x	€	490,00
Barndoor	03.TBD04	BARNDOOR for SCENA LED 200 *Black	€	20,00

SCENA LED 200 MZ								
Picture	Code	Description			Price			
	03.TS055.46.F	SCENA LED MZ 200 FC ● FR Fresnel • Same as SCENA LED 200 FC but with MOTORIZED ZOOM	• FC RGBW	€	800,00			
CUSTOMIZED LED		SCENA LED MZ 200 with customized LED configurations	ON DEMAND	Con	tact DTS			
ACCESSORIES	Code	Description			Price			
Flightcase	0521C075	6 Units FLIGHTCASE for SCENA LED 200 / SCENA LED 200 MZ *Packing: 120 x 73 x 60 cm / Kg x		€	490,00			
Barndoor	03.TBD04	BARNDOOR for SCENA LED 200 *Black		€	20,00			

# CONVENTIONAL PROJECTORS LEDs

SCENA LED 120									
Picture	Code	Description	Led Technology	P	rice				
	03.TS081.46.F	SCENA LED 120 HQS ● FR Fresnel  • Equipped with a high efficiency 4-color chip 120 W LED • 112 mm Fresnel lens • Long-excursion 20° - 74° linear zoom • 'Hi-Q Dimming' technology • Power supply: Electronic full-range 100-240 Vac 50/60 Hz	• <b>HQS</b> High Quality	€	520,00				

• Consumption: 120 W • Weight 5 Kg • Accessories Included: 1 x Cable with PowerCON TRUE1 Female

Spectrum

ACCESSORIES	Code	Description	F	Price
Barndoor	03.TA206	BARNDOOR for SCENA LED 80 / 120 *Black	€	18,00

connector; 1 x Filterframe • BLACK Finishing • Box Size: N.A.

icture	Code	Description	Led Technology		Price
JO.	03.TS031.46.F	SCENA LED 80 ● FR Fresnel	• 3000K	€	320,00
	03.TS032.46.F	• High Power 3000K LED: CRI>90 • 7,150 Lux / 2 m • Zoom 14° / 77° • Also available 4000K and 5000K • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 100 W • Weight 4,2 Kg •	• 4000K	€	330,00
	03.TS033.46.F	Accessories Included: 1 x PowerCON female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 1 x Filterframe • BLACK Finishing • Box Size: N.A.	• 5000K	€	330,00
	03.TS031.46.A	SCENA LED 80 ● PC Antihalo	• 3000K	€	330,00
	03.13031.40.A	• High Power 3000K LED: CRI>90 • 7,150 Lux / 2 m • Zoom 14° / 77° • Also available 4000K and 5000K •	- 3000K	ļ <u>.</u>	
	03.TS032.46.A	Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 100 W • Weight 4,2 Kg •	• 4000K	€	340,00
	03.TS033.46.A	Accessories Included: 1 x PowerCON female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 1 x Filterframe • BLACK Finishing • Box Size: N.A.	• 5000K	€	340,00

03.TS047.46.F	• High power tunable WHITE LED (2700K <> 6000K); CRI>80 • 9,100 Lux / 2 m • Zoom 14° / 77° • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 100 W • Weight 4 Kg • Accessories Included: 1 x PowerCON female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 1 x Filterframe • BLACK Finishing • Box Size: N.A.	• CT Tunable White	€ :	360,00

	03.TS026.46.F	SCENA LED 80 FC • FR Fresnel  • High Power Full Color (RGBW) LED • 3,900 Lux / 2 m • Zoom 14° / 77° • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 80 W • Weight 4,2 Kg • Accessories Included: 1 x PowerCON female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 1 x Filterframe • BLACK Finishing • Box Size: N.A.	• FC RGBW	€	375,00
CUSTOMIZED MOTORIZED ZOOM		SCENA LED MZ 80 with MOTORIZED ZOOM are available	ON DEMAND	Cont	act DTS
ACCESCODIES	Codo	Description			Drice
_	Code	Description			Price
Barndoor	03.TA206	BARNDOOR for SCENA LED 80 / 120 *Black		€	18,00

### **CONVENTIONAL PROJECTORS LEDS PROFILO LED 200** Picture Code Description Led Technology Price **PROFILO LED 200** 03.TP035.46 € 780,00 • 3200K • High Power 3200K LED; CRI>95 • 24,900 Lux/2 m • Zoom 15,5°/ 38° • Power supply: Electronic full-range € 03.TP036.46 • 4000K 800,00 100-240 Vac 50/60 Hz • Consumption: 200 W • Weight 16 Kg • Accessories Included: 1 x PowerCON TRUE1 female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 4 x Shutter blades; On board: 1x Soft Edge Filter; 1 x 03.TP037.46 • 5600K € 800,00 Filterframe • BLACK Finishing • Box Size: N.A. **PROFILO LED 200 CT** CT • High power tunable WHITE LED (2700K <> 6500K); CRI>90 • 25,900 Lux/2 m • Zoom 15,5°/ 38° • Power 03.TP039.46 Tunable 800,00 supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 200 W • Weight 16,9 Kg • Accessories White Included: 1 x PowerCON TRUE1 female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 4 x Shutter blades; On board: 1x Soft Edge Filter; 1 x Filterframe • BLACK Finishing • Box Size: N.A.

03.TP038.46	• High Power Full Color (RGBW) LED • 11,150 Lux/2 m • Zoom 19°/ 41° • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 200 W • Weight 16 Kg • Accessories Included: 1 x PowerCON TRUE1 female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 4 x Shutter blades; On board: 1x Soft Edge Filter; 1 x Filterframe • Packing: (LxDxH) 79 x 34 x 29 cm 16,50 Kg • BLACK Finishing • Box Size: N.A.	• FC RGBW	€	905,00
-------------	---	--------------	---	--------

ACCESSORIES	Code	Description			Price
Gobo Holder	03.TA226	GOBO HOLDER for PROFILO LED 200 *Gobo Size: 86mm (ext.), 60mm (figure) *Max Gobo thickness from 0,2 to 3 mm		€	6,00
Iris Diaphragm	03.TA225	IRIS / DIAPHRAGM for PROFILO LED 200		€	60,00
Blade	02SK0429	BLADE for PROFILO LED 200		€	4,50
Customized Gobos	0516R005	Customized GOBO for PROFILO LED 200 *FORMAT IMAGE REQUIRED: DXF, EPS (.eps), Corel Draw (.cdr), Adobe Illustrator (.Al); FILE RASTER 300 dpi minimum, TIF, JPG, PSD, for Windows	ON DEMAND	Cor	ntact DTS

Picture	Code	Description	Led Technology		Price
	03.TP050.46	<ul> <li>PROFILO LED 120 HQS</li> <li>Equipped with a high efficiency 4-color chip 120 W LED</li> <li>Internal system with four removable shutters • Long-excursion 20° - 38° linear zoom • 'Hi-Q Dimming' technology • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 120 W • Weight: 6,3 Kg • Accessories Included: 1 x Cable with PowerCON TRUE 1 Female connector; 4 x Shutter blades; 1 x Filterframe; 1 x Soften filter 10° • BLACK Finishing • Box Size: N.A.</li> </ul>	• HQS High Quality Spectrum	€	600,00
ACCESSORIES	Code	Description			Price
Gobo Holder	03.TA224	GOBO HOLDER for PROFILO LED 80 / 120 *Type M *Gobo size: 66mm (ext.), 48mm (figure) *Max Gobo thickness allowed 3 mm		€	8,00
Iris Diaphragm	03.TA223	IRIS / DIAPHRAGM for PROFILO LED 80 / 120		€	52,00
Customized Gobos	0516R004	Customized GOBO for PROFILO LED 80 / 120 *FORMAT IMAGE REQUIRED: DXF, EPS (.eps), Corel Draw (.cdr), Adobe Illustrator (.AI); FILE RASTER 300 dpi minimum, TIF, JPG, PSD, for Windows	ON DEMAND	Со	ntact DTS

Gobos		*FORMAT IMAGE REQUIRED: DXF, EPS (.eps), Corel Draw (.cdr), Adobe Illustrator (.Al); FILE RASTER 300 dpi minimum, TIF, JPG, PSD, for Windows			
ROFILO LED	30				
cture	Code	Description	Led Technology		Price
	03.TP022.46	PROFILO LED 80	• 3000K	€	400,00
	03.TP023.46	• High Power 3000K LED; CRI>90 • 6,550 Lux / 2 m (3000K) • Zoom 20°/ 36° • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 100 W • Weight: 6,15 Kg • Accessories Included: 1 x PowerCON	• 4000K	€	415,00
	03.TP024.46	female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 4 x Shutter blades • BLACK Finishing • Box Size: N.A.	• 5000K	€	415,00
	03.TP033.46	<ul> <li>PROFILO LED 80 CT</li> <li>High power tunable WHITE LED (2700K &lt;&gt; 6000K); CRI&gt;80 • 6,400 Lux / 2 m • Zoom 20°/ 36° • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 100 W • Weight: 6,15 Kg • Accessories Included: 1 x PowerCON female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 4 x Shutter blades • BLACK Finishing • Box Size: N.A.</li> </ul>	• CT Tunable White	€	415,00
	03.TP020.46	PROFILO LED 80 FC  • High Power Full Color (RGBW) LED • 5,800 Lux/2 m • Zoom 20°/ 36° • Power supply: Electronic full-range 100-240 Vac 50/60 Hz • Consumption: 100 W • Weight: 6,15 Kg • Accessories Included: 1 x PowerCON female; 1 x XLR 5 pins female; 1 x XLR 5 pins male; 4 x Shutter blades • BLACK Finishing • Box Size: N.A.	• FC RGBW	€	435,0
ACCESSORIES	Code	Description			Price
Gobo Holder	03.TA224	GOBO HOLDER for PROFILO LED 80 / 120 *Type M *Gobo size: 66mm (ext.), 48mm (figure) *Max Gobo thickness allowed 3 mm		€	8,00
Iris Dianhragm	03.TA223	IRIS / DIAPHRAGM for PROFILO LED 80 / 120		<b>€</b> .	52.0

ACCESSORIES	Code	Description		ı	Price
Gobo Holder	03.TA224	GOBO HOLDER for PROFILO LED 80 / 120 *Type M *Gobo size: 66mm (ext.), 48mm (figure) *Max Gobo thickness allowed 3 mm		€	8,00
Iris Diaphragm	03.TA223	IRIS / DIAPHRAGM for PROFILO LED 80 / 120		€	52,00
Customized Gobos	0516R004	Customized GOBO for PROFILO LED 80 / 120 *FORMAT IMAGE REQUIRED: DXF, EPS (.eps), Corel Draw (.cdr), Adobe Illustrator (.AI); FILE RASTER 300 dpi minimum, TIF, JPG, PSD, for Windows	ON DEMAND	Con	tact DTS
Pricelist 2020.1		·			

CONVENTIONAL PROJECTORS Lamp							
FLASH Blinders							
Picture	Code	Description			Price		
	03.E1173	FLASH 2000 L  • Light source: 2 x PAR 36 650W 120V lamps (LAMP NOT INC)  • Consumption: 1.300W • Weight: 2,45 Kg • Wiring: Mains in	LUDED) • LINEAR Fix pairs • Power supply: 220-240Vac 50/60 is silicon cable • BLACK Finishing • Box Size: N.A.	Hz €	40,00		
	03.E1170	• Power Supply: 220-240V 50/60 Hz • Consumption: 2.600W	FLASH 4000  • Light Source: 4 x PAR 36 650W 120V lamps (LAMP NOT INCLUDED) • SQUARE Fix pairs  • Power Supply: 220-240V 50/60 Hz • Consumption: 2.600W • Weight: 5,5 Kg  • Wiring: Mains in silicon cable • BLACK Finishing • Box Size: N.A.		65,00		
ACCESSORIES	Code	Description	For:		Price		
Lamps	0505PI01	Lamp PAR 36 650W 120V PAR 36	• FLASH 4000 / 2000 L	€	14,50		

Picture	Code	Description		Lens type:		Price
1	03.TS013.F	SCENA S 2000  • Theatre projector for 2000W lamps with Socket GY16 (LAMI	P NOT INCLUDED)	• FR Fresnel	€	145,00
O	03.TS013.A	<ul> <li>Power supply: 220-240Vac 50/60Hz</li> <li>BLACK Finishing</li> <li>Box Size: N.A.</li> </ul>	-	• PC Antihalo	€	145,00
	03.TS012.F	SCENA S 650/1000  • Theatre projector for 650W or 1000W lamps with Socket GX	(9.5 (LAMP NOT INCLUDED)	• FR Fresnel	€	80,00
	03.TS012.A	<ul> <li>Power supply: 220-240Vac 50/60Hz</li> <li>Weight: 6 Kg (FR and I</li> <li>BLACK Finishing</li> <li>Box Size: N.A.</li> </ul>		• PC Antihalo	€	85,00
ACCESSORIES	Code	Description	For:			Price
Barndoor	03.TBD03	BARNDOOR for SCENA S 2000 *Black	• SCENA S 2000		€	22,00
Darriuoof	03.TBD04	BARNDOOR for SCENA S 650/1000 *Black	• SCENA S 650/1000		€	20,00
	0505A014	Lamp 2000W 230V GY16 *CP72 *Halogen	• SCENA S 2000	ON DEMAND	€	16,00
Lamps	05054040	Lamp 1000W 230V GX9,5 *CP70 *Halogen	• SCENA S 650/1000		£	9,00
Lamps	0505A042	Lamp 1000W 230V GA3,3 CF70 Halogen	• SCENA S 650/1000		-	

<b>PROFILO</b> Beam	n shaper					
Picture	Code	Description	Zoom opening:			Price
	03.TP001	PROFILO 1000  • Beam shaper for 1000W lamps with Socket GX 9,5 (LAMP NOT INCLUDED) •	• Zoom 18°/ 36°	AVAILABLE UNTIL STOCKS	€	315,00
	03.TP008	Power supply: 220-240Vac 50/60Hz • Manual Zoom • Weight: 14,8 Kg • Power cable length: 1 m • BLACK Finishing • Box Size: N.A.	• Zoom 20°/ 50°	ARE EXHAUSTED	€	315,00
ACCESSORIES	Code	Description	For:			Price
Lamps	0505A042	Lamp 1000W 230V GX9,5 *CP70 *Halogen	• PROFILO 1000		€	9,00
Gobo Holder	03.TA202	GOBO HOLDER for PROFILO 1000 / 500 *Type B *Gobo Size: 86mm (ext.), 60mm (figure) *Max Gobo thickness 4 mm	• PROFILO 1000 / 500		€	5,00
Iris Diaphragm	03.TA201	IRIS / DIAPHRAGM for PROFILO 1000 / 500	• PROFILO 1000 / 500	ON DEMAND	€	44,00

CONTROLLERS / DEVICES						
Picture	Code	Description			Price	
	03.E1331	MASTER SOFTWARE 4  DMX MASTER SOFTWARE 4 is a DMX light control software for PC (Windows / Mac), supplied bundled with the DMX 512 IN / OUT V.4 interface. Easy to program thanks to rich graphic interface. Convenient for all kinds of performances; the easiest software (New Version V.4) for show programming. • CONTROL: Management of lighting groups and fixtures functions • PROGRAMABILITY: Automatic change of lightings address *Unlimited scenes, programs, steps, series, sequences and effects *Virtual scenes; Scenes generator *Big fixtures internal library *Musical synchronization available (BPM, MP3, WAV and Audio In) *Compatible with all DMX projectors *Compatible USB 1 and 2 *1024 DMX channels / 512 DMX channels out in Stand alone mode*Internal storage and 2 buttons to choose scenes in Stand-alone mode. *Connection HE10, to play scenes and effects using an external controller *The software can control up to 6 Box interfaces contemporarely. • Box Size: 19 x 6 x 25 cm / 0,5 Kg	ON DEMAND	€	285,00	
ACCESSORIES	Code	Description			Price	
Stabilized PSU	0508T015	Stabilized PSU 5VDC MINI USB for MASTERSOFTWARE 4  • needed if MASTERSOFTWARE 4 has to be controlled in stand-alone mode (not connected to PC / Laptop)	ON DEMAND	€	8,00	

Picture	Code	Description	Price
	03.LA.152	• Wall Mounting New Generation DMX Controller keypad • Flat wall mounted lighting controller. Ideal for LED, RGB and DMX lighting. The controller integrates a graphical color display allowing scene photos to be displayed. Easily view the selected zone, scene name and design without the need to navigate through complex menus.	€ 600,0

Picture	Code	Description		Price
	03.DC006	• 380V 50Hz (3-phase) • 12 Ch • 13A • Cabur • 3U (Rack unit)  Professional dimmers controllable either manually or via DMX needed for controlling SCENA S theater projectors / FLASH Blinders / PROFILO 1000-500 • 12-channel dimmer pack for resistance or induction loads • Max current output: 13A per channel • Power supply: 380V 50Hz (3-phase) • Weight: 15,2 Kg • Dimensions: 3U rack units • Box Size: N.A.	€	825,00
00	0521S016	SPLITTER 6CH  • Distributor / Amplifier of DMX Signals • 1U (Rack unit)  • 1 DMX input and 1 DMX output resend / 6 independent and optically isolated DMX outputs • 6 DMX channels / DMX 512 protocol • DMX input: male Neutrik XLR 5-poles connector • DMX output resend: female Neutrick XLR 5-poles connector  • 6 DMX outputs: female Neutrick XLR 5-poles connectors • Power supply: male VDE connector • Input voltage: 180-240Vac 50-60 Hz • Consumption: 50 W max • Safety: Circuit protection against DMX overvoltage; Power supply input protection fuse • Status LEDs: Power supply LEDs • Weight: 2,3 Kg • Box Size: N.A.	€	200,00

Powercon Cable	Code	Description	Already included in the box of:	Price
0	02K0012267.0015	1,5 mt Cable with PowerCON TRUE1 IP65 Female connector	• ALCHEMY 5 • ALCHEMY 3 • EUPHONY 3 • X-BRICK • SCENA LED 120 HQS	€ 14,
		Already included in the product carton box.	PROFILO LED 120 HQS	

For:

All DMX Fixtures

Price

0,75

13

€

DMX Cable

Pricelist 2020.1

Code

0509C158

Description

Shielded DMX cable AWG 24 \*2x0,25 sqmm \*Black

GENERAL ACCESSORIES							
Tripod	Code	Description	For:		Price		
	0521A007	Professional TRIPOD  *Min / Max High: 90 cm/140 cm *Closed Lenght: 105 cm *Max Load 40 Kg  *Footprint diam. 109 cm *Weight: 6,5 Kg  *Box size: 110 x 17 x 17 cm / 6,9 Kg	• SCENA LED 200 • PROFILO 1000 / 500	AVAILABLE UNTIL STOCKS ARE EXHAUSTED	€ 78,00		

Floor Stand	Code	Description	For:	Price
	0521A013	Professional FLOOR STAND Black finishing for Theater and Beam shaper projectors *(max. load 10 Kg)	• SCENA LED 80 /120 /200 • PROFILO LED /120 /200 • SCENA S 2000 /1000 /500 • PROFILO 1000 / 500	€ 6,50

Clamps	Code	Description	Mounting chart:	Pr	rice
	0521A033	ALISCAF CLAMP Silver  *Max load: 200 Kg SILVER  *with Fast-Lock system  *For Ø 48-51mm tubes  *Silver finishing *Item weight: 0,36 Kg	2 x ALISCAF + 2 x OMEGA Clamp (included in the product Box) for:  • SYNERGY • CORE • MAX-L • RAPTOR • WONDER  • ALCHEMY 5 • KATANA  1 x ALISCAF + 1 x OMEGA Clamp (included in the product Box) for:  • ALCHEMY 3 • EUPHONY 3 • NICK NRG 1401 / 1201 / 801 / 501  • JED • BRICK • MINI BRICK	€	7,50
		For VERTICAL and HORIZONTAL Loads	2 x ALISCAF for: • FOS 100 SOLO  1 x ALISCAF for: • X-BRICK • BRICK • MINI BRICK		
	0521A037	G-QUICK PROFESSIONAL CLAMP Black *Professional high-quality clamp *Included with M12 bolt & wingnut *Min tube size 38 mm / Max 51 mm *(Max. load 100 Kg) *Black finishing *Item weight: 0,52 Kg  For VERTICAL Loads only	2 x G-QUICK + 2 x OMEGA Clamp (included in the product Box) for: • SYNERGY • CORE • MAX-L • RAPTOR • WONDER • ALCHEMY 5 • KATANA  1 x G-QUICK + 1 x OMEGA Clamp (included in the product Box) for: • ALCHEMY 3 • EUPHONY 3 • NICK NRG 1401 / 1201 / 801 / 501 • JED • BRICK • MINI BRICK  2 x G-QUICK for: • FOS 100 SOLO  1 x G-QUICK for: • X-BRICK • BRICK • MINI BRICK	€	27,00
S × × × × × × × × × × × × × × × × × × ×	0521A004	G60 "C" CLAMP Black *For Ø50mm tubes *Max Load: 50 Kg *Item weight: 0,54 Kg  For VERTICAL Loads only	2 x G60 for: • FOS 100 SOLO  1 x G60 for: • X-BRICK • BRICK • MINI BRICK • SCENA LED 200 / 120 / 80 • PROFILO LED 200 / 120 / 80 • FLASH 4000 / 2000 L • SCENA S 2000 /1000 /500 • PROFILO 1000 / 500	€	6,00
	0521A012	G50 "C" CLAMP Black UNTIL STOCKS ARE EXAUSTED  *For Ø50mm tubes *Max Load: 10 Kg  *Item weight: 0,33 Kg  For VERTICAL Loads only	1 x G50 for:  • SCENA LED 120 • PROFILO LED 120  • SCENA LED 80 • PROFILO LED 80 • FLASH 4000 / 2000 L  • SCENA S 2000 /1000 /500	€	5,50

Safety Wires	Code	Description	For:		Price
	0521A038	SAFETY WIRE 5mm x 60 cm With Ring screw catch Saveking system; Lifting power: 60 Kg	• SYNERGY 5 PROFILE • SYNERGY 5 SPOT • BRICK • MINI BRICK	€	12,50
	0521A010	SAFETY WIRE 3mm x 60 cm With ring screw catch; Lifting power: 30 Kg	• CORE • MAX-L • RAPTOR • JED • ALCHEMY 5 / 3 • WONDER • EUPHONY 3 • NICK NRG 1401 / 1201 / 801 / 501 • KATANA • FOS 100 SOLO • SCENA LED 200 /120 /80 • PROFILO LED 200 /120 /80 • FLASH 4000 / 2000 • SCENA S 2000 /1000 /500 • PROFILO 1000 / 500	€	6,00

Firmware Uploader	Code	Description	For upgrading:	Price
	03.LA.206	DTS DONGLE FIRMWARE UPLOADER *Interface for updating the internal operating system via hyperterminal program on windows based PC.	• SYNERGY 5 PROFILE / SPOT • CORE • MAX-L • RAPTOR • JED • ALCHEMY 5 / 3 • WONDER • EUPHONY 3 • NICK NRG 1401 /1201 /801 /501 • KATANA • FOS 100 SOLO • BRICK • MINI BRICK • SCENA LED 200 /120 /80 • PROFILO LED 200 /120 /80	€ 63,00

# Article Nr. 1 Costs of estimates and supplies are always intended as Ex-works our plants in Misano Adriatico (RN) Italy. Article Nr. 2 Costs are inclusive of packing costs. Article Nr. 3 Costs are not inclusive of VAT (IVA). Article Nr. 4 All projectors are inclusive of lamp, where this is declared. Article Nr. 5 The goods travel at the consignee's risk, even if the delivery it's C&F, therefore it's in the buyer's interest to check the state of the equipment on arrival, so that in case of damages or any discrepancy endorse the Carrier's Note accordingly; as well as for having the right of taking any further legal action towards the Carrier.

If and when DTS takes care of the freight, claims are not accepted any later than 8 days from receipt of the goods.

Goods cannot be returned for repairing, credit or replacement without prior authorization of our offices by issuing a (RMA Return Material Authorisation Form). Equipment must be securely packed and returned in saleable condition

All DTS products are covered by 36 months warranty. The guarantee is valid only if the equipment has been correctly used; responsibility is not taken for breakdown or damages caused by tampering, accidents, neglicence or incorrect use

All the cost for repairing the equipment, damaged by an incorrect use, tampering carelessness will always be charged.

In the event of payments delay, DTS is authorized to charge bank interests, at current interests rate, as well

The non-respect of Terms of Payment will cancel all obligations on DTS's behalf and all consignments suspended.

D.T.S. Illuminazione srl reserves the right to modify, without prior notice, prices and specifications of the products.

and in its original package. Goods must be accompanied by: Our RMA Authorization paper copy.

The faulty equipment will be repaired at DTS's charge or substituted with new one.

Lamps, mirrors, belts and other wear-and-tear components are not covered by warranty.

Delays in payment, unauthorized discount or rounding off of amount due are not permitted.

well as all the charges to get the outstanding credits, which will be regularly invoiced.

of the equipment. The freight costs are always at your charge.

In case of any dispute Rimini (RN) Court will be the Judge.

Article Nr. 6

Article Nr. 7

Article Nr. 8

Article Nr. 9

Article Nr. 10

Article Nr. 11

Article Nr. 12

Article Nr. 13

Article Nr. 14

Pricelist 2020.1

15



D.T.S. Illuminazione s.r.l. via Fagnano Selve 12/14 Misano Adriatico (RN) - ITALY Phone +39 0541 611131

info@dts-lighting.it

Pricelist 2020.1

16